

**NIKON FULL LINE
PRODUCT GUIDE**

**NCP DEALER
VERSION**



WELCOME TO THE WORLD'S GREATEST PICTURES

This Nikon Product Guide was created to help you select your Nikon camera and accessories.



Throughout you'll find complete product information, photo tips and actual descriptions of how some of America's most famous photographers use Nikon equipment every day.

In addition to this guide, other Nikon brochures are available on individual cameras, lenses, accessories, close-up equipment and Speedlights.

The final pages of this guide tell you how to obtain Nikon service, attend a Nikon School session near you, and subscribe to Nikon World magazine.

We and your Nikon Consumer Products Dealer want to help you make the world's greatest pictures.

Let us know how we can help.



WHAT YOU'LL FIND INSIDE

Introduction	
The Nikon Difference.....	2
Advanced Cameras with Dedicated Accessories	
N6006	4
N6000	5
N50	7
FM2N.....	9
35mm Lenses	
Construction and Performance	11
Wideangle.....	13
Normal	13
Telephoto	14
Zoom	15
Micro-Nikkor.....	16
35mm Lens Accessories	
Teleconverters.....	17
Lens Hoods.....	18
Lens Caps	18
Filters.....	19
Focusing Screens and Viewfinder Accessories	21
Camera Cases and Lens Cases	22/23
EL Nikkor Enlarging Lenses	25
Speedlights	26
Multiple Flash.....	29
External Power Sources.....	30
Sync Cords and Adapters.....	30
Close-up	31
Remote Control	32
Miscellaneous SLR Accessories	33
Compact Cameras	34
Underwater	38
Sunglasses	43
Binoculars	45
Fieldsopes and Spotting Scopes	48
Nikon Services and Offerings	
Nikon World, Nikon School.....	49
SLR Camera Features and Specifications Chart	51
Lens Compatibility Chart	53
Battery Selector Chart	55
Product Index	
Alphabetical listing with page numbers.....	56

Nikon Consumer Products Dealers (NCP)
Nikon Consumer Products Dealers displaying this logo are authorized to sell Nikon consumer products, including selected 35mm cameras, lenses and accessories.



QUESTIONS?

Call Nikon at 1-800-NIKON-US Or write: Nikon Consumer Relations, 19601 Hamilton Avenue, Torrance, CA 90502-1309 U.S.A.

THE NIKON DIFFERENCE

Why is Nikon the choice of photographers everywhere?

Why is Nikon NASA's choice for out-of-this-world photography?


Why does "Nikon" instantly bring to mind quality, innovation and remarkable photographs?

The answer is you. For over 30 years, you have helped Nikon set the standards for 35mm photography. Today, Nikon cameras, lenses and accessories continue to be designed to accomplish one thing —satisfy your passion for making great photographs.




THE CLEAR DIFFERENCE — NIKON OPTICS

One of the most important parts of any camera is the optics through which light passes. Impurities or manufacturing defects can lead to unimpressive photographic results. That's why Nikon manufactures its own optical glass. It's your assurance that every piece of Nikon glass conforms to exacting Nikon quality standards.



ADVANCED METERING SYSTEMS

Nikon pioneered and continues to lead in the area of multi-pattern or "matrix" light metering. Working almost as you would, the system breaks the scene down into individual segments. Unlike many other metering systems, Nikon systems evaluate the segments for both brightness and contrast. Then, employing fuzzy logic, proper exposure is determined.




Depending upon the camera model you choose, you can also select center-weighted metering for portraits or other photographs, or spot-weighted metering to concentrate your exposure in a tiny area of the viewfinder.

AUTOMATIC AND MANUAL EXPOSURE MODES

Almost all Nikon advanced cameras feature four exposure modes.

Programmed Mode This mode determines both aperture and shutter speed. It follows one or more program curves designed to avoid camera shake, and adjusts automatically for the focal length of the lens. With many Nikon advanced cameras, you can even adjust the program, using Flexible Program, to produce exactly the kind of photos you want.



Aperture Priority With this mode, you set the desired aperture while the camera sets the shutter speed. Smaller aperture settings, such as f/11 and f/16 offer greater depth-of-field. Wider settings, such as f/2.8 and f/4 offer shallower depth-of-field, making your subject stand out from the background.

Shutter Priority You determine the shutter speed while the camera automatically sets the aperture. Create a feeling of movement with lower shutter speeds, or freeze the action with higher speeds.

Manual You determine the aperture. You determine the



shutter speed. Create exactly the effect you're looking for, based on your own experience and expertise.

Exposure Lock With many Nikon advanced SLRs, a flip of a switch locks the exposure. The system then memorizes the exposure value for the scene, allowing you to recompose the photograph any way you like.

Exposure Compensation Dial Depending on camera model, compensate your exposures within a range of + or -5 EV in 1/3 steps. Make your photographs lighter or darker, to meet your specific objectives.

HIGH SPEED MOTOR DRIVE

Driving your camera is Nikon's motorized film advance. Depending upon your camera model, use single-frame advance, low-speed film advance (about three frames per second), or high-speed film advance (about five frames per second).


ADVANCED AUTOFOCUS WITH EXCLUSIVE FOCUS TRACKING

Incorporating high-speed coreless motors and advanced AF sensor modules, Nikon's advanced cameras can focus automatically in light as dim as one candle.

Choose single-servo autofocus, or choose continuous autofocus where the camera focuses and refocuses automatically as your subject moves or changes position.

In either mode, take advantage of Nikon's revolutionary focus-tracking.

NIKON'S EXCLUSIVE FOCUS TRACKING ANTICIPATES THE SUBJECT'S PRECISE POSITION AT THE MOMENT OF EXPOSURE.






CORELESS MOTOR

With focus tracking, once the subject is moving towards the photographer, the camera anticipates its precise position at the moment of exposure. The system tracks the subject, calculating its final position between the time you press the shutter release and the time the exposure actually takes place.

MANUAL FOCUS WITH ELECTRONIC RANGEFINDER

When manually focusing, Nikon advanced AF cameras help you focus with a precision electronic rangefinder. Illuminated arrows guide you to exact focus, confirmed by a visible indicator.



FLASH OF BRILLIANCE

Almost everyone wants photos that combine ambient light with light from the flash. That's because photos like these are truly unusual. Especially when taken at the slow flash sync speeds that many Nikon advanced cameras can provide (be sure to see the Brett Froome examples that appear in this guide).




Nikon continues to lead in the area of flash photography with an array of Speedlights and a technology called matrix-balanced fill-flash. This through-the-lens system (TTL) uses matrix metering to evaluate the scene's available light. It then controls the flash to provide just enough light to illuminate the subject, while balancing the shot with a properly exposed background. The result is flash pictures like you've never seen before, in situations you might never have thought possible.

MATRIX-BALANCED FILL-FLASH SHOTS LOOK ALMOST AS IF FLASH HASN'T BEEN USED AT ALL. WHEN USED WITH SLOW SHUTTER SPEEDS, THE RESULTS CAN BE STUNNING.

PATH TO THE FUTURE


Nikon's famous F lens mount means your camera is compatible with literally hundreds of Nikon lenses. And, as Nikon innovation continues, your investment in Nikon quality continues to pay off with future system compatibility.



NIKON'S FAMOUS F LENS MOUNT MAKES OBSOLESCENCE OBSOLETE.

RENOWNED CONSTRUCTION AND MATERIALS

Nikon products are built to last. But to say they are simply "rugged" misses the point. When you use Nikon equipment, full-compatibility in terms of materials, alignment, optics, color consistency, electronics and overall performance is assured. Only Nikon cameras, equipment and accessories can offer true Nikon-quality photographs.



N6006

DARING PHOTOGRAPHY

When you're ready to start making
the world's greatest pictures, the
N6006 is ready for you. With built-
in wide-angle flash, motor drive,
three light meters, autofocus and an
array of other features, the N6006 dares
anyone to try new and exciting
photographic techniques.





5-SEGMENT MATRIX METERING

The best light meter for action photography, the N6006 uses 5-segment matrix-metering for reliable exposures even in difficult or rapidly changing light conditions. The matrix meter breaks the scene down into 5 segments, evaluates each for brightness and contrast, and provides the correct exposure of the main subject in virtually any lighting situation. In situations where you might be wondering what to do, your N6006 already knows.



SPOT AND CENTER-WEIGHTED METERING

For more controllable situations, or where you want to put more emphasis on a centrally located subject, center-weighted metering concentrates 75% of the exposure on the center of the viewfinder. To concentrate the exposure even further, switch to spot-metering. Now the exposure is based on a 3.5mm-diameter circle in the center of the viewfinder. The spot meter is effective when precise measurement of the subject is required.




BUILT-IN WIDE-ANGLE FLASH

This flash works beautifully with your N6006 light metering systems. Touch the buttons and it pops up, ready for use. This flash offers the widest coverage of any built-in speedlight (covers Nikon lenses down to 28mm). The N6006 flash also packs a wallop, offering a guide number of 43 (with ISO 100 film/feet).




MATRIX-BALANCED FILL-FLASH

Using matrix-metering, the N6006 computer evaluates the scene's available light brightness and contrast and calculates the exposure. It then fires the flash, controlling output for a balanced fill-flash picture. You'll use this flash for everything from still-life to action photographs, since automatic flash sync speeds range from 1/125 all the way down to 30 full seconds.



**SLOW SYNC FLASH
WITHOUT
COMPENSATION**



**SLOW SYNC FLASH
WITH
COMPENSATION**

When flash pictures are taken at high shutter speeds in dim light, the background may come out dark. For sunsets or night scenes, etc., a better background exposure may be achieved with Programmed or Aperture-Priority auto exposure mode, using slow sync. With slow sync, the flash fires at the beginning of the exposure and shutter speed is controlled between 1/125 sec. and 30 sec: the slowest shutter speed available in normal sync is 1/60 sec.



REAR-CURTAIN FLASH

Using either the built-in speedlight or an accessory Nikon Speedlight, you can also make unusual rear-curtain sync photographs. With this technique, the flash fires at the end of the exposure, rather than at the beginning. Using slow shutter speeds, a stream of motion will appear behind the moving subject.

HIGH SPEED AUTOFOCUS WITH FOCUS TRACKING

The N6006's autofocus system will operate in light as dim as that of one candle (EV-1). Choose Single Autofocus, where focus remains locked until you again press the shutter release, or Continuous Autofocus, where the system focuses and refocuses automatically, as long as the shutter release is slightly depressed. In either mode, if the subject is moving, Focus Tracking takes over and makes any necessary adjustments. Focus Manually using the electronic rangefinder, if you like, or press the Focus Lock Button to create off-center compositions.




FIVE AUTOMATIC EXPOSURE MODES INCLUDING MANUAL

Using the Program Mode (P), your N6006 will automatically set the appropriate aperture and shutter speed for you. By switching to the Auto Multi-Program mode (Pm), you automatically switch the camera to higher shutter speeds, ideal for use with telephoto lenses. Or, choose Shutter Priority (S) to freeze or blur the action. Choose Aperture Priority (A) to create a greater or shallower depth of field. Or, operate the camera on Manual (M), where you choose the aperture and shutter speeds that meet your needs. Use the Auto-Exposure Lock Button to set the exposure on the subject — then recompose any way you like. Flexible Program allows you to modify aperture and shutter speed combinations when using Program Modes.



AUTO EXPOSURE BRACKETING

By simply setting Auto Exposure Bracketting, the N6006 will bracket either 3 or 5 exposures for you automatically. You choose the amount of compensation between each frame in 0.3, 0.7 or 1 EV increments. Produce a range of exposures of the same subject, quickly and easily.



VARIABLE SELF-TIMER

The N6006's self-timer lets you choose a delay of from 2 to 30 seconds. Also take two self-timer shots in a row, automatically.

N 6 0 0 0

With the Nikon N6000 you focus manually and add your own Nikon Speedlight separately. Other features are virtually identical to the N6006 — matrix-metering and center-weighted metering (no spot-meter with N6000), auto-exposure, auto-bracketing, motorized film advance, slow-sync flash, rear-curtain flash, flash compensation, 1/2000 sec. shutter speed, variable self-timer, etc.

**Nikon Product Number:
1775 NCP**

**AUTO EXPOSURE
BRACKETING**



ON THE BEACH

"A lot of camera systems would have trouble with a shot like this. Dim light, a slightly off-center sun behind the subject, and rapidly changing light make this a difficult photographic situation. However, the features in the N6006 made this picture possible at virtually the touch of a button. Matrix metering, the built-in wide-angle flash and the camera's slow-sync flash capability handled the situation beautifully. To produce a number of exposures, I used the camera's auto bracketing feature to produce five separate shots. The N6006 is a great way to make all sorts of photographs."



NIKON SCHOOL PHOTO TIP: KEEP YOUR INSTRUCTION BOOKS WITH YOU FOR THE FIRST FEW MONTHS AFTER PURCHASE. IT'S LIKE HAVING A PHOTO EXPERT AROUND ALL THE TIME.

Matt Groomer

N 6 0 0 6

- Advanced Nikon features
- Built-in, wide-angle flash (provides coverage down to 28mm lenses)
- 5-segment matrix metering, center-weighted metering (75/25 balance), spot-metering (3.5mm diameter circle in center of viewfinder)
- Matrix-balanced fill-flash with built-in optional Nikon Speedlights
- Full information readout
- Autofocus with focus tracking
- Manual focus with electronic rangefinder to EV-1
- Top shutter speed 1/2000 sec.; top flash sync 1/125 sec.
- Single-frame, (CL) low-speed film advance at 1.2 frames per second, and (CH) high-speed film advance at 2 frames per sec.
- Five exposure modes — M (Manual), P (Normal Program), PM (Auto Multi-Program for faster shutter speeds), S (Shutter Priority) and A (Aperture Priority) and Flexible Program
- Autofocus lock button; auto exposure lock button
- Two-shot self-timer
- Nikon F lens mount
- Uses 6V lithium battery

Nikon Product Number: 1770 NCP

N 6 0 0 0

- Advanced Nikon features
- 5-segment matrix metering, center-weighted metering (75/25 balance)
- Matrix-balanced fill-flash with optional Nikon Speedlights
- Full information readout
- Manual focus with BriteView Focusing Screen
- Top shutter speed 1/2000 sec.; top flash sync 1/125 sec.
- Single-frame, (CL) low-speed film advance at 1.2 frames per second, and (CH) high-speed film advance at 2 frames per sec.
- Five exposure modes — M (Manual), P (Normal Program), PM (Auto Multi-Program for faster shutter speeds), S (Shutter Priority) and A (Aperture Priority) and Flexible Program
- Auto exposure lock button
- Two-shot self-timer
- Nikon F lens mount
- Uses 6V lithium battery

Nikon Product Number: 1775 NCP

N50

NEW

SHORTCUT TO GREAT PICTURES

Now great Nikon photographs are as easy as pushing a button. Want a portrait? Push a button. Want a silhouette? Push a button. Want a close-up? Push a button. The N50's automatic operation can give you the kind of photos you'll be proud to show and hang on your wall. Matrix metering, built-in flash, interchangeable lenses and other advanced features make the N50 the perfect step up to Nikon 35mm SLR photography.



GET THE KIND OF PICTURES YOU'VE ALWAYS WANTED — QUICKLY AND EASILY

Nikon's new N50 delivers an array of great 35mm SLR photographs at just the touch of a button. It's the ideal "step-up" camera for photographers who might have been intimidated by 35mm SLR photography.

SIMPLE MODE


With the camera set on the "simple" mode, just press a button to create the kind of Nikon photograph you want. While you compose, the N50 automatically sets the exposure. Focus is automatic in light as low as EV minus 1.




GENERAL PURPOSE PROGRAM



LANDSCAPE PROGRAM



PORTRAIT PROGRAM



CLOSE-UP PROGRAM

SIMPLE MODE PROGRAMS:

GENERAL PURPOSE PROGRAM

This selection appears automatically when the camera is turned on. It's great for changing everyday pictures into beautiful photographs.



LANDSCAPE PROGRAM

Press the button for the Landscape icon. Achieves greater depth-of-field for postcard-perfect pictures. Outstanding with AF Nikkor wide-angle lenses.



PORTRAIT PROGRAM


Press the button for the Portrait icon and the depth-of-field becomes shallower. Now the background becomes softer, making subjects stand out. Ideal with AF Nikkor portrait-range lenses (85 to 135mm).



CLOSE-UP PROGRAM

Again the subject stands out from the background. Especially effective with AF Micro-Nikkor lenses and AF Nikkor zoom lenses with macro focus.





SPORT PROGRAM



SILHOUETTE PROGRAM



NIGHT SCENE PROGRAM



MOTION EFFECT

ADVANCED MODE

With the camera set to the "advanced" mode, you can create even more types of photographs.

ADVANCED MODE PROGRAMS:

SPORT PROGRAM

Uses higher shutter speeds and creates a feeling of slight motion in your pictures. Add an extra dimension to your photos by panning with a moving subject. Effective with nearly every AF Nikkor lens.



SILHOUETTE PROGRAM

Imagine — automatic silhouettes! Subjects appear dark against a bright background. Outstanding near windows, at sunset or other strongly backlit situations.



NIGHT SCENE PROGRAM

Captures background lights. For dramatic photographs, add flash for automatically beautiful nighttime flash photography.



MOTION EFFECT

This selection automatically chooses slower shutter speeds to make subjects appear to flow through the scene. Also creates a great effect with panning.



OTHER ADVANCED FEATURES

• **Other advanced mode techniques** include shutter-priority auto exposure, aperture priority, auto exposure and manual exposure. • **Top shutter speed** 1/2000 sec; top flash sync 1/125 sec. • **Flexible Program** enables you to shift an automatically selected shutter speed or aperture combination by 1 EV. • **AE-lock** lets you change picture composition without affecting exposure. • **Exposure Compensation** allows you to deliberately overexpose or underexpose photos by ± 5 EV in 1/2 EV increments. • **Exposure Memory** stores your favorite exposure mode or program for instant recall. • **Choice of Focus Modes** lets you choose "Single Servo" autofocus for stationary subjects; "Continuous Servo" to stay with the action. Also focus manually. • **Self Timer** lets you become the subject of your own pictures. • **Extra-long Time Exposure** setting keeps the shutter open as long as you like.

4-PAGE INSTRUCTION GUIDE FOR SIMPLE MODE

The N50 comes with a 4-page instruction guide for the Simple Mode, so you can be shooting great pictures in minutes! A complete instruction book is also included.

ADVANCED FEATURES OF THE N50


SHARP, CLEAR INFORMATION READOUT

The N50 is the first SLR camera to use a dot-matrix LCD panel. It's not only easy to see in any light, *it's also easy to understand!*



6 SEGMENT 3D MATRIX METERING

The N50 uses a 6-segment matrix light-metering system to evaluate each scene. When used with Nikon's new D-type autofocus lenses, it combines exposure information with data on distance and focus. The result? Reliable exposures, frame after frame, even in difficult lighting.



BUILT-IN FLASH

Powerful built-in flash pops up. Advanced matrix-balanced fill-flash means all-new pictures. Use flash in daylight to brighten shadows, while keeping background light natural-looking.



LOW LIGHT AUTOFOCUS/FOCUS TRACKING

The N50's advanced AM200 autofocus sensor module works in light as low as that of one candle (EV minus 1). In light where you can hardly see, *it can!* And, Nikon's revolutionary focus tracking has also been incorporated into the N50.

INTERCHANGEABLE NIKKOR LENSES

Because the N50 incorporates Nikon's famous F lens mount, you can choose from a wide variety of AF Nikkor lenses. All are designed to take the world's greatest pictures.

OPTIONAL SPEEDLIGHTS

Use the N50's powerful built-in flash or choose an optional Nikon Speedlight like the compact SB-22, SB-23 or advanced SB-25. Either way, you'll gain power and versatility.



AN ARRAY OF ACCESSORIES

The N50 accepts a full range of Nikon system accessories, including camera cases, camera straps, eyepiece correction lenses and attachments for close-up photography.

Nikon Product Number: 1710 NCP

FM2N




THE TRADITIONALIST'S CHOICE

If you want manual focus and manual exposure control, here's the way to get it — with proven Nikon performance and durability. The FM2N is the choice of traditionalists everywhere.



YOU'RE IN COMMAND


The FM2N is a camera that puts you in charge. Using 60/40 center-weighted metering, you select the aperture, you select the shutter speed, to create the type of photographs you're looking for.



LEGENDARY NIKON PERFORMANCE AND DURABILITY


Like all Nikon F cameras, the FM2N is made to exacting standards with durable die-cast metal body construction and precision operating features.

Vertical-travel aluminum alloy shutter curtains offer reliable, consistent performance. A mirror shock absorber virtually eliminates mirror bounce or shake that might blur some exposures. Four ball-bearing clusters and reduced film winding torque assure silky-smooth film advance.



3-POINT LED EXPOSURE DISPLAY


In addition to shutter speed and aperture, a 3-point exposure display appears in the viewfinder. It instantly tells you if your exposure is over (+), under (-) or right on (0).



MOTOR DRIVE MD-12

Attach the optional Motor Drive MD-12 to the FM2N, and you're into motor drive photography. Shoot single frames or try sequential shooting at up to 3.2 frames per second.


Nikon Product Number: 102 NCP



DATA BACK MF-16

Record year/month/day or day/hour/minute or any 2-digit number on your photographs. Perfect for scientific or research photography. LCD quartz clock ensures precision information.

Nikon Product Number: 4526 NCP



NIKON SCHOOL PHOTO TIP:
THE REAL PURPOSE OF A MOTOR DRIVE IS NOT SEQUENCE PHOTOGRAPHY — IT'S TO MAKE SURE YOUR EYE IS NEVER AWAY FROM THE VIEWFINDER. THUS, YOU ARE ALWAYS READY FOR THAT PEAK MOMENT.



F LENS MOUNT

Because the FM2N incorporates Nikon's F lens mount, it uses all of Nikon's current lenses, and hundreds of previous lenses.

OTHER NIKON ACCESSORIES

The FM2N also accepts a wide range of other Nikon accessories, including the Modulite Remote Control Set ML-2, Intervalometer MT-2, Wireless Remote Control Set MW-3, Battery Pack DB-2, Nikon Speedlights and close-up accessories.

NEW TITANIUM BODY FM2T

If you're going to extremes to get a great photograph, consider the new FM2T version of the FM2N. Made with an incredibly strong titanium outer shell, this camera is highly shock and corrosion resistant. All other specifications and features are the same as the FM2N.

Nikon Product Number: 1685 NCP



F M 2 N

- Durable die-cast all-metal body construction provides lightweight rigidity and strength
- Center-weighted TTL metering (60/40 balance); metering range EV 1 to EV 18
- Interchangeable focusing screens; K2, E2, B2
- Bright viewfinder system with aperture, shutter speed and 3-point exposure display (+ 0 -)
- Silky-smooth manual film advance and transport
- Top shutter speed 1/4000 sec.; top flash sync 1/250 sec.
- Aluminum-alloy shutter curtains for stable, dependable performance
- Depth-of-field preview button
- MD-12 Motor Drive
- MF-16 Data Back
- Nikon F lens mount

Nikon Product Number: 1683 NCP (Chrome finish camera body)
Nikon Product Number: 1684 NCP (Black finish camera body)


NIKKOR 35MM LENSES

LIKE NO OTHER LENSES IN THE WORLD

Purchasing a Nikon SLR camera body is just the beginning of your extraordinary adventure in photography. The next step is choosing a lens — or a series of lenses — that will give you the power and flexibility to capture the world in a virtually unlimited number of ways. Nikon offers the largest

selection of interchangeable lenses, from fisheye to super-telephoto. And behind every lens is a history of Nikon quality and innovation that has consistently set new standards of excellence. Nikon technological advances have expanded the photographer's ability to accurately record, or creatively interpret, what he or she sees.

Nikon's most remarkable innovation, however, may be its consistent use of the Nikon F lens mount. Even Nikon's newest and most advanced lenses can be easily attached to the stainless steel F mounts of Nikon cameras dating back to the Eisenhower era. So invest in a Nikkor with confidence.



GREAT LENSES START WITH GREAT OPTICAL GLASS

Nikon standards for glass purity are so exacting, we had to build our own glassworks to produce high quality glass for Nikkor lenses. Nikon lens designers can choose from among 200 types of glass, so every lens element leads to perfect results. If the right glass doesn't exist, Nikon invents it.

NIKON CLOSE RANGE CORRECTION SYSTEM

When focusing at extremely close distances, most lenses offer image quality that is diminished. Clearly, that isn't good enough for Nikon. We invented an entirely new system for close-range focusing. With Nikon CRC (close range correction), the lens elements shift position in relation to each other, so that at close shooting distances curvature of field is reduced to the bare minimum. High resolution is possible even at close distances.

NIKON INTEGRATED COATING

Light is beautiful, but unless it is carefully controlled your pictures won't be. Nikon goes one step further. Nikon integrates multilayer coating into the design of each lens, making sure that just the right number of coatings are applied to each lens element. Flare is

dramatically reduced, and there is a corresponding increase in image contrast and light transmission. Uniform color balance is achieved throughout the entire Nikkor line-up. The end result is the world's greatest pictures.



QUALITY MECHANICAL CONSTRUCTION


With a Nikkor lens there is no room for compromise. Nikon uses only the best materials and the latest manufacturing techniques.

You can see the results in the pictures you take with Nikkor lenses, and you can also feel the results when you operate the lens. Turn the focusing ring or move the aperture ring


back and forth and you'll marvel at the smoothness. Every piece of the lens is machined to such exact tolerances that you're assured of extraordinarily smooth operation over a lifetime of use.

GOING TO ANY LENGTHS


Choose the Nikkor lens that best meets your needs. The photos to the right show you how focal length affects the size of the subject in the final photograph.




20MM



35MM



50MM




85MM



135MM




200MM



300MM



600MM



WIDE-ANGLE LENSES (24MM, 28MM, 35MM)



When you're shooting "on the run," with no time to focus or compose carefully, Nikon wide-angle lenses are a smart choice. The picture angle is large, depth of field is ample, and the optics are fast. Shoot under a wide range of lighting conditions with confidence. Nikkor wide-angle lenses have a variety of applications, including photojournalism, commercial, and travel photography.

24MM F/2.8D AF NIKKOR

An ideal wide-angle lens with excellent optical performance. Autofocus operation is fast and accurate, and the lens' light weight and compactness make it

highly versatile. D-type lens technology provides distance information to the Nikon N50. Close-Range Correction System ensures high resolution down to 15 inches. Wt. 9.5 oz. Dim. 2.6 x 1.8".

Nikon Product Number: 1919 NCP



28MM F/2.8 AF NIKKOR AIS

Designed for the photographer who wants to carry only one wide-angle lens, the 28mm f/2.8 AF Nikkor offers exceptional flexibility, from landscapes to star trails. 74° picture coverage. Focus down to 9 inches: Close-Range Correction System ensures sharpness. Accepts 52mm filters. Wt. 8.8 oz. Dim. 2.5 x 1.8".

Nikon Product Number: 1917 NCP



35MM F/2 AF NIKKOR AIS

A popular choice for travel photography and candid, the 35mm f/2 AF Nikkor offers autofocus capability, plus 62° picture coverage, additional depth of field, and a wide maximum aperture. Compact size, light weight. Accepts 52mm filters. Wt. 9.9 oz. Dim. 2.5 x 2.0".

Nikon Product Number: 1920 NCP



NORMAL LENSES (50MM)



"Normal" lenses earned their name by offering photographers an angle of view closest to that of the human eye, around 45°. Normal lenses also offer wide maximum apertures, which make available light photography possible even in low-light situations.

The combination of features makes "Normal" lenses very useful in a wide range of applications, from candid to landscapes.

50MM F/1.4 AF NIKKOR AIS

One of the most widely used autofocus lenses in all of photography. Fast enough for shooting in just about any type of light. Distortion-free images with superb resolution and color rendition. Weighs only 8.8 ounces. An ideal first lens, perfect for full-length portraits, travel photography, or any type of available-light shooting. Accepts 52mm filters. Wt. 8.8 oz. Dim. 2.5 x 1.6".

Nikon Product Number: 1904 NCP




50MM F/1.8 AF NIKKOR AIS

An affordable Nikkor that combines the ease of autofocus operation with advanced Nikon optics. Ideal for scenery or full-length portraits. Weighs only 5.1 ounces. Stops down to f/22 for additional depth of field control. Accepts 52mm filters. Wt. 5.1 oz. Dim. 2.5 x 1.1".

Nikon Product Number: 1906 NCP



MODERATE TELEPHOTO LENSES (85MM, 105MM)



Portraits or candids that include just the head and shoulders of your subject are often the most desirable. Unfortunately, getting close enough to achieve that result can make your subject feel uncomfortable. That's where moderate telephoto lenses come in handy. They're specially designed to let you fill up the frame with your subject, without getting too close. Other applications for moderate telephoto lenses include photographing distant landscapes or isolating important details in cityscapes.

85MM F/1.8 AF NIKKOR AIS

Autofocus capability for easy indoor or outdoor portraiture. Exceptionally compact for a telephoto lens. Focuses down to 36 inches. Accepts 62mm filters. An excellent choice for your first telephoto lens. Wt. 14.6 oz. Dim. 2.8 x 2.3".

Nikon Product Number: 1930 NCP



105MM F/2.5 NIKKOR AIS

Considered the classic portrait lens, with ideal picture coverage of 23°. Relatively large maximum aperture is convenient for pinpoint focusing and shooting in available light. Focuses down to 42 inches. Uses standard 52mm filters. Wt. 15.3 oz. Dim. 2.5 x 2.7".

Nikon Product Number: 1456 NCP



TELEPHOTO LENS (135MM)

Telephoto lenses pull in distant scenes, allowing you to create dramatic frame-filling photographs of sports, wildlife, or any other subject. Subject stands out from background for dramatic compositions.



135MM F/2.8 NIKKOR AIS

An excellent choice for action photography and available light shooting. Very compact and light for a lens of this focal length. Stops down to f/32. Accepts 52mm filters.

Wt. 15.3 oz. Dim. 2.5 x 3.3".

Nikon Product Number: 1462 NCP



REFLEX LENS (500MM)



Reflex-Nikkors employ the same magnification technology as powerful mirror-reflex telescopes. This makes them ideal for creating dramatic frame-filling photographs of far-off subjects. And because reflex lenses essentially fold the light path, they're smaller and lighter than conventional lenses with equivalent focal lengths.

500MM F/8N REFLEX-NIKKOR

An essential tool for every sports and wildlife photographer. Narrow 5° picture angle provides 10X magnification of the subject. Catadioptric (mirror) design eliminates chromatic aberration for outstanding picture quality. Focuses

down to 5 feet. Accepts 39 or 82mm filters. Wt. 29.6 oz. Dim. 3.5 x 4.3".

Nikon Product Number: 953 NCP



Nikon D-type lens technology provides distance information to the Nikon N50 camera, making 3D Matrix Metering and Matrix Balanced Fill-Flash possible.

ZOOM LENSES (24-50MM, 28-70MM, 28-85MM, 35-80MM, 35-105MM, 35-135MM, 70-210MM, 75-300MM)



Zoom-Nikkor lenses offer excellent image quality and convenience. You can change focal lengths quickly, cropping subjects in the viewfinder, without ever having to change lenses or your shooting position.

24-50MM F/3.3-4.5 AF ZOOM-NIKKOR AIS

Zoom from wide-angle to normal by turning zoom control. Ideal for many applications, from candid to travel photography. Autofocus for ease-of-use. Focus down to 1.6 feet. Superb picture quality at every focal length. Accepts 62mm filters. Wt. 13.2 oz. Dim. 2.8 x 2.9".

Nikon Product Number: 1954 NCP



28-70MM F/3.5-4.5D AF ZOOM-NIKKOR AIS

Zoom from wide-angle to short telephoto by turning zoom control. Nikon D-type lens technology provides distance information to the Nikon N50 camera. Autofocus for ease-of-use. Focus down to 16 inches. Accepts 52mm filters. Wt. 12.5 oz. Dim. 2.7 x 2.8".

Nikon Product Number: 1956 NCP



28-85MM F/3.5-4.5 AF ZOOM-NIKKOR AIS

Gives you the flexibility to take pictures in the most popular focal lengths, all with one lens. Ideal for portraits or travel photography. Autofocus for ease-of-use. Focus down to 10 inches for dramatic close-ups. Accepts 62mm filters. Wt. 19.0 oz. Dim. 2.8 x 3.5".

Nikon Product Number: 1959 NCP



35-80MM F/4-5.6D AF ZOOM-NIKKOR AIS

Weighing in at only 8.5 ounces, this powerful little zoom is ideal for travel photography. Autofocus for ease-of-use. Focus down to 14 inches. D-type lens technology provides distance information to the Nikon N50 camera. Accepts 52mm filters. Wt. 9.0 oz. Dim. 2.6 x 2.4".

Nikon Product Number: 1970 NCP



35-105MM F/3.5-4.5 AF ZOOM-NIKKOR AIS

Extensive 3X zoom range for wide-angle, normal, telephoto, and macro photography, by sliding the zoom control. A great autofocus travel lens. Focus down to 11 inches. Accepts 52mm filters. Wt. 18.0 oz. Dim. 2.8 x 3.4".

Nikon Product Number: 1967 NCP



35-135MM F/3.5-4.5N AF ZOOM-NIKKOR AIS

A wide-angle-to-medium telephoto lens, great for travel, candid, portraits, and close-ups. Autofocus for ease-of-use. Focus down to 12 inches. Accepts 62mm filters. Wt. 24.2 oz. Dim. 2.9 x 4.3".

Nikon Product Number: 1969 NCP



70-210MM F/4-5.6D AF ZOOM-NIKKOR AIS

Popular mid-range zoom, suitable for many applications, including portraiture and travel photography. Autofocus for ease-of-use. Focus down to 46 inches. D-type lens technology provides distance information to the Nikon N50 camera. Wt. 20.8 oz. Dim. 2.9 x 4.3".

Nikon Product Number: 1979 NCP



75-300 F/4.5-5.6 AF ZOOM-NIKKOR AIS

Fill the frame with distant sports figures with this powerful, versatile telephoto zoom. Autofocus for ease-of-use. Focus down to 5 feet. Accepts 62mm filters. Wt. 30.0 oz. Dim. 2.8 x 6.5".

Nikon Product Number: 1982 NCP



SPECIAL PURPOSE LENSES (MICRO)

While Nikkor lenses are noted for their versatility, certain special photographic applications, such as perspective-controlled 35mm architectural photography, require unique design characteristics. Nikon offers a complete line of Special Purpose lenses to fit every need.

60MM F/2.8D AF MICRO-NIKKOR

This lens provides an exceptional range of applications and high-quality performance. D-type lens technology provides distance information to the Nikon N50 camera. Close-Range Correction System ensures high resolution from infinity to close-ups down to 8 3/4 inches (1:1 reproduction ratio). A-M (Automatic-Manual) switch enables quick changing from autofocus to manual focus. Wt. 16 oz. Dim. 2.8 x 3".

Nikon Product Number: 1987 NCP



105MM F/2.8D AF MICRO-NIKKOR

This lens adds extra free working distance for multiple lighting techniques. The lens' 105mm focal length makes it suitable for portrait composition, while close-focusing enables detail work. D-type lens technology provides distance information to the Nikon N50 camera. Close-Range Correction System. Focuses from infinity to 12 inches (1:1 reproduction ratio). A-M (Automatic-Manual) switch. Wt. 19.6 oz. Dim. 3 x 4.2".

Nikon Product Number: 1988 NCP



Nikon D-type lens technology provides distance information to the Nikon N50 camera, making 3D Matrix Metering and Matrix Balanced Fill-Flash possible.

ALL-NEW MICRO-NIKKOR LENS SERIES

FROM INFINITY TO LIFE-SIZE —
THEY ARE UNEQUALED

Two new Micro-Nikkor lenses provide unprecedented focusing range. Each focuses from infinity to life-size on the film, a never-before-equalled feat in 35mm photography.

NEW

60MM F/2.8 D AF MICRO-NIKKOR



This new lens enhances the reputation of the Micro-Nikkor series even further. D-type lens technology provides distance information to the N50 camera.

This lens is a "must-have" for any serious photographer, providing an exceptional range of applications and high-quality performance.

- Close-Range Correction system ensures high resolution from infinity to close-ups down to 8 3/4 inches.
- Focuses from infinity to life-size (1:1 reproduction ratio)
- A-M (Automatic-Manual) switch enables you to change quickly from autofocus to manual focus, without having to change the camera body's focus mode switch.

Nikon Product Number: 1987 NCP



SHOOT CLOSE



SHOOT FAR AWAY

NEW

CLOSE-RANGE CORRECTION

Most other lenses are optimized for focus at infinity. Nikon's Close-Range Correction challenges this concept with optical performance that smooths a lens' performance, so that focusing at infinity and up close will be excellent. Images will be sharp, and distortion due to curvature will be nearly non-existent.

D-TYPE LENS TECHNOLOGY

All of these lenses incorporate the Nikon Distance Signal. When used with the Nikon N50 distance technology offers enhanced exposure calculations.

ACCESSORIES FOR NEW D-TYPE MICRO-NIKKOR LENSES


	1987 NCP	1988 NCP
Hood Product #	Screw-on HN-22/#566	Snap-on HS-7/#541
Hard Case Product #	CL-32S/#450	—
Pouch Case Product #	No. 62/#4302	No. 63/#4303
Plastic Case Product #	CP-0/#4511	—
Adapter Ring Product #	SB-21's UR-3/#2396	—

105MM F/2.8 D AF MICRO-NIKKOR


The focal length of this lens adds extra working distance, enabling the more creative use of flash. The added working distance also provides additional comfort for subjects, and allows multiple lighting techniques. For general photography, the lens' 105mm focal length makes it suitable for classic portrait composition, while its close-focusing capability enables interesting detail work. D-type lens technology provides distance information to the N50 camera.

- Close-Range Correction system ensures high resolution from infinity to close-ups down to 12 inches.
- Focuses from infinity to life-size (1:1 reproduction ratio).
- A-M (Automatic-Manual) switch enables you to quickly change from autofocus to manual focus, without having to change the camera body's focus mode switch.


Nikon Product Number: 1988 NCP



ESTABLISH



MOVE IN



SPECIFICATIONS FOR NEW D-TYPE AF MICRO-NIKKOR LENSES

	60mm f/2.8 D AF Micro	105mm f/2.8 D AF Micro
Focal length	60mm	105mm
Maximum aperture	f/2.8	f/2.8
Lens construction	8 elements 7 groups	9 elements 8 groups
Angle of view	39° 40'	23° 20'
Closest focusing distance	8.75 in.	12 in.
Reproduction ratio scale	1:10 - 1:1	1:10 - 1:1
Minimum aperture	f/32	f/32
Filter size	62mm	52mm
Dimensions	2.8 x 3 inches	3 x 4.2 inches
Weight	16 oz.	19.6 oz.
Nikon Product Number	1987 NCP	1988 NCP

TELECONVERTERS FOR NIKKOR SLR LENSES

EXTENDING YOUR VISION

Increase the focal length of virtually any Nikkor SLR lens (including zoom lenses) by adding a Nikon Teleconverter. Nikon Teleconverters can be mounted in seconds between the lens and the camera, and can as much as double the effective focal length of the lens in use. For example a 1.4x teleconverter will increase the focal length of a 50mm lens to 70mm; a 2x Nikon Teleconverter will increase the focal length of a 50mm lens to 100mm; and so on.

Please note: Nikon Teleconverters represent the same attention to detail and quality as other Nikon products. However the use of teleconverters may have some inherent limitations (for example, a decrease in f/stop). Also, Nikon AF/AIS lenses must be manually focused when used with teleconverters. For greatest satisfaction, be sure to check the Lens/Teleconverter Compatibility chart below before choosing your Nikon Teleconverter.

NIKON TELECONVERTERS

Teleconverter		Nikon Product Number
TC-14A	1.4x Teleconverter for Nikkor AF/AIS lenses 200mm or less	1400 NCP
TC-201	2x Teleconverter for Nikkor AF/AIS lenses 200mm or less	1403 NCP



TC-14A



TC-201

LENS/ TELECONVERTER

COMPATIBILITY

The following table lists various Nikkor lenses which can be used in conjunction with Nikon Teleconverters TC-14A and TC-201; compatibility is detailed in the right hand columns.

- ◆ Matched, no autofocus operation
- Usable, but at a close focused distance, vignetting or other image deterioration may occur.
- ▲ Usable, but vignetting or other image deterioration may occur.
- + Not usable, because it cannot be mounted, or vignetting or other image deterioration will ruin the photo.

Note:
The smaller the aperture, the less vignetting.
When these lenses are used at apertures smaller than f/11 with higher shutter speeds, there is occasional unevenness of illumination on the film.

Non-AI lenses cannot be used; even when AI-modified, some lenses cannot be used.

Caution:
Never attach the TC-14A to the GN-Nikkor 45mm f/2.8, the lens or TC-14A could be damaged.

AF NIKKOR	TC-14A	TC-201	ZOOM	TC-14A	TC-201	TELEPHOTO	TC-14A	TC-201
AF 24-50mm f/3.3-4.5	◆	◆	28-85mm f/3.5-4.5	◆	◆	85mm f/2	◆	◆
AF 28-70mm f/3.5-4.5D	◆	◆	35-70mm f/3.3-4.5	◆	◆	105mm f/2.5	◆	◆
AF 28-85mm f/3.5-4.5	◆	◆	35-105mm f/3.5-4.5	◆	◆	135mm f/2.8	◆	◆
AF 35-80 f/4-5.6D	◆	◆	35-135mm f/3.5-4.5	◆	◆	200mm f/4	◆	+
AF 35-105mm f/3.5-4.5	◆	◆	100-300mm f/5.6	▲	▲	300mm f/4.5	+	+
AF 35-135mm f/3.5-4.5	◆	◆	WIDEANGLE			REFLEX		
AF 70-210mm f/4-5.6D	◆	◆	24mm f/2.8	◆	◆	500mm f/8	▲	▲
AF 75-300mm f/4.5-5.6	▲	▲	28mm f/2.8	◆	◆	SPECIAL PURPOSE		
AF 24mm f/2.8	◆	◆	35mm f/2	◆	◆	Micro 55mm f/2.8	◆	◆
AF 28mm f/2.8	◆	◆	NORMAL			Micro 105mm f/2.8	◆	◆
AF 35mm f/2	◆	◆	50mm f/1.4	◆	◆			
AF 50mm f/1.8	◆	◆	50mm f/1.8	◆	◆			
AF 50mm f/1.4	◆	◆						
AF 50mm f/1.8	◆	◆						
AF Micro 60mm f/2.8D	◆	◆						
AF Micro 105mm f/2.8D	+	▲						

LENS CAPS

PROTECT YOUR INVESTMENT WITH LENS CAPS AND COVERS FOR NIKON CAMERAS AND LENSES

Protect your Nikon investment with genuine Nikon lens, teleconverter and camera body mount caps. Lens caps protect the front and rear portions of your lenses and teleconverters from dust, smudges and scratches. Camera body mount caps protect the mirror box and reflex mirror when a lens is not affixed to the camera body. Select appropriate caps from list below (Rear Lens Cap NCP LF-1 fits all Nikon F-mount lens and teleconverters).



Lens/Camera Cap	Product Number
52mm Snap-on Front Lens Cap	581 NCP
62mm Snap-on Front Lens Cap	600 NCP
72mm Snap-on Front Lens Cap	601 NCP
85mm Slip-on Front Lens Cap for 500mm f8N Reflex	1335 NCP
BF-1A Lens Mount Cap for SLR Camera	612 NCP
LF-1 Rear Lens Cap for all F-Mount Lenses	607 NCP

LENS HOODS

REDUCE FLARE —ELIMINATE “GHOST IMAGES”

A lens hood is an essential part of your Nikon system. By reducing stray light and minimizing flare, your pictures show improved contrast and better color saturation. Hoods also provide important shock protection, should your lens be dropped or bumped. Genuine Nikon hoods are made of materials that prevent permanent bonding to the lens, which may sometimes occur with other manufacturers' hoods. Available in the four types.



Bayonet

Twist-lock mounting for extra security.

Designation	Nikon Product Number	Lenses Attachable*
Bayonet		
HB-1	4602 NCP	AF 28-85/3.5-4.5, AF 35-135/3.5-4.5, AF 35-70/2.8
Snap-on		
HS-7	541 NCP	AF Micro 105/2.8
Screw-in		
HN-1	508 NCP	24/2.8, 28/2, AF 24/2.8
HN-2	509 NCP	28/2.8, 35-70/3.3-4.5, AF 28/2.8, AF 35-70/3.3-4.5
HN-3	510 NCP	35/2, 35/2.8, Micro 55/2.8, AF 35/2
HN-20	562 NCP	85/1.4
HN-22	566 NCP	35-135/3.5-4.5, AF Micro 60/2.8
HN-23	565 NCP	AF 85/1.8



FILTERS

FROM COLOR BALANCE TO SPECIAL EFFECTS, NIKON FILTERS HELP YOU MAKE BETTER PICTURES

FILTERS FOR COLOR FILM

AMBER FILTERS A2, A12

Amber filters control the bluish coloration that affects daylight film. The mild A2 warms scenes shot on cloudy days. The deeper-colored A12 is used with tungsten film for outdoor shooting in fair weather. Add mood to your photographs by warming your pictures with either filter.



BLUE B2, B8, B12


Blue filters remove reds and have a cooling effect. The mild B2 banishes reds from sunrise or sunset shots. The B12 neutralizes the red cast produced by photofloods in indoor shooting with daylight film. Use a B8 or B12 blue filter and underexpose to create eerie night scenes.



FILTERS FOR COLOR AND BLACK-AND-WHITE PHOTOGRAPHY

ULTRAVIOLET (UV) L37C, SKYLIGHT L1BC

UV filters cut haze for sharper black-and-white prints, and correct the blues and violets in color prints. The integrated coated L37C reduces reflection and is designed to be used with integrated coated lenses to protect and reduce excess UV. The integrated coated L1BC also cuts haze, protects the lens and can reduce the blue cast of shade pictures.





NIKON SCHOOL PHOTO TIP:

USING FILTERS CAN HAVE A TREMENDOUS IMPACT UPON THE QUALITY OF YOUR PHOTOGRAPHS. COLOR RENDITION AND CONTRAST CAN ALL BE GREATLY IMPROVED WITH THESE RELATIVELY INEXPENSIVE ACCESSORIES THAT MANY PHOTOGRAPHERS OVERLOOK.

SOFT FOCUS NO.1, NO.2

These filters soften images. No.1 lends a romantic aura to portraits. The stronger No.2 produces a fog-like effect in landscapes and also highlights small subjects against a field of dark space. Both can be used together for stronger effects.



NEUTRAL DENSITY ND4, ND8, ND400

These filters allow you to use larger apertures without changing shutter speed or use slower shutter speeds in bright conditions for creative motion effects. Neutral density filters do not change color balance.

CIRCULAR POLARIZING FILTERS

The only filters that darken the sky in color photography without affecting color balance, polarizing filters cut out the glare from water and metallic surfaces, and allow shooting through glass windows. Nikon circular polarizing filters are designed for use with autofocus SLR's. Their mounts can be rotated for different angles which you can monitor through the viewfinder. (Note: use of circular polarizing filters requires a filter hood — see "Filter Accessories" listing that follows).



CONVERSION FILTERS A12, B2, B8, B12

Color conversion filters can be used to match film color balances. For example, Color Conversion Filter A12 can be used to shift the color balance of tungsten film to daylight. Blue Color Conversion Filters B2, B8 and B12 counteract existing light that is too warm. B12 matches artificial light to that of normal daylight film.

FILTERS FOR BLACK-AND-WHITE FILM


YELLOW Y44, Y48, Y52

Yellow filters absorb both blue and ultra-violet light so skies appear darker. They work well in landscape or telephoto photography because they clear up the haze around distant objects. Y44 is a mild filter. Y48 is medium. Y52 produces the strongest effect.




ORANGE O56

Stronger than yellow filters, the O56 tones down blue, ultraviolet and green. It heightens contrast between sky and objects and darkens foliage.



RED R60

Ultra high contrast. All colors except red are filtered out so blue skies appear almost black and clouds stand out. Green leaves appear dark, providing a strong contrast against lighter-hued flowers. The R60 can be used to create special effects with b&w infrared film.



GREEN XO, X1

Green filters absorb red and blue, letting green and yellow through. The XO renders effects similar to colors perceived by the eye, making it ideal for general-purpose use. The X1 balances the reddish cast of floodlights and gives skin a more natural tone — great for portraits.



Nikon Filter

Nikon Product Number

	52mm	62mm
A2	2266 NCP	2430 NCP
A12	2264 NCP	2431 NCP
B2	2235 NCP	2432 NCP
B8	2267 NCP	—
B12	2268 NCP	2433 NCP
UV L37C	2399 NCP	2372 NCP
LIBC	2402 NCP	2371 NCP
Soft Focus Filter No. 1	2407 NCP	2434 NCP
Soft Focus Filter No. 2	2408 NCP	2435 NCP
ND8	2244 NCP	—
ND4	2243 NCP	2244 NCP
ND400	2409 NCP	—
Circular Polarizing Filter	2390 NCP	2391 NCP
Y44	2295 NCP	—
Y48	2229 NCP	2373 NCP
Y52	2296 NCP	2231 NCP
O56	2231 NCP	2374 NCP
R60	249 NCP	2375 NCP
X0	2297 NCP	—
X1	2230 NCP	—

FILTER ACCESSORIES


FILTER ADAPTER RING UR-1

Enables a filter with an attachment size of 72mm to be used with any Nikkor lens with an attachment size of 62mm.
Nikon Product Number: 2377 NCP



FILTER POUCH CASES (EACH CASE HOLDS UP TO SIX FILTERS)

CA-1 Filter Pouch for all 52mm Filters
Nikon Product Number: 2307 NCP



INDIVIDUAL FILTER CASES

CP-3 Filter case for all 52mm Filters Nikon Product Number: 2291 NCP
CP-6 Filter case for all 62mm Filters Nikon Product Number: 2378 NCP
CP-5 Filter case for all 72mm Filters Nikon Product Number: 2292 NCP

HOODS FOR CIRCULAR POLARIZING FILTERS

HN-26 Hood for 62mm Circular Polarizing Filter Nikon Product Number: 568 NCP
HN-13 Hood for 72mm Circular Polarizing Filter Nikon Product Number: 539 NCP

FOCUSING SCREENS AND VIEWFINDER ACCESSORIES

These accessories let you see your subject the way you want.

They're ideal for a variety of applications.

EYEPIECE ADAPTER

FOR N6006/N6000, N50, N5005, N2000

For attaching all eyepiece accessories to above cameras.

Nikon Product Number: 2370 NCP

RUBBER EYECUPS

Provides comfort/keeps stray light from entering viewfinder.

Eyecup

**Nikon
Product Number**

DK-3 for FM2, FE2, FA

2362 NCP

For N6006/N6000/N50/N5005

2939 NCP



RIGHT ANGLE FINDER DR-3

Provides 100% viewfinder coverage from a convenient 90° angle. Facilitates low-level viewing. Diopter adjusts from -5 to +3. Requires Mounting Adapter 2370 NCP for N6006/N6000/N50/N5005/ N4004/N2000.

Nikon Product Number: 2326 NCP



EYEPIECE MAGNIFIER DG-2

Offers 2x magnification of the central portion of the finder image. Diopter adjusts from -5 to +1.

Requires Mounting Adapter 2370 NCP for N6006/N6000/N50/N5005/N4004/N2000.

Nikon Product Number: 2355 NCP



EYEPIECE CORRECTION LENSES

These lenses help those with eyesight deficiencies see more clearly. Diopters range from -5 to +3. Visit your Nikon dealer to select what's best for you.


Lens	N6006/6000	N50	FM2/FE2/FA
Neutral "0"	2940 NCP	2940 NCP	2930 NCP
+0.5	2941 NCP	2941 NCP	2931 NCP
+1.0	2942 NCP	2942 NCP	2932 NCP
+2.0	2943 NCP	2943 NCP	2933 NCP
+3.0	2944 NCP	2944 NCP	2934 NCP
-2.0	2945 NCP	2945 NCP	2935 NCP
-3.0	2946 NCP	2946 NCP	2936 NCP
-4.0	2947 NCP	2947 NCP	2937 NCP
-5.0	2948 NCP	2948 NCP	2938 NCP

FOCUSING SCREENS AND PRODUCT NUMBERS




Type K2

Type K2 Focusing screen with matte Fresnel field with split-image rangefinder and microprism collar; 12mm center reference circle; for general photography; provided as standard with camera.
2420 NCP (FM2)



Type B2

Type B2 Focusing screen with matte Fresnel field with 12mm center reference circle; excellent for macro photography and use with telephoto lenses.
2421 NCP (FM2)



Type E2

Type E2 Focusing screen with matte Fresnel field, 12mm center reference circle, with vertical and horizontal grid lines; excellent for architectural photography in conjunction with the PC-Nikkor lens.
2422 NCP (FM2)

Note: The focusing screens for FM2 (focusing screens K2, B2/E2) are brighter than those for earlier FM2 (flash synchronization X200); for this reason, a correction for proper exposure metering should be made in the following cases: if the focusing screens for FM2 (flash synchronization X200) the exposure must be corrected by -1/3 aperture.

CAMERA CASES

SAFEKEEPING FOR YOUR FINE EQUIPMENT

Genuine Nikon camera cases are made to protect your investment against shock, debris and other hazards. Cases are made to fit camera with normal lens, or a variety of camera lens accessory combinations including telephotos and motor drives. Select your case using the chart below.

SEMI-SOFT CASE

Pliable, two-piece design with attractive, textured finish.

SOFT CASE

Stylish look; folds for convenient storage when not in use.

BLIMP CASE

Dampens shutter/motor drive noise, and protects camera/lens from freezing temperatures.

SPEED CASE

Offers maximum convenience when carrying camera/telephoto lens and small accessories; accessory kit provided.

For N50:



CF-49



CF-50




CF-45



CF-46

For N6006, N6000:

Front flaps of CF-45 and CF-46 can be purchased separately.



For Nikons-V:

For FM2:



CF-27



CF-28



CF-28A



CF-29



CS-16



CS-17



CS-18

For FM2, FA, FE2:



CS-7



CS-8



CS-9



CS-10

For N6006, N5005:



CS-19



CS-20



CS-13



CS-34

■ Compatible

* Compatible with base portions of camera body cases, CF-27 and CF-28.

- 1- Compatible with filter/cap and either lens hood (reversed) or rubber hood.
- 2- Compatible lens with cap.
- 3- Compatible lens with filter and either screw-in or snap-on hood.
- 4- Compatible with lens filter and cap.

Note: If lens/case combination does not appear on chart, please ask your dealer.

Camera	Style	Case	Nikon Prod. #	Material	Lens														
					24mm f2.8	28mm f2.8 D AF	28mm f2.8 AF	35mm f2 AF	50mm f1.4 AF	50mm f1.8 AF	55mm f1.8 AF	105mm f2.5	135mm f2.8	24-50mm f3.5-4.5 AF Zoom	28-85mm f3.5-4.5 D AF Zoom	28-85mm f3.5-4.5 AF Zoom	35-105mm f3.5-4.5 AF Zoom	35-135mm f3.5-4.5 AF Zoom	70-210mm f4.5-5.6 D AF Zoom
N6006, N6000	Semi-soft	CF-45	4350	Leatherette	3	3	3	3	1	1	4	4	4	2	3	3	3	3	4
	Semi-soft	CF-46	4351	Leatherette	3	3	3	3	1	1	3	4	4	1	1	1	1	1	3
N50	Semi-soft	CF-49	4363	Nylon	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	Semi-soft	CF-50	4364	Nylon	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
FM2	Semi-soft	CF-27	4427	Leatherette	2	2	2	4	4										
	Semi-soft	CF-28	4428		3	3	3	1	1	4	4	2	1	3					4
	Semi-soft	CF-28A*	4431	Leatherette	3	3	3	1	1	3	4	4	4	4	4	1	2	3	4
	Semi-soft	CF-29	4429	Leatherette	3	3	3	1	1	4	4	4	4	4	4	1	1		4
	Soft	CS-16	4415	Leather	1	3	2	4	4										
FM2, FA, FE2	Soft	CS-17	4136	Leather	3	3	3	1	1	4	4	1	1	1	1			4	
	Soft	CS-18	4137		3	3	3	1	1	3	4	4	1	1	1	1	1	3	1
	Soft	CS-7	422		4	4	4	1	1	1	1	1	1	1	1	1	1	1	3
FM2, FA, FE2	Soft	CS-8	425	Leatherette	4	3	4	1	1	2									4
	Soft	CS-9	426		3	3	3	1	1	4	4	4	4	4	1	1		3	
	Soft	CS-10	427		3	3	3	1	1	3	4	4	1	1	1	1	1	1	3
N6006, N5005	Soft	CS-19	4138	Leather	3	3	3	1	1	4	4	2	1	3				4	
	Soft	CS-20	4139		3	3	3	1	1	3	4	4	1	1	1	1	1	1	3

CROSS REFERENCE TABLE OF LENSES AND FILTERS/CASES/HOODS

Lens	Filter (mm)	Lens Case	Lens Hood	Lens	Filter (mm)	Lens Case	Lens Hood
WIDEANGLE				ZOOM			
24mm f/2.8	52	CL-30S No. 61 CP-8	HN-1	24-50mm f/3.3-4.5 AF	62	CL-32S CL-17 No. 62 CP-9	HB-3
24mm f/2.8D AF	52	CL-30S, No. 61	HN-1	28-70mm f/3.5-4.5D AF	52	CL-32S No. 62	HB-6
28mm f/2.8	52	CL-30S No. 61 CP-8	HN-2	28-85mm f/3.5-4.5	62	CL-33S No. 62 CP-9	HK-16
28mm f/2.8 AF	52	CL-30S	HN-2	28-85mm f/3.5-4.5 AF	62	CL-33S	HB-1
35mm f/2	52	CL-31S No. 61 CP-8	HN-3	35-70mm f/3.3-4.5	52	CL-31S No. 62	HN-2
35mm f/2 AF	52	CL-30S No. 61 No. 62 CP-8 CP-9	HN-3	35-80mm f/4-5.6D AF	62	CL-31S No. 62	HN-2
NORMAL				SPECIAL PURPOSE			
50mm f/1.4	52	CL-34A No. 61 CP-8	HS-9, HR-1	55mm f/2.8 Micro	52	CL-31S No. 61 CP-8 CL-33S* NO.62*	HN-3
50mm f/1.4 AF	52	CL-30S No. 61 CP-8	HR-2	MICRO-NIKKORS			
50mm f/1.8 AF	52	CL-30S No. 61 CP-8	HR-2	60mm f/2.8D Micro AF	62	CL-32S No. 62 CP-9	HN-22
50mm f/1.8	52	CL-30S No. 61 CP-8	HR-2	105mm f/2.8 Micro	52	CL-33S CP-9	HS-14
TELEPHOTO				TELECONVERTER			
85mm f/1.8 AF	62	CL31S CL-15S No. 62 CP-9	HN-23	TC-201	—	CL-30S No. 61 CP-8	—
85mm f/2	52	CL-31S No. 61 CP-8	HS-10	TC-14A	—	CL-30S No.61	—
105mm f/2.5	52	CL-32S No. 62 CP-9	Built-in				
135mm f/2.8	52	CL-32S No. 62 CP-9	Built-in				
135mm f/3.5	52	CL-32S No. 62 CP-9	Built-in				
200mm f/4	52	CL-13A No. 63 CP-9	Built-in				
300mm f/4.5	72	CL-20A	Built-in				
REFLEX							
500mm f/8	● 82/39	CL-39	HN-27				

● Front Filter/Drop-in Filter
* with PK-13


EL-NIKKOR ENLARGING LENSES:

LET US MAKE THINGS CRYSTAL CLEAR

Capturing your image on film is only part of the challenge. If your darkroom equipment doesn't perform, your efforts could be wasted.

Only EL Nikkor Enlarging Lenses offer Nikon's unmatched optical technology. Constructed of our own optical glass, EL-Nikkor lenses are corrected for chromatic aberration beyond the visible spectrum into near ultraviolet wavelengths — wavelengths to which photographic papers are particularly sensitive. Through the use of special optical glass and matching optical coatings, EL-Nikkor lenses are designed for ultraviolet transmission in the 350 to 450 range. This means EL-Nikkor enlarging lenses can be used for color separation in addition to all other enlarging applications.

EL-Nikkor lenses are also front-threaded to accept screw-in accessories, and can be used for exceptional small-object photography when mounted on a bellows.



EL-NIKKOR ENLARGING LENSES

	Minimum f/stop	Standard Magnification	Usable Magnification Range	Covering Power	Format Size	Nikon Product Number
EL-Nikkor 40mm f/4	f/22	10x	5x-30x	52°	24x36mm	209 NCP
EL-Nikkor 50mm f/2.8	f/22	8x	2x-20x	41°	24x36mm	210 NCP
EL-Nikkor 63mm f/2.8	f/22	8x	2x-20x	43°	32x45mm	211 NCP
EL-Nikkor 75mm f/4	f/22	5x	2x-10x	48°	60x60mm	224 NCP
EL-Nikkor 80mm f/5.6	f/22	5x	2x-15x	53°	60x70mm	212 NCP
EL-Nikkor 105mm f/5.6	f/22	5x	2x-10x	51°	60x90mm	213 NCP

ACCESSORIES FOR EL-NIKKOR ENLARGING LENSES





	Nikon Product Number
34.5mm Snap-on Lens Cap f/EL-Nikkor (repl)	574 NCP
40.5mm Snap-on Lens Cap f/EL-Nikkor	577 NCP
43mm Snap-on Lens Cap f/EL-Nikkor (repl)	576 NCP
Plastic Case f/50mm EL-Nikkor (repl)	461 NCP
Lens Mounting Adapter f/50mm EL-Nikkor	2655 NCP
Reverse Mounting Ring f/50,63mm N EL-Nikkor	2641 NCP
Reverse Mounting Ring f/50, 75, 80mm EL-Nikkor	2640 NCP
Extension Mounting Tube f/EL-Nikkor (15mm)	2642 NCP
39mm Lens Mounting Flange	96925 NCP

SPEEDLIGHTS

SEE FLASH IN A WHOLE NEW LIGHT

Get ready for a new experience in flash photography. Today Nikon has perfected techniques that combine ambient light with light from the flash.

You'll use flash in all new ways, to create photographs you might never have gotten before.





SLOW SYNC

When flash pictures are taken in dim light, the background may come out dark. With the Nikon N6006 or N6000, simply setting Slow Sync Mode extends the automatically controlled shutter speed range, enabling darker backgrounds to be well exposed so that details will stand out, without the need to set aperture and shutter speed manually.

AF-ASSIST ILLUMINATOR LED

Nikon AF Speedlights incorporate an autofocus assist illuminator which gives contrast to a dark subject. This makes it possible to take sharp autofocus pictures even in total darkness.



NIKON AUTOMATIC BALANCED FILL-FLASH

Fill-flash adds an exciting new look to your pictures not only in daylight, but also in twilight and at night. Using this technique, shutter speed, aperture and flash output is automatically controlled to put the foreground subject's brightness in balance with the background. This automatic method makes fill-flash easy.

REAR CURTAIN SYNC

Allows the flash to fire at the end of the exposure, instead of at the beginning — especially effective at slow shutter speeds. This results in the available light turning into a stream of light following the flash-illuminated subject. This technique is possible with the N6006 and N6000 cameras with SB-23, SB-22, SB-14 and SB-11

NIKON MATRIX BALANCED FILL-FLASH

Using this technique, the camera's Matrix Meter determines exposure for the background ambient light based on segmented analysis of the scene's brightness and contrast. The TTL flash exposure is controlled, so flash illumination is balanced. This system operates automatically, based on a combination of general scene brightness and contrast. Matrix Balanced Fill-Flash is available with the Nikon N6006, N6000 and N50.



SB-23**BRIGHT, COMPACT TTL SPEEDLIGHT**

- Multi-sensor balanced fill-flash with N90 and AF or AI-P Nikkor lenses
- Matrix balanced fill-flash with N6006, N6000, N50 or N5005 and AF or AI-P Nikkor lenses
- AF-assist illuminator
- Aperture/distance range chart attached to flash for easy reference
- Includes Nikon Soft Case SS-23
- Guide number (ISO 100 in feet) 66
- Recycling time approximately 2 seconds

Nikon Product Number: 4704 NCP

ACCESSORIES**Accessory**

Soft Case SS-23 (repl)

Nikon Product Number**4607 NCP****NIKON SCHOOL PHOTO TIP:**

USING FILL-FLASH OUTDOORS NOT ONLY FILL-INS DARK SHADOWS, IT SHIFTS THE CONTRAST RANGE. THE RESULT IS A PICTURE IN WHICH NOT ONLY DARKER AREAS SHOW MORE DETAIL, BUT LIGHTER AREAS AS WELL. FILL-FLASH CAN MAKE PHOTOS LOOK BRIGHTER AND MORE DETAILED, ALMOST AS IF ENHANCED.

SB-20**COMPACT, MULTI-FUNCTIONAL TTL SPEEDLIGHT**

- Multi-sensor balanced fill flash with N90 and AF or AI-P Nikkor lenses
- Matrix-balanced fill-flash with N6006, N6000, N50 or N5005 and AF and AI-P Nikkor lenses
- AF-assist illuminator LED
- Selectable flash coverage angles for 28mm, 35mm and 85mm or longer lenses
- Tilting flash head from -7° to 90° for bounce flash shooting
- Includes Nikon Soft Case SS-20
- Guide number (ISO 100 in feet) 100 with head set at N
- Recycling time approximately 6 seconds

Nikon Product Number: 4700 NCP

ACCESSORIES**Accessory**

Soft Case SS-20 (repl)

C-Cell Battery Pack SD-7

(comes with SC-16 Power Cord)

High Performance AA Battery Pack SD-8

Nikon Product Number**4605 NCP****4520 NCP****4720 NCP**

SB-22**COMPACT, ECONOMICAL TTL SPEEDLIGHT**

- Multi-sensor balanced fill-flash with N50 and 5 AI-P or AF Nikkor lenses
- Matrix balanced fill-flash with N6006, N6000, N50 or N5005 and AI-P or AF Nikkor lenses
- AF-Assist illuminator LED
- Wide flash adapter to cover 28mm lenses
- Tilting flash head from -7° to 90° for bounce flash shooting
- Includes Nikon Soft Case SS-22
- Guide number (ISO 100 in feet) 75
- Recycling time at manual full output approximately 4 seconds

Nikon Product Number: 4703 NCP

ACCESSORIES**Accessory**

Soft Case SS-22 (repl)

C-Cell Battery Pack SD-7 (comes with SC-16 Power Cord)

High Performance AA Battery Pack SD-8

Nikon Product Number**4606 NCP****4520 NCP****4720 NCP**

SB-16A/SB-16B

COMPATIBLE WITH ALL NIKON SLR'S

- Multi-sensor balanced fill flash with N90 or AF and AI-P Nikkor lenses
- Matrix-balanced fill-flash with N6006, N6000, N50 or N5005 and AF and AI-P Nikkor lenses
- Selectable main flash coverage angles (28mm, 35mm, 50mm, 85mm)
- Tilting, rotating main flash head from -7° to 90° for bounce flash shooting
- Secondary flash fills shadow
- SB-16A for F3 series cameras includes AS-8 Flash Unit Coupler
- SB-16B for Nikon cameras with standard ISO hot shoe includes AS-9 Flash Unit Coupler
- Both models include Nikon Wide Flash Adapter SW-7, Soft Case SS-16, Battery Holder MS-5
- Guide number (ISO 100 in feet) 105 with zoom head set at N (35mm)
- Recycling time at full manual output approximately 11 seconds, more flashes and shutter recycle times are possible in TTL mode

ACCESSORIES

Accessory	Nikon Product Number
Soft Case SS-16 (repl)	4551 NCP
Wide Angle Flash Adapter SW-7 (repl)	4550 NCP
AA Battery Holder MS-5 (repl)	4552 NCP
SB-16B Coupler to ISO shoe (repl) AS-9	4545 NCP



Nikon Product Number SB-16B: 4543 NCP

SB-11


HIGH-PERFORMANCE, HIGH-POWER SPEEDLIGHT

- Multi-sensor balanced fill flash with N50 and AF and AI-P Nikkor lenses (with SC-23 cord)
- Matrix-balanced fill-flash with N6006, N6000, N50 or N5005 and AF and AI-P Nikkor lenses (with SC-23 cord)
- Tilting 90° flash head with angle of coverage 70° horizontal and 53° vertical (with wide flash adapter SW-3)
- Includes Nikon Wide Flash Adapter SW-3, Sync Cord SC-11, Bracket SK-4, Sync Cord SC-11, Sensor Unit SU-2
- Guide number (ISO 100 in feet) 118; 82 with wide flash adapter SW-3
- Recycling time approximately 8 seconds

Nikon Product Number: 311 NCP

ACCESSORIES

Accessory	Nikon Product Number
Wide Angle Flash Adapter SW-3 (repl)	3057 NCP
Sensor Unit SU-2 (repl)	3055 NCP
Mounting Bracket SK-4 (repl)	369 NCP
Flash Sync Cord SC-11 for SB-11 (repl)	3056 NCP
C-Cell Battery Pack SD-7 (comes with SC-16 Power Cord)	4520 NCP
Power Cord SC-16 for SD-7 (repl)	4523 NCP
High Performance Battery Pack SD-8	4720 NCP
AA Battery Holder (repl)	3064 NCP



NIKON WIDE FLASH ADAPTER



TILTING MAIN FLASH HEAD

EXTERNAL POWER SOURCES

DC UNIT SD-7

The SD-7 operates on six C-type batteries and offers a separate power source for the SB-22, SB-20 and SB-14. Shortens flash recycling time and enhances flash capacity. Includes SC-16 Power Connecting Cord.
Nikon Product Number: 4520 NCP



HIGH PERFORMANCE BATTERY PACK SD-8

The SD-8 shortens flash recycling time by as much as 60-75% and more than doubles flash capacity. The SD-8 operates on six AA-type alkaline or NiCad batteries and can be used with the SB-22, SB-20 and SB-11.
Nikon Product Number: 4720 NCP




MULTIPLE FLASH PHOTOGRAPHY

Multiple flash photography can yield stunning results, and takes less equipment than most photographers expect. Using up to 5 Nikon Speedlights, you control the intensity of back, rim and background separation lighting. The amount of light produced by each flash is usually set manually. Speedlights are usually positioned so that there is a main flash and secondary flash units. If you choose an automatic exposure mode, standard TTL is your best choice since it will allow the different intensities of light to affect the photo.

TTL MULTIPLE FLASH SYSTEM

A Nikon multiple flash system can be made up of any combination of Nikon TTL Speedlights (SB-22, SB-20, SB-16A/B) and a Nikon N6006, N6000 or N50. Then simply add the TTL remote or TTL multi-flash sync cords and AS-10 adapter (if using more than 3 flash units) available for TTL off-camera or multiple-flash photography. The camera's built-in sensor automatically measures and controls the light from all units.



ACCESSORIES FOR TTL MULTIPLE FLASH


TTL REMOTE CORD SC-17

Use this coiled cord to connect Nikon TTL Speedlights to selected Nikon SLRs with standard ISO accessory shoe (N6006, N6000 or N50). Up to two units can be connected to the SC-17's terminals through the TTL Multi-Flash Sync Cord SC-18 or SC-19 for TTL multi-flash photography. Approximately 5' long.
Nikon Product Number: 4557 NCP



TTL MULTIFLASH SYNC CORDS SC-18, SC-19

Use these cords to connect TTL flash units to each other through the TTL Multi-Flash Adapter AS-10 or TTL Remote Cord SC-17 for multi-flash operation. SC-18 is 5' in length. SC-19 is 10'.
Nikon Product Number SC-18: 4558 NCP
Nikon Product Number SC-19: 4559 NCP



TTL MULTI-FLASH ADAPTER AS-10

The AS-10 enables you to control up to three TTL flash units. AS-10 attaches to the SB-22, SB-20 or SB-16B. Connect additional TTL Speedlights with the SC-18 or SC-19.
Nikon Product Number: 4560 NCP



FLASH SYNC CORDS, SYNC ADAPTER

	Cord/Adapter	Description	Nikon Product Number
	Sync Cord SC-11	This general purpose flash sync cord enables off-camera flash operation and is fitted with a PC-type connector at both ends. Connectors are threaded for secure mounting. Length 15".	3056 NCP
	Coiled Sync Cord SC-15	General purpose flash sync cord for off-camera operation. Provides same function as SC-11, except 3' coiled length.	4524 NCP
	TTL Remote Cord SC-17	Provides full TTL flash coupling for off-camera positioning of Nikon Speedlights. Works with Nikon N6006, N6000, N50 or N5005. The end of this cord is the standard ISO accessory shoe. Up to two TTL flash units can be connected to the SC-17's terminals.	4557 NCP
	TTL Connecting Cord SC-12	Enables TTL flash operation of SB-11, with Nikon F3 series cameras.	356 NCP
	TTL Connecting Cord SC-23	Enables TTL flash operation of SB-11 with Nikon N6006, N50, N5005, N6000, N2000 cameras.	4562 NCP
	Sensor Remote SC-13	The SC-13 allows the SU-2/3 sensor to be positioned near the camera hot shoe for more accurate flash exposures. Operates in non-TTL automatic and manual exposure modes. For general-purpose operation with SB-11 Speedlight.	313 NCP
	Power Connecting	Provides connection for SD-7 to Speedlight (replacement item). Cord SC-16 for SD-7	4523 NCP
	Hot Shoe Adapter AS-15	Enables the connection of flash sync cords fitted with standard PC-type connector to the camera body via the built-in hot shoe. Suitable for use with Nikon SLR cameras not fitted with PC-type sync terminal.	3066 NCP

Sensor Unit SU-2


Sensor Unit SU-2 for SB-11. Replacement sensor unit for SB-11.

Nikon Product Number: 3055 NCP

CLOSE-UP

NOW ALL IT TAKES IS A
LITTLE IMAGINATION

The fascinating world of close-up photography can be as simple as using a Micro-Nikkor lens. Or to get really close, choose from an array of Nikon close-up equipment and accessories.



ATTACHMENT LENSES

Close-up attachment lenses are a convenient and economical way to get into close-up photography. They can be used with normal, zoom or telephoto lenses to focus within a fixed close-up range. Camera functions will operate as usual. Close-up attachment lenses are numbered from 0 to 6T. Numbers 0, 1 and 2 are for use with standard lenses. Numbers from 3T to 6T are for use with telephoto and zoom lenses up to 210mm. In general the higher the number of the close-up lens, and the longer the focal length of the lens in use, the greater the reproduction ratio. Lenses may also be used in combination. All feature Nikon integrated coating.

Lens and Attachment Size	Nikon Product Number
Close-up Lens No. 0 IC 52mm (0.7 Diopter)	2732 NCP
Close-up Lens No. 1 IC 52mm (1.5 Diopter)	2733 NCP
Close-up Lens No. 2 IC 52mm (3.0 Diopter)	2734 NCP
Close-up Lens No. 3T IC 52mm (1.5 Diopter)	2736 NCP
Close-up Lens No. 4T IC 52mm (3.0 Diopter)	2737 NCP
Close-up Lens No. 5T IC 62mm (1.5 Diopter)	4536 NCP
Close-up Lens No. 6T IC 62mm (3.0 Diopter)	4537 NCP




AUTO EXTENSION RINGS

Nikon extension rings can be used singly or in combination to vary the reproduction ratio of lenses from 20 to 300mm. They are mounted between the camera body and the lens. As a rule, the effect becomes stronger the shorter the focal length of the lens in use, and the longer the focal length of the extension ring. Through-the-lens exposure control automatically compensates for lens extension. Manual and aperture-priority auto-exposure control modes are possible. Manual focus only.

Extension Ring	Nikon Product Number
PK-11A (8mm)	2656 NCP
PK-12 (14mm)	2652 NCP
PK-13 (27.5mm)	2653 NCP

(PK-13 when used with 55mm f/2.8 Micro-Nikkor, 1:1.5 to 1:1 are possible)



BELLOWS AND ACCESSORIES

A bellows focusing attachment can allow you to get really close — as much as 11 times life size. Depth of field and working distance are important when using a bellows, so you may want to add other Nikon accessories.


LENS REVERSING RING BR-2A, MOUNT ADAPTER RING BR-5, ADAPTER RING BR-3, AUTO DIAPHRAGM RING BR-6

The BR-2A enables you to mount a 52mm front thread lens in reverse on the PB-6 and Nikon cameras to increase magnification and working distance. BR-3 provides a 52mm thread for filters and other lens attachments with lens in reverse. BR-5 allows mounting lens with 62mm thread (use with BR-2A). BR-6 for the PB-4, PB-5 and PB-6 enables Nikon lens auto-diaphragm control with AR-4/7/10 cable release.

Nikon Product Number BR-2A: 2657 NCP
Nikon Product Number BR-3: 2629 NCP
Nikon Product Number BR-5: 2631 NCP



FOCUSING STAGE PG-2



Having selected your reproduction ratio, you can mount the PG-2 between the bellows and the tripod and move the complete system back and forth to obtain the sharpest focus.

Eliminates any need to modify either lens focus ring or bellows extension.

Nikon Product Number: 2758 NCP

NIKON SCHOOL PHOTO TIP: "CLOSE-UP" ISN'T ALWAYS A MATTER OF HOW CLOSE YOU CAN GET TO THE SUBJECT MATTER. INSTEAD IT IS MORE COMMONLY DEFINED BY HOW LARGE THE IMAGE APPEARS ON THE FILM. THIS IS CALLED "REPRODUCTION RATIO." FOR EXAMPLE, IF THE IMAGE IS THE SAME SIZE AS THE ACTUAL SUBJECT, THE RATIO IS "1:1" OR SIMPLY "1X." IF THE IMAGE IS TWO TIMES LARGER, THE RATIO IS 2:1 OR 2X. IF ONE-HALF THE SIZE OF THE ORIGINAL, THE RATIO IS 1:2 OR 1/2X.

REMOTE CONTROL

Nikon remote control lets you stay out-of-sight

while your camera stays within range. Avoid

disturbing the action. Get the kind of photos others

only dream about.

WIRELESS RADIO REMOTE CONTROL SET MW-2

Provides interference-free remote control up to 2,295 feet (700 meters). Operates with Nikon motor-driven camera FM2 (with MD-12). Can operate three separate cameras automatically. (supplied w/MC-18 cord).

Nikon Product Number for MW-2 :

141 NCP

Nikon Product Number for MW-2

Receiver (repl.):

142 NCP

Nikon Product Number for MW-2

Transmitter (repl.):

143 NCP



MODULITE REMOTE CONTROL SETS ML-2, ML-3

Compact, easy-to-handle unit uses modulated light to automatically control up to two cameras for distances up to 327 feet (100 meters). Operates with Nikon motor-driven camera FM2 (with MD-12).

Nikon Product Number for ML-2: 4641 NCP

Nikon Product Number for Bracket: 4648 NCP



INTERVALOMETER MT-2


For unmanned time-lapse photography, work sampling, time exposures or delayed exposures. Quartz-controlled MT-2 provides shooting intervals from 0.1 seconds to 27 hours and either 2-second or 16-second shutter release delay, allowing time for focusing or

flash recycling. Can also be used

with other remote control devices.

Operates with Nikon motor-driven camera FM2 (with MD-12).

Nikon Product Number: 128 NCP



MOTOR REMOTE TRIGGER CORD MC-12A

For remote control photography up to 9.8' feet (3 meters) away. The MC-12A has a convenient hand-grip, trigger release button and trigger lock lever. Depressing the button halfway turns on the camera's exposure meter. Depressing



fully releases the shutter. Trigger lock enables time exposures. FM2 (with MD-12 motor).

Nikon Product Number: 4586 NCP

MOTOR REMOTE CORD WITH BANANA PLUG MC-4A (3')

For remote photography. The plug on one end of the MC-4A connects to the remote control socket. The other end has both plus and minus banana-type plugs, used to connect a variety of electrical remote control devices.

Nikon Product Number: 4583 NCP

MOTOR REMOTE TRIGGER CORD MC-10

For use with FM2 and motor drives MD-2/3/4/12/15 for firing at camera distance up to 10'.

Nikon Product Number: 131 NCP



MOTOR TERMINAL RELEASE MR-3

For mounting on the standard remote control terminal of Nikon motor drives and motorized cameras. Provides alternate shutter release. Tapered thread for connection of standard ISO-type cable release.

Nikon Product Number: 4563 NCP



AH-3 TRIPOD MOUNTING ADAPTER

For attaching Nikon cameras with separate motor drives to tripod or Repro-copy Outfit PF-4.

Nikon Product Number: 4580 NCP

CABLE RELEASE

Essential for slow shutter speeds, Nikon cable releases ensure one-hand shutter release operation. Model AR-3 with ISO type tapered thread for N6006/6000, FM2N.


Nikon Product Number for AR-3: 664 NCP

MISCELLANEOUS SLR ACCESSORIES

ANTI-COLD BATTERY PACKS DB-2, DB-5

These external battery packs allow you to keep your battery power source inside your pocket to keep it warm and your camera operational in freezing temperatures. DB-5 uses 6V lithium battery. DB-2 uses 2 AA batteries.

Pack
DB-2 for FM2N



Nikon Product Number
3062 NCP

PANORAMA HEAD AP-2

Provides panoramic shooting on tripod with 28mm to 105mm lenses. Includes fitted bubble level for precise tripod setup and horizon. For N6006/6000, N5005, FM2N.

Nikon Product Number: 2028 NCP



SYNC TERMINAL ADAPTER AS-15

Connects flash sync cords fitted with standard PC-type connector to the camera body via the built-in hot shoe. Suitable for use with Nikon SLR cameras not fitted with PC-type sync terminal. For N6006/6000, N50, N5005.

Nikon Product Number: 3066 NCP



CABLE RELEASE ADAPTER AR-8

Adapts cable release connectors fitted with Nikon-type mount for operation with cameras having ISO-type tapered thread. For use with AR-2/4 release only and FM2.

Nikon Product Number: 669 NCP

SOFT SHUTTER RELEASE AR-9

For mounting on shutter buttons fitted with ISO-type tapered thread. For N6006/6000 and FM2 cameras. **Nikon Product Number: 4417 NCP**

CAMERA NECKSTRAPS

Choose nylon, leather or leatherette — all adjustable to length. Flared nylon neckstraps ensure no-strain carrying. Leather and leatherette types have shoulder pads for wearing comfort. And, of course, Nikon neckstraps will not scratch the corners of your camera. All straps attach to all Nikon SLR cameras, except as noted.

Strap	Description	Nikon Product Number
AN-1	Leather with removeable rubber neck pad *	635 NCP
AN-4B	Woven nylon fabric with non-slip pad (black)	639 NCP
AN-4Y	Woven nylon fabric with non-slip pad (yellow with black)	638 NCP
AN-6W	Wide woven nylon fabric with non-slip pad (wine with yellow stripes and embroidered "Nikon")	4508 NCP
AN-6Y	Wide woven nylon fabric with non-slip pad (yellow with black stripes and embroidered "Nikon")	507 NCP
NS-1	Wide fabric neckstrap (grey)	673 NCP
NS-3	Soft neckstrap (blue)	5203 NCP
NS-4	Soft neckstrap (black)	5204 NCP
NS-5	Wide soft neckstrap (black)	5205 NCP

* Not for N6006/6000, N50, N5005, N4004S or N4004.



35MM COMPACT CAMERAS

GET IN TOUCH WITH
THE BEST

NEW


The greatest pictures in the world are taken with Nikon cameras, but that doesn't mean you have to be a professional photographer to get great results. Our "Touch Series" of compact 35mm cameras is designed for ease-of-use, and these cameras offer the same high level of quality you expect from Nikon.

WITHOUT VR



105MM SHOT TAKEN WITH
REGULAR ZOOM COMPACT

WITH VR



105MM SHOT TAKEN WITH NIKON'S
EXCLUSIVE VIBRATION REDUCTION




..... ZOOM-TOUCH 105 VR QD WITH NEW VIBRATION REDUCTION

The Zoom-Touch 105 VR QD features Nikon's new Vibration Reduction technology. Now get sharper pictures even at slow shutter speeds in dim light or in hand-held telephoto situations. Power zoom lens, built-in flash, panorama format option and other features make this Nikon Touch camera a great choice. You'll get sharper pictures in more situations than ever before.



38MM



85MM



105MM

balanced exposures of both the subject and the background ("slow sync" flash). Plus anytime flash and flash-cancel modes.

..... 38 TO 105MM POWER ZOOM LENS

From 38mm wide-view shots to 105mm portraits, candid and close-ups, the Zoom-Touch 105 VR QD lets you zoom in to where the action is — at the touch of a button. The Nikon zoom lens delivers the extra edge for sharp, clear pictures.

..... (VR) VIBRATION REDUCTION

Here's how VR works: When the shutter button is depressed halfway, two sensors detect the amount of camera movement. If movement is significant, during the exposure, vibration reduction technology subdues its effect. The result? VR makes sharper pictures possible down to 1/4 second shutter speed. Now shoot with greater confidence in dim light, or hand-hold the Zoom-Touch 105 VR QD even with the zoom lens set to 105mm.

..... WORKS WITH AUTO ZOOM FLASH

Vibration Reduction also works with the Zoom-Touch 105 VR QD's built-in auto-zoom flash. This means the camera can operate at slower shutter speeds, giving you well-

..... ZOOM-TOUCH 105 VR QD


- Vibration Reduction for sharper pictures
 - 38-105mm zoom lens
 - Built-in flash with Flash Cancel, Anytime Flash and Slow Sync modes
 - Autofocus with Focus Lock and Infinity Focus
 - Built-in UV filter to protect the lens from dust and dirt
 - Fully automatic film operation with mid-roll power rewind and DX setting
 - Self-timer
 - Built-in panorama mode and data imprint function
 - Red-eye reduction
 - Unique Size Scale Imprint estimates subject's size and imprints scale on picture
 - Quartz date imprint of month/day/year, day/hour/minute
- Nikon Product Number: 1834 NCP**

ZOOM-TOUCH 800

It's easy to take great pictures with this top-of-the-line compact zoom camera. Everything can be automatic. Or, if you feel like taking your photography to the next step, exerting a little control, the Zoom-Touch 800 has just the right features for you. • **Power Zoom Lens** from 37mm to 105mm telephoto. ED glass is incorporated in the lens for superb image sharpness. • **Wide-Area Autofocus with Image Sensor.** Your pictures will be sharp, even if your subject isn't in the exact center of the frame. • **Spot Autofocus.** For creative composition, this special feature allows you to pre-focus on a subject for tack-sharp pictures, regardless of where your subject is in the frame. • **Focus Tracking.** If your subject is moving, the camera will "track" your subject, automatically adjusting the focus for perfect pictures. • **Automatic Sequence Zoom.** Camera automatically takes three different pictures of your subject, one wide view, one medium view, one close up.



• **Manual Exposure Compensation.** Make shots darker or lighter at the touch of a button.
Nikon Zoom-Touch 800 Product Number: 1826 NCP



PANORAMA FORMAT PICTURES AVAILABLE WITH LITE-TOUCH, ZOOM-TOUCH 470, ZOOM-TOUCH 600, LITE-TOUCH ZOOM QD AND ZOOM-TOUCH 105 VR QD.

ZOOM-TOUCH 800 WORLD TIME MODEL

A must for globetrotters. The Nikon Zoom-Touch 800 World Time model automatically imprints dates, numbers and letters on each picture. And its world clock tells you the time all over the world.



Nikon Zoom-Touch 800 World Time Product Number: 1827 NCP

TOUCH CAMERAS

	Nice-Touch 2	Fun-Touch 3	One-Touch 300	Sport-Touch	Lite-Touch	Lite-Touch Zoom	Zoom-Touch 470	Zoom-Touch 600	Zoom-Touch 800	Zoom-Touch 105 VR QD
Lens										
Focal length	35mm	32mm	31mm	35mm	28mm	35-70mm Zoom	35-70mm Zoom	32-85mm Zoom	37-105mm Zoom ED	38-105mm Zoom
f/stop	4.5	4.5	4	3.5	3.5	6.5-4	4-7.6	4.5-11	3.7-9.9	4-7.8
Dioptr adjustment	—	—	—	—	—	—	—	yes	yes	—
Panorama	—	—	—	—	yes	yes**	yes w/ adapter	yes	—	yes
Autofocus										
Autofocus system	fixed focus	infrared	infrared	infrared	infrared	infrared	infrared	infrared w/ spot	passive autofocus	infrared
Multiple auto focus	—	—	—	—	—	—	—	—	w/ spot or wide area	—
Autofocus tracking	—	—	—	—	—	—	—	—	—	—
Close focus	1.8 ft	4 ft	1.5 ft	2 ft	1.1 ft	2.1	2.1 ft	2 ft	2.6 ft	2.4 ft.
Infinity focus	—	—	—	—	yes	yes	yes	yes	yes	yes
Focus memory	—	—	—	yes	—	—	—	—	—	—
Exposure										
Shutter	125	130	1/8-320	1/8-320	1/4-1/250	1/4-1/250	1-420	1/4-320	1-250	1/2-350
Exposure compensation	—	—	—	—	—	—	—	±2EV .5 steps	±2EV .5 steps	—
DX range	100, 400	100, 400	100, 200, 400	100-1000	100-1000	100-1000	100-1000	64-3200	64-3200	50-3200
Non-DX	100	100	100	100	100	100	100	100	100	100
Automatic rewind	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Flash										
Wide-angle Guide # *	33	36	33	30	23	30	39	46	56	36
Telephoto Guide # *	—	—	—	—	—	—	53	69	—	46
Recycle time	7 sec.	5 sec.	5 sec.	5 sec.	4 sec.	6 sec.	5 sec.	3.5 sec.	3.5 sec.	3.5 sec.
Flash cancel	—	—	yes	yes	yes	yes	yes	yes	yes	yes
Slow sync speed	—	—	—	possible	yes	yes	yes	yes	yes	yes
Red eye reduction	—	—	yes	yes	yes	yes	yes	yes	yes	yes
Anytime flash	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Miscellaneous										
Self timer	—	—	1	1, 2	1, 2	1	1, 2	1, 2***	1, 2	1
Frame skip	—	—	—	—	—	—	—	yes	yes	—
Film leader	in	in	in	in	in	in	in	out	out	in
Message print	—	—	—	—	—	—	—	—	3 letters	date/time
Battery	2 AA	2 AA	2 AA	2 AA	3 V-Lithium	3 V-Lithium	3 V-Lithium	6 V-Lithium	6 V-Lithium	2-3 V-Lithium
Battery life	20 rolls (36 exp)	30 rolls	30 rolls	24 rolls	23 rolls	2.0	25 rolls	22 rolls	27 rolls	27 rolls
24 exp./50% flash	—	—	—	—	—	—	—	—	—	—
Weight without batteries	6.9 oz.	6.3 oz.	6.9 oz.	9 oz.	5.5 oz.	7.1	9 oz.	16.2 oz.	17.6 oz.	14.8 oz.
Size in inches										
Width	5	4.9	5.0	5	4.3	4.6	5.2	5.8	6	5.5
Height	2.8	2.8	2.9	2.9	2.4	2.5	2.8	3.1	3.2	3.0
Depth	1.0	1.8	1.8	2.2	1.3	1.4	2	2.8	3	2.8

*ISO 100, feet

**Lite-Touch Zoom QD only


***5-30 sec. possible

Specifications subject to change without notice.

NIKONOS UNDERWATER PHOTOGRAPHY SYSTEMS

PLUNGE INTO A NEW WORLD OF PHOTOGRAPHIC OPPORTUNITIES

A remarkable world awaits you. Exotic fish with blazing colors. Brilliant underwater seascapes. Fields of waving soft coral. Capture it all with Nikonos underwater photography systems, a complete line of gear designed specifically to meet the unusual demands of water, pressure and underwater light.



NIKONOS RS AF SLR — THE NEW ART OF UNDERWATER PHOTOGRAPHY

Now there's an underwater camera that lets you forget the rigors of underwater photography. The Nikonos RS is the world's first underwater SLR (single-lens reflex) camera with Nikonos lenses designed specifically to take advantage of reflex capability. Lightweight, responsive, and packed with high-tech features, the Nikonos RS works and feels like a part of you — even down to 328 feet below the surface.



high-tech features, the Nikonos RS works and feels like a part of you — even down to 328 feet below the surface.

REFLEX VIEWING MAKES THE IMAGE COME ALIVE

With the Nikonos RS, single-lens reflex viewing means achieving critical focusing and precise composition. And in murky conditions, or any other conditions for that matter, you'll appreciate the way the oversized action finder and Briteview finder screen give you a clearer image. Viewing is made com-



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

portable through the Nikonos RS's high-eyepoint viewfinder with 60mm eye relief and nine-degree offset angle. Hold the camera away from your mask and still obtain a bright, full image.

COMPREHENSIVE VIEWFINDER INFORMATION

Every bit of information you need to make stunning Nikon photographs appears on the RS's viewfinder LCD screen. You'll never miss an opportunity, because you'll never have to take your eye away from the viewfinder again. Complete focus, exposure mode, shutter speed and other critical information is clearly displayed.

ADVANCED AUTOFOCUS SYSTEM

The Nikonos RS features four focusing options. All designed to let you concentrate on the action, while Nikonos does the work. Use Single-Servo Autofocus for most underwater situations. Focus Lock feature lets you recompose as you like, while keeping the subject in sharp focus. Continuous-Servo Autofocus means the focus adjusts as your subject changes position. Focus Tracking automatically follows a moving subject, anticipating its precise location at the instant the aperture opens. Freeze Focus lets you set a pre-established focusing zone. When your subject enters the zone, the shutter is released. Power manual focus lets you handle special situations with fingertip ease.

APERTURE-PRIORITY AUTO AND MANUAL EXPOSURE MODES

The Nikonos RS features Aperture-Priority Auto Exposure control. You set

the aperture from f/2.8 to f/22, and the RS automatically sets the shutter speed. Or choose manual exposure control where you set the aperture and the shutter speed — from 1 full second to 1/2000 of a second. Or, use bulb for long time exposures. Exposure compensation helps you obtain exposures that meet your specific demands.

MATRIX OR CENTER-WEIGHTED METERING



The Nikonos RS also features 5-segment matrix metering and matrix balanced fill-flash. The camera automatically determines just the right exposure,

even in difficult or rapidly changing light situations. Or switch to 75/25 center-weighted metering to emphasize a more specific area of the picture or center-weighted TTL auto flash.

DESIGNED FOR UNDERWATER


From its ergonomic design, to its durable construction, to its superb features, the Nikonos RS brings true SLR convenience to underwater photography.

Nikon Product Number:
11000 NCP



UNDERWATER TTL SYNC CORDS SC-101, SC-102 AND SC-103

Now, switching or sharing Nikonos Underwater Speedlights between cameras is easy — without surfacing. Attach the SC-103 end to each Nikonos RS or Nikonos V being used. The SC-101 is attached to any Nikonos Speedlight. Now connect or disconnect the SC-101 to the SC-103 underwater, and use one Speedlight with multiple cameras. For double Speedlight set-up, use the SC-102 in place of the SC-101.





Nikon Product Number
SC-101 UW Sync Cord:
11224 NCP

Nikon Product Number
SC-102
UW Sync Cord:
11225 NCP



Nikon Product Number
SC-103 UW Sync Cord:
11226 NCP

MC-100 REMOTE CORD



Enables remote firing of Nikonos RS. Also includes variable timer. Length 10'.

Nikon Product Number MC-100 Remote Cord:
11100 NCP

50MM F/2.8 R-UW AF MICRO-NIKKOR



The perfect lens for classic close-up fish portraits, macro photography and general photography. Automatic focusing continuously through the entire macro range up to 1:1.

Nikon Product Number:
11011 NCP

28MM F/2.8 R-UW AF NIKKOR



A great companion for any dive. Allows you to take moderately wide shots, dramatic close-ups, or anything in-between. Focus as close as 10" for a reproduction ratio of 1:6.

Nikon Product Number: 11010 NCP

20MM-35MM F/2.8 R-UW AF ZOOM NIKKOR

The world's first underwater zoom. You can't change lenses underwater, but with this popular lens you can zoom from 20mm to 35mm at the touch of a button. Crop in-camera, and capture shy subjects easily.

Nikon Product Number: 11012 NCP



DK-100 EYEPIECE

Covers the viewfinder during long time exposures preventing extraneous light from entering the camera, which could affect the exposure. Recommended for use with MC-100 Remote Cord.


Nikon Product Number:
11105 NCP



UNDER THE SEA

"The handheld convenience of the Nikonos RS makes underwater photography much, much easier. The combination of autofocus, high-eyepoint viewfinder and Briteview focusing screen are absolutely unbeatable."

Stephen Javil



GET STARTED WITH THE NIKONOS-V SYSTEM



NIKONOS-V CAMERA

It's easy to take great pictures with this fun underwater camera. Just select your film speed, then pick a lens aperture that will provide you with the most desirable depth of field. With aperture-priority automatic exposure operation, the Nikonos-V sets the

right shutter speed for you — from 1/1000 of a second to 1/30 of a second for ambient light exposures. Also available is TTL auto-flash exposure control. Or, for greater creative control, you can opt for manual exposure. In either case, the Nikonos-V shows you



bright LED shutter speed and exposure information right inside the viewfinder.

Ergonomically designed for easy operation with diving gloves or bare hands. O-rings allow for water-tight picture-taking down to 165 feet.

Available in Orange or Green. Supplied w/rubber neck strap, spare O-ring set, and 3V lithium battery.

Nikon Product Number for Orange Nikonos-V: 10070 NCP


Nikon Product Number for Moss Green Nikonos-V: 10071 NCP



NIKONOS CLOSE-UP OUTFIT

Take beautiful close-ups of marine life with this comprehensive outfit. Includes a close-up attachment lens which can be mounted in front of a 28mm, 35mm, or 80mm lens (for reproduction ratios of 1:6, 1:4.5, 1:2 respectively), plus three field frames to match the area covered by these lenses. Camera-mounted frame support bracket allows you to determine precise camera-to-subject distance. Outfit comes with a handsome compartment case. (28mm, 35mm, and 80mm lenses not included).

Nikon Product Number: 10705 NCP



NIKON SLR CAMERA FEATURES AND SPECIFICATIONS

	N6006	N6000	N50	FM2
Camera Type	35mm AF SLR w/built-in motor drive.	35mm SLR w/built-in motor drive.	35mm AF SLR w/built-in motor drive.	35mm SLR w/optional motor drive.
Lens mount	Nikon F Bayonet.	Nikon F Bayonet.	Nikon F Bayonet.	Nikon F Bayonet.
Interchangeable Lens Compatibility	All AF Nikkor lenses ¹ provide full autofocus and metering operations. AI-P lenses (max. aperture f/5.6) provide manual focus w/electronic rangefinder and full metering operations. AI lenses (max. aperture f/5.6) provide manual focus w/electronic rangefinder and aperture priority and manual exposure mode w/CW and spot metering operations. Check N6006 instruction manual for further details.	All AF Nikkor lenses ¹ and AI-P lenses provide full metering and exposure operations. AI lenses provide aperture priority and manual exposure mode w/CW meter. Check N6000 instruction manual for further details.	AF Nikkor lenses provide full autofocus and metering operations. AI-P lenses (max. aperture f/5.6) provide manual focus and full metering operations. Check N50 instruction manual for further details.	All Nikkor AF, AF-I, AI-S lenses. Check FM2 instruction manual for further details.
Viewfinder	Fixed eye level pentaprism with high eyepoint.	Fixed eye level pentaprism with high eyepoint.	Fixed eye level pentaprism with high eyepoint.	Fixed eye level pentaprism. Approx. 93%.
Viewfinder Coverage	Approx. 92%.	Approx. 92%.	Approx. 90%.	TTL center-weighted meter 60/40.
Metering System	Three TTL meters provided: 5-segment matrix meter, 75/25 center-weighted and spot meter.	Two TTL meters provided: 5-segment matrix meter and 75/25 center-weighted meter.	Two TTL meters provided: 5-segment 3D matrix meter for P, S and A modes. 75/25 center-weighted meter for manual exposure mode.	EV 1-18.
Meter EV Range (ISO 100, f/1.4)	EV 0-19 (EV 4-19 w/spot meter).	EV 0-19.	EV 1-20.	
Shutter	Vertical focal plane, controlled from 1/2000 to 30 seconds; bulb setting. P, A – 30 sec. to 1/2000 ³ . S, M – 30 sec. to 1/2000 in 17 steps plus bulb.	Vertical focal plane, controlled from 1/2000 to 30 seconds; bulb setting. P, A – 30 sec. to 1/2000 ⁴ . S, M – 30 sec. to 1/2000 in 17 steps plus bulb.	Vertical focal plane, controlled stepless from 1/2000 to 30 seconds; time setting. P, A, M, S – 30 sec. to 1/2000 in 17 steps ³ .	Vertical, focal plane, controlled from 1/4000 to 1 second in 14 steps, bulb setting.
Film Advance	CH mode approx. 2.0 fps, CL mode 1.2 fps ² .	CH mode approx. 2.0 fps, CL mode 1.2 fps ³ .	Automatic advance at approx. 1 fps ² .	Manual, w/MD-12 Motor Drive C mode approx. 3.2 fps ² .
Film Rewind ⁸	Power rewind, 19 sec. w/24 exp.	Power rewind, 19 sec. w/24 exp.	Automatic rewind, 17 sec. w/36 exp.	Manual.
DX Range	ISO 25-5000.	ISO 25-5000.	ISO 25-5000.	—
ISO Range (manual setting)	ISO 6-6400.	ISO 6-6400.	ISO 6-6400 (Advanced mode).	ISO 12-6400.
Built-in Flash	GN#43 covers 28mm lenses or longer; TTL auto balanced fill flash possible.	—	GN#42.7 covers 35mm lenses or longer; TTL auto balanced fill flash with Nikon TTL Speedlights.	—
Flash Sync	1/60-1/250 sec. P or A mode; 1/125 to 30 sec. in slow sync mode and B setting. In M or S mode, shutter fires at selected speed but when set to 1/250 to 1/2000 sec., shutter is automatically set to 1/125 sec.	1/60-1/125 sec. P or A mode; 1/125 to 30 sec. in slow sync mode and B setting. In M or S mode, shutter fires at selected speed but when set to 1/250 to 1/2000 sec., shutter is automatically set to 1/125 sec.	1/125 sec. or slower.	All speeds up to 1/250 sec.
Speedlight Control	TTL automatic matrix balanced fill flash w/built-in speedlight or using Nikon TTL Speedlights ⁶ . Refer to instruction manual for further information.	TTL automatic matrix balanced fill flash w/Nikon TTL Speedlights ⁶ . Refer to instruction manual for further information.	TTL automatic balanced fill flash w/built-in Speedlight or using Nikon TTL Speedlights. Refer to instruction manual for further information.	Automatic flash.
# Rolls Film with Fresh Batteries ⁵	w/6V lithium approx. 75 rolls (68°F, without flash) ^{4,5} .	w/6V lithium approx. 75 rolls (68°F) ⁴ .	w/6V lithium approx. 80 rolls (68°F, without flash) ⁴ .	7
Power Source	6V lithium batteries.	6V lithium batteries.	6V lithium batteries.	2 SR-44 batteries.
Dimensions	6.1" x 4.0" x 2.6".	6.1" x 4.0" x 2.6".	5.9" x 3.8" x 2.8".	5.6" x 3.5" x 2.4".
Weight	23.0 oz.	23.0 oz.	20.5 oz.	19.0 oz.

1 – AF-I Nikkor lenses provide manual focus operation but provide full metering function.

2 – New AA alkaline-manganese, shutter set at 1/125 sec. or faster and normal temperatures.

3 – Actual slowest shutter speed depends on lighting conditions.

4 – Depends on battery life and type and operating temperature.

5 – Film advance in CH mode, AF-C, shutter speed 1/125 or faster.

6 – With Nikon TTL Speedlights SB-23, etc.

NIKON SLR CAMERA FEATURES AND SPECIFICATIONS

		N6006	N6000	N50	FM2N
Autofocus	Continuous AF				
	Single AF				
	Focus Tracking				
	AF wide/spot selection				
	AF Lock				
	Manual Focus				
	AF-I compatibility	4		4	4
Metering	8-segment meter				
	5-segment meter				
	6-segment meter			2	
	Center Weighted Meter			1	
	Spot Meter				
Exposure	Multi-Program				
	Program Hi				
	Dual Program				
	Program				
	Shutter Priority				
	Aperture Priority				
	Manual				
	Vari-Program			3	
	All mode Bracketing				
	AE mode Bracketing				
	Compensation				
	AE Lock				
	Memory setting function				
Flash	Built-in Speedlight				
	Multi-sensored balanced fill-flash				
	TTL balanced fill-flash				
	Standard TTL flash				
	Slow and/or rear curtain sync			5	
	TTL flash compensation				
	Flash Bracketing				
Misc.	Automatic Rewind				
	Manual Rewind				
	Two button auto reset				
	Two shot self-timer				
	Interchangeable viewfinder				
	Interchangeable focus screens				
	Eyepiece shutter				
	Cable Release				
	Remote Terminal				
	World Time				
	Quartz Date				

■ AF-I Nikkor lenses. Full autofocus and meter operation.

■ With most Nikkor lenses (refer to instruction manual).

■ AF and P Nikkor (lenses w/CPU).

■ Only with SB-23, etc. and AF Nikkor.

■ Only with SB-23, etc.

■ AF Nikkor.

■ Possible with Multi-Control Back or Data Back.

1 – Center-weighted metering in manual exposure mode.

2 – D-type Nikkor allows 6-segment metering.

3 – N50 in Simple mode; general purpose,

landscape, portrait, close-up; in Advanced mode, sport, silhouette, night scene and motion effect programs.

4 – Manual focus with full meter operation.

5 – Slow sync only.

AF NIKKOR LENS SPECIFICATIONS AND COMPATIBILITY

Lens	Lens Construction (groups/elements)	Picture Angle	Minimum f/ Stop	Closest Marked Focus Distance [Macro Setting] m (ft.)	Filter Attachment Size (mm)	Type of Lens Cap	Lens Case	Lens Hood	Weight (oz.)	Dia. x Length (extension from lens mount) (in.)	TC-201	TC-14A
Zoom												
AF 24-50mm f/3.3-4.5	9/9	84°-46°	22	0.6 (2) [0.5 (1.6)]	62	Snap-on	CL-32S No.62 CP-9	HB-3	13.2	2.8 x 2.9	1	1
AF 28-70mm f/3.5-4.5D	7/8	74°-34°20'	22	0.5 (2) [0.39 (1.3)]	52	Snap-on	CL-32S No.62 CP-9	HB-6	12.5	2.7 x 2.8	1	1
AF 28-85mm f/3.5-4.5	11/15	74°-28°30'	22	0.8 (3) [0.23 (0.8)]	62	Snap-on	CL-33S No.62 CP-9	HB-1	19.0	2.8 x 3.5	2	2
AF 35-80mm f/4-5.6D	6/6	62°-30°10'	22	0.5 (2) [0.35 (1.15)]	52	Snap-on	CL-31S No.62 CP-8 CP-9	HN-2	9.0	2.6 x 2.4	1	1
AF 35-105mm f/3.5-4.5	12/16	62°-23°20'	22	1.4 (4.6) [0.28 (0.9)]	52	Snap-on	CL-33S No.62 CP-9	HB-5	18.0	2.8 x 3.4	1	1
AF 35-135mm f/3.5-4.5	12/15	62°-18°	22	1.5 (5) [0.3 (1)]	62	Snap-on	CL-41 No.63 CP-9	HB-1	24.2	2.9 x 4.3	1	1
AF 70-210mm f/4-5.6D	9/12	34°20'-11°50'	32	1.5 (5) [1.2 (3.9)]	62	Snap-on	No.63 CP-9	HN-24	20.8	2.9 x 4.3	1	1
AF 75-300mm f/4.5-5.6	11/13	31°40'-8°10'	32	3 (10) [1.5 (5)]	62	Snap-on	CL-36	HN-24	30.0	2.8 x 6.5	3	3
Wideangle												
AF 24mm f/2.8D ^{1/2}	9/9	84°	22	0.3 (1)	52	Snap-on	CL-30S No.61 No.62 CP-8 CP-9	HN-1	9.5	2.5 x 1.8	1	1
AF 28mm f/2.8	5/5	74°	22	0.3 (1)	52	Snap-on	CL-30S CL-34A No.61 CP-8	HN-2	6.9	2.5 x 1.5	1	1
AF 35mm f/2	5/6	62°	22	0.25 (0.85)	52	Snap-on	CL-30S No.61 CP-8	HN-3	7.6	2.5 x 1.7	1	1
Normal												
AF 50mm f/1.4	6/7	46°	16	0.45 (1.5)	52	Snap-on	CL-30S CL-34A No.61 CP-8		9.0	2.5 x 1.7	2	2
AF 50mm f/1.8	5/6	46°	22	0.45 (1.5)	52	Snap-on	CL-30S No.61 CP-8		5.5	2.5 x 1.5	1	1
Telephoto												
AF 85mm f/1.8	6/6	28°30'	16	0.85 (3)	62	Snap-on	CL-31S No.62 CP-9	HN-23	14.6	2.8 x 2.3	2	3
Special Purpose												
AF Micro 60mm f/2.8D*	7/8	39°40'	32	0.219 (8.75 in.)	62	Snap-on	CL-32S No.62 CP-9	HN-22	16.0	2.8 x 2.9	2	2
AF Micro 105mm f/2.8D*	8/9	23°20'	32	0.314 (1)	52	Snap-on	CL-15 No.63 CP-9		19.6	3 x 4.2	3	—

* Features Close-Range Correction (CRC) system.

1—Usable.

2—When used at smaller aperture than f/11 with high shutter speeds, there is occasional uneven exposure.

3—There is occasional vignetting. And when used at smaller aperture than f/11 with high shutter speeds, there is occasional uneven exposure.

— Not usable.

Note: Contact your authorized Nikon dealer concerning the availability of these and other Nikkor lenses.

COMPATIBLE NIKKOR LENSES WITH BUILT-IN FLASH OF THE N6006

Usable non-zoom lenses

28mm to 300mm lenses

Usable zoom lenses

AF 24-50mm f/3.3-4.5^{*1}; AF 28-70mm f/3.5-4.5D^{*2}; AF 28-85mm f/3.5-4.5^{*3}; AF 35-70mm f/3.3-4.5; AF 35-105mm f/3.5-4.5; AF 35-135mm f/3.5-4.5^{*4}; AF 70-210mm f/4-5.6D; AF 75-300mm f/4.5-5.6; 28-85mm f/3.5-4.5^{*3}; 35-70mm f/3.3-4.5; 35-105mm f/3.5-4.5; 35-135mm f/3.5-4.5^{*4}; 100-300mm f/5.6

• Zoom lenses cannot be used for macro focusing

• Do not use a lens hood; it could cause slight vignetting

• N5005 is compatible with AF Nikkor lenses only

*1 Cannot be used at a focal length shorter than 28mm, or when shooting a subject within 1m (3.3 ft.) at 28mm focal length

*2 Cannot be used when shooting a subject within 1m (3.3 ft.) at a focal length shorter than 35mm

*3 Cannot be used at a focal length shorter than 35mm, or when shooting a subject within 2m (6.6 ft.) at 35mm focal length

*4 Cannot be used when shooting a subject within 2m (6.6 ft.) at 35mm focal length

COMPATIBLE NIKKOR LENSES WITH BUILT-IN FLASH OF THE N50

Usable non-zoom lenses

35 to 300mm AF Nikkor lens (except AF Nikkor 300mm f/2.8 and AF-1 Nikkor 300mm f/2.8 D)

Usable zoom lenses

AF 24-50mm f/3.3-4.5^{*1}; AF 28-70mm f/3.5-4.5^{*1}; AF 28-70mm f/3.5-4.5 D^{*1}; AF 28-85mm f/3.5-4.5^{*2}; AF 35-70mm f/2.8^{*3}; AF 35-70mm f/2.8 D^{*3}; AF 35-70mm f/3.3-4.5; AF 35-80mm f/4-5.6 D; AF 35-105mm f/3.5-4.5; AF 35-135mm f/3.5-4.5^{*2}; AF 70-210mm f/4; AF 70-210mm f/4-5.6; AF 70-210mm f/4-5.6D; AF 75-300mm f/4.5-5.6; AF 80-200mm f/2.8^{*4}; AF 80-200mm f/2.8 D^{*4}

• Zoom lenses cannot be used for macro focusing

• Do not use a lens hood; it could cause slight vignetting

• N5005 is compatible with AF Nikkor lenses only

*1 Cannot be used at a focal length shorter than 35mm

*2 Cannot be used at a focal length shorter than 35mm. At 35mm focal length setting, shoot within 2m (6.6 ft.)

*3 Cannot be used at a focal length shorter than 50mm

*4 Cannot be used at a focal length shorter than 100mm

MANUAL-FOCUS NIKKOR LENS SPECIFICATIONS AND COMPATIBILITY

Lens	Lens Construction (groups/elements)	Picture Angle	Minimum f/ Stop	Closest Marked Focus Distance [Macro Setting] m (ft.)	Filter Attachment Size (mm)	Type of Lens Cap	Lens Case	Lens Hood	Weight (oz.)	Dia. x Length (extension from lens mount) (in.)	TC-201	TC-14A
Wideangle												
24mm f/2.8*1	9/9	84°	22	0.3 (1)	52	Snap-on	CL-30S CL-34A No.61 CP-8	HN-1	8.8	2.5 x 1.8	1	1
28mm f/2*1	8/9	74°	22	0.25 (0.9)	52	Snap-on	CL-31S CL-32S No.62 CP-9	HN-1	12.7	2.5 x 2.3	1	1
28mm f/2.8*1	8/8	74°	22	0.2 (0.7)	52	Snap-on	CL-30S CL-34A No.61 No.62 CP-8	HN-2	8.8	2.5 x 1.8	1	1
35mm f/2	6/8	62°	22	0.3 (1)	52	Snap-on	CL-31S CL-32S No.61 No.62 CP-8 CP-9	HN-3	9.9	2.5 x 2.0	1	1
35mm f/2.8	5/5	62°	22	0.3 (1)	52	Snap-on	CL-30S CL-34A No.61 CP-8 CP-9	HN-3	11.3	2.4 x 2.4	1	1
Normal												
50mm f/1.4	6/7	46°	16	0.5 (1.7)	52	Snap-on	CL-30S CL-34A No.61 CP-8	HS-9, HR-1	8.8	2.5 x 1.6	2	2
50mm f/1.8	5/6	46°	22	0.45 (1.5)	52	Snap-on	CL-30S CL-34A No.61 CP-8	HR-4, HS-11	5.1	2.5 x 1.1	1	1
Telephoto												
85mm f/2	5/5	28°30'	22	0.85 (3)	72	Snap-on	CL-30S CL-31S No.61 No.62 CP-8 CP-9	HS-10	10.9	2.5 x 2.1	1	1
105mm f/2.5	4/5	23°20'	22	1 (3.5)	52	Snap-on	CL-32S No.62 CP-9	Built-in	15.3	2.5 x 2.7	1	1
135mm f/2.8	4/5	12°20'	32	1.3 (4.5)	52	Snap-on	CT-200	Built-in	15.3	2.5 x 3.3	3	1
200mm f/4	5/5	12°20'	32	2 (7)	52	Snap-on	CL-20A	Built-in	18.0	2.6 x 4.6	3	1
300mm f/4.5*2	5/6	8°10'	32	3.5 (12)	72	Snap-on	CT-400 No.59	Built-in	42.3	3.1 x 7.6	—	3
Reflex												
500mm f/8*2	6/6	5°	—	1.5 (5)	82/39*6	Slip-on	CL-29	HN-27	29.6	3.5 x 4.3	—	3
Zoom												
28-85mm f/3.5-4.5	11/15	74°-28°30'	22	0.8 (3) [0.23 (0.8)]	62	Snap-on	CL-33S No.62 CP-9	HK-16	18.0	2.6 x 3.5	1	1
35-70mm f/3.3-4.5	7/8	62°-34°20'	22	0.5 (2) [0.35 (1)]	52	Snap-on	CL-31S CL-32S No.62 CP-9	HN-2	9.0	2.5 x 2.4	1	1
35-105mm f/3.5-4.5	12/16	62°-23°20'	22	1.4 (5) [0.27 (0.9)]	52	Snap-on	CL-33S No.63 CP-9	HK-11	18.0	2.5 x 3.4	1	1
35-135mm f/3.5-4.5	14/15	62°-18°	22	1.5 (5) [0.4 (1.4)]	62	Snap-on	No.63 CP-9	HN-22	21.2	2.7 x 4.1	1	1
100-300mm f/5.6	10/14	24°20'-8°10'	32	2 (7) [0.71 (2.3)]	62	Snap-on	CL-40	HN-24	32.8	2.9 x 7.8	3	3
Teleconverters												
TC-201	5/7	—	—	—	—	—	CL-33S No.62 CP-9	—	8.1	2.5 x 1.7	—	—
TC-14A	5/5	—	—	—	—	—	No.61 CP-8 CP-9	—	5.1	2.6 x 0.9	—	—
Photographic Attachment	3/5	—	—	—	—	—	No.61	—	7.1	2.6 x 2.2	—	—

*1 Features Close-Range Correction (CRC) system.

*2 Tripod mounting collar is provided.

1—Usable.

2—When used at smaller aperture than f/11 with high shutter speeds, there is occasional uneven exposure.

3—Usable, but there is occasional vignetting.

4—Usable, if the rear screw-in filter is removed.

— Not usable.

Note: Contact your authorized Nikon dealer concerning the availability of these and other Nikkor lenses.

BATTERY SELECTOR CHART

Item	Quantity	Type
SLR Cameras		
N5005	4	AA Alkaline
N6006, N6000	1	DL-223A
N50	1	DL-245
N4004s, N4004	4	AA Alkaline
N2000, N2020	4	AA Alkaline
Nikonos RS	1	DL-223A
Nikonos IV-A, Nikonos V	2	SR44
FM2N	2	SR44
Autofocus Compact Cameras		
Zoom-Touch 400, Zoom-Touch 500, Zoom-Touch 600, Zoom-Touch 800, Tele-Touch 300	1	DL-223A
Zoom-Touch 470	1	DL-123A
Zoom-Touch 105 VR QD	2	DL-123A
Tele-Touch Deluxe	1	DL-223A
Nice-Touch 2	2	AA Alkaline
One-Touch 100	1	DL-123A
Action-Touch, L35AF & LI35AF, Tele-Touch	2	AA Alkaline
Fun-Touch, Fun-Touch 2, Fun-Touch 3	2	AA Alkaline
One-Touch, One-Touch 200, One-Touch 300	2	AA Alkaline
Lite-Touch, Lite-Touch Zoom	1	DL-123A
Sport-Touch	2	AA Alkaline
Smilemaker	2	AA Alkaline
Remote Controls		
Modulite Transmitter	1	9V Standard Battery
Modulite Receiver	4	AA Alkaline
Wireless Remote Control Transmitter	8	AA Alkaline
Wireless Remote Control Receiver	8	AA Alkaline
Intervalometer MT-2	4	AA Alkaline
Modulite Remote Control Set ML-2		
Transmitter	4	AA Alkaline
Receiver	4	AA Alkaline
Flash Units		
SD-7 Battery Pack	6	C Cell
SB-16B	4	AA Alkaline
SB-20, 22 Speedlight	4	AA Alkaline
SB-23 Speedlight	4	AA Alkaline



Note: AA Zinc Carbon Batteries (1.5V each) may be used instead of AA Alkaline in the above listing. Also, in many applications NiCad rechargers can be used. While both Silver Oxide and Lithium cells will operate some camera models, there is some difference in the performance characteristics of these two battery types. We suggest that you check with your battery supplier to get specific information about the battery you intend to use.

Specifications subject to change without notice.

ALPHABETICAL INDEX TO PRODUCTS AND PRODUCT CATEGORIES

Product	Product #	Page #	Product	Product #	Page #	Product	Product #	Page #	Product	Product #	Page #
Binoculars			CS-16	4415 NCP	22	Eyeiece Correction Lenses			Eyeieces for Fieldscopes		
6-12x24 DCF LeTour Zoom	7861 NCP	46	CS-17	4136 NCP	22	Eyeiece Correction Lens			15x	7772 NCP	48
6x15 Monocular	7884 NCP	47	CS-18	4137 NCP	22	FM2/FE2/FA +0.5	2931 NCP	21	20x	7775 NCP	48
7-15x35 Scoutmaster Zoom II	7864 NCP	45	CS-19	4138 NCP	22	Eyeiece Correction Lens			20-45x	7771 NCP	48
7x20 CF Travelite III			CS-20	4139 NCP	22	FM2/FE2/FA +1.0	2932 NCP	21	30x Wide-angle	7943 NCP	48
Companion	7880 NCP	46				Eyeiece Correction Lens			30x	7773 NCP	48
7x35 CF Stayfocus Plus II	7876 NCP	45	Camera Neckstraps			FM2/FE2/FA +2.0	2933 NCP	21	40x	7774 NCP	48
7x35 E Criterion	780 NCP	47	AN-1	635 NCP	33	Eyeiece Correction Lens			60x	7811 NCP	48
7x35 Naturalist III	7889 NCP	47	AN-4B	639 NCP	33	FM2/FE2/FA +3.0	2934 NCP	21			
7x50 CF Stayfocus Plus II	7877 NCP	45	AN-4Y	638 NCP	33	Eyeiece Correction Lens			Filters (list to come)		20
7x50 IF SP Prostar	7789 NCP	46	AN-6W	4508 NCP	33	FM2/FE2/FA -2.0	2935 NCP	21	Filter Accessories		
7x50 Seafarer II	7868 NCP	47	AN-6Y	507 NCP	33	Eyeiece Correction Lens			CA-1 Filter Pouch for		
8-16x40 CF Zoom XL	7861 NCP	46	NS-1	673 NCP	33	FM2/FE2/FA -3.0	2936 NCP	21	all 52mm Filters	2307 NCP	20
8x20 Sportstar Companion	7885 NCP	45	NS-3	5203 NCP	33	Eyeiece Correction Lens			CP-3 Filter case for		
8x23 CF Travelite III			NS-4	5204 NCP	33	FM2/FE2/FA -4.0	2937 NCP	21	all 52mm Filters	2291 NCP	20
Companion	7882 NCP	46	NS-5	5205 NCP	33	Eyeiece Correction Lens			CP-6 Filter case for		
8x23 CF Sea N' Sport	7846 NCP	46				FM2/FE2/FA -5.0	2938 NCP	21	all 62mm Filters	2378 NCP	20
8x23 Diplomat	7896 NCP	47	Close-up Equipment and Accessories			Eyeiece Correction Lens			CP-5 Filter case for		
8x30 E Criterion	782 NCP	47	Extension Ring PK-11A (8mm)	2656 NCP	31	N5005/N4004 +0.5	2941 NCP	21	all 72mm Filters	2292 NCP	20
8x30 DIF Sea N' Sport	7892 NCP	46	Extension Ring PK-12A (14mm)	2652 NCP	31	Eyeiece Correction Lens			Filter Adapter Ring UR-1	2377 NCP	20
8x32 DCF Execulite II	7887 NCP	46	Extension Ring PK-13A			N5005/N4004 +1.0	2942 NCP	21	HN-13 Hood for 72mm		
8x40 CF Stayfocus Plus II	7878 NCP	45	(27.5mm)	2653 NCP	31	Eyeiece Correction Lens			Circular Polarizing Filter	539 NCP	20
8x40 DCF Classic Eagle	7826 NCP	46	Focusing Stage PG-2	2758 NCP	31	N5005/N4004 +2.0	2943 NCP	21	HN-26 Hood for 62mm		
8x40 Egret	7890 NCP	47	Lens Reversing Ring BR-2A	2657 NCP	31	Eyeiece Correction Lens			Circular Polarizing Filter	568 NCP	20
9x25 CF Travelite III			Lens Reversing Ring BR-3	2629 NCP	31	N5005/N4004 +3.0	2944 NCP	21			
Companion	7881 NCP	46	Lens Reversing Ring BR-5	2631 NCP	31	Eyeiece Correction Lens			Lens Caps and Covers		
10x25 CF Sea N' Sport	7845 NCP	46				N5005/N4004 -2.0	2945 NCP	21	52mm Snap-on Front		
10x25 Sportstar Companion	7886 NCP	45	EL-Nikkor Enlarging Lenses			Eyeiece Correction Lens			Lens Cap	581 NCP	18
10x25 CF Travelite III			EL-Nikkor 40mm f/2.8	209 NCP	25	N5005/N4004 -3.0	2946 NCP	21	62mm Snap-on Front		
Companion	7883 NCP	46	EL-Nikkor 50mm f/2.8	210 NCP	25	Eyeiece Correction Lens			Lens Cap	600 NCP	18
10x25 Diplomat	7897 NCP	47	EL-Nikkor 63mm f/2.8	211 NCP	25	N5005/N4004 -4.0	2947 NCP	21	72mm Snap-on Front		
10x35 E Criterion	784 NCP	47	EL-Nikkor 75mm f/5.6	224 NCP	25	Eyeiece Correction Lens			Lens Cap	601 NCP	18
10x40 DCF Execulite II	7888 NCP	46	EL-Nikkor 80mm f/5.6	212 NCP	25	N5005/N4004 -5.0	2948 NCP	21	85mm Slip-on Front Lens Cap		
10x50 CF Stayfocus Plus II	7879 NCP	45	EL-Nikkor 105mm f/5.6	213 NCP	25	Eyeiece Correction Lens			for 500mm f8N Relex	1335 NCP	18
10x50 Lookout III	7891 NCP	47				N5005/N4004 "0"	2940 NCP	21	BF-1A Lens Mount Cap for		
10x70 IF SP Astroluxe	7893 NCP	46	Accessories for EL-Nikkor Enlarging Lenses			Eyeiece Correction Lens			SLR Camera	612 NCP	18
			34.5mm Snap-on Lens Cap			N6006/6000 +0.5	2941 NCP	21	LF-1 Rear Lens Cap for all		
			f/EL-Nikkor (repl)	574 NCP	25	Eyeiece Correction Lens			F-Mount Lenses	607 NCP	18
			39mm Lens Mounting Flange	96925 NCP	25	N6006/6000 +1.0	2942 NCP	21			
			40.5mm Snap-on Lens Cap			Eyeiece Correction Lens			Lens Cases		
			f/EL-Nikkor	577 NCP	25	N6006/6000 +2.0	2943 NCP	21	CL-11	436 NCP	23
			3mm Snap-on Lens Cap			Eyeiece Correction Lens			CL-13A	486 NCP	23
			f/EL-Nikkor	576 NCP	25	N6006/6000 +3.0	2944 NCP	21	CL-15S	4453 NCP	23
			Extension Mounting Tube			Eyeiece Correction Lens			CL-17	485 NCP	23
			f/EL-Nikkor (15mm)	2642 NCP	25	N6006/6000 -2.0	2945 NCP	21	CL-20A	431 NCP	23
			Lens Mounting Adapter			Eyeiece Correction Lens			CL-27A	4458 NCP	23
			f/50mm EL-Nikkor	2655 NCP	25	N6006/6000 -3.0	2946 NCP	21	CL-29	475 NCP	23
			Plastic Case f/50mm			Eyeiece Correction Lens			CL-30S	4501 NCP	23
			EL-Nikkor (repl)	461 NCP	25	N6006/6000 -4.0	2947 NCP	21	CL-31S	4502 NCP	23
			Reverse Mounting Ring f/50,			Eyeiece Correction Lens			CL-32S	4503 NCP	23
			63mm N EL-Nikkor	2641 NCP	25	N6006/6000 -5.0	2948 NCP	21	CL-33S	4404 NCP	23
			Reverse Mounting Ring f/50, 75,			Eyeiece Correction Lens			CL-34S	4474 NCP	23
			80mm N EL-Nikkor	2640 NCP	25	N6006/6000 "0"	2940 NCP	21	CL-35A	4479 NCP	23
			Eyeiece Accessories			Fieldscopes			CL-36	4480 NCP	23
			Eyeiece Adapter for N6006/			60mm Fieldscope II	7894 NCP	48	CL-37	4470 NCP	23
			N6000, N5005, N2000	2370 NCP	21	60mm Fieldscope IIA	7838 NCP	48	CL-38	4471 NCP	23
			Eyeiece Magnifier DG-2	2355 NCP	21	60mm Fieldscope EDII	7895 NCP	48	CL-39	4476 NCP	23
			Right Angle Finder DR-3	2326 NCP	21	60mm Fieldscope EDII A	7839 NCP	48	CL-40	4478 NCP	23
			Rubber Eyecup DK-3			78mm Fieldscope ED	7898 NCP	48	CL-41	4460 NCP	23
			for FM2, FE2, FA	2362 NCP	21	78mm Fieldscope ED Angled	7899 NCP	48	CL-42	4459 NCP	23
			Rubber Eyecup			Photographic Attachment			CL-43	4461 NCP	23
			for N6006/N6000/N5005	2939 NCP	21	for Fieldscopes	7770 NCP	48	CL-43A	4462 NCP	23
									CL-44	4463 NCP	23
									CL-45	4464 NCP	23
									CL-46	4565 NCP	23

Product	Product #	Page #	Product	Product #	Page #	Product	Product #	Page #
CL-47	4466 NCP	23	TTL Multi-Flash Sync Cord SC-18	4558 NCP	29	Touch Cameras		
CL-61A	4472 NCP	23	TTL Multi-Flash Sync Cord SC-19	4559 NCP	29	Fun-Touch 3	1863 NCP	36
CL-64	4527 NCP	23	TTL Remote Cord SC-12	356 NCP	30	Lite-Touch	1815 NCP	36
CP-9	4511 NCP	23	TTL Remote Cord SC-17	4557 NCP	29, 30	Lite-Touch Quartz Date	1816 NCP	36
CZ-1860	441 NCP	23				Lite-Touch Zoom	1832 NCP	35
NO. 61	4301 NCP	23	Remote Control			Lite-Touch Zoom Quart Date	1893 NCP	35
NO. 62	4302 NCP	23	MR-3 Motor Terminal Release	4563 NCP	32	Nice-Touch 2 Outfit	9615 NCP	36
NO. 63	4303 NCP	23	AH-3 Tripod Mounting Adapter	4580 NCP	32	One-Touch 300	1851 NCP	36
Trunk Case		23	Cable Release AR-3	664 NCP	32	Sport-Touch Outfit	9592 NCP	36
			Intervalometer MT-2	128 NCP	32	Zoom-Touch 105 VR QD	1834 NCP	34
			Modulite Remote Control Bracket	4648 NCP	32	Zoom-Touch 470	1830 NCP	36
Lenses (Close-up)			Modulite Remote Control Set ML-2	4641 NCP	32	Zoom-Touch 470 Quartz Date	1831 NCP	36
Close-up Lens No. 0 IC 52mm (0.7 Diopter)	2732 NCP	31	Motor Remote Cord with Banana Plug MC-4A (3')	4583 NCP	32	Zoom-Touch 600	1828 NCP	36
Close-up Lens No. 1 IC 52mm (1.5 Diopter)	2733 NCP	31	Motor Remote Trigger Cord MC-10	131 NCP	32	Zoom-Touch 800	1826 NCP	37
Close-up Lens No. 2 IC 52mm (3.0 Diopter)	2734 NCP	31	Motor Remote Trigger Cord MC-12A (10')	4586 NCP	32	Zoom-Touch 800 World Time Model	1827 NCP	37
Close-up Lens No. 3T IC 52mm (1.5 Diopter)	2736 NCP	31	Wireless Radio Remote Control Set MW-2	141 NCP	32			
Close-up Lens No. 4T IC 52mm (3.0 Diopter)	2737 NCP	31	Wireless Radio Remote Control Set MW-2 Receiver (repl)	142 NCP	32			
Close-up Lens No. 5T IC 62mm (1.5 Diopter)	4536 NCP	31	Wireless Radio Remote Control Set MW-2 Transmitter (repl)	143 NCP	32			
Close-up Lens No. 6T IC 62mm (3.0 Diopter)	4537 NCP	31						
			Speedlights and Accessories			Nikonos (Underwater)		
Lenses (for 35mm SLR's)			AA Battery Holder (repl)	3064 NCP	28	15mm f/2.8 UW-Nikkor IC	10315 NCP	42
24mm f/2.8D AF Nikkor AIS	1919 NCP	13	AA Battery Holder MS-5 (repl)	4552 NCP	28	20mm f/2.8 UW-Nikkor IC	10314 NCP	42
28mm f/2.8 AF Nikkor AIS	1917 NCP	13	C-Cell Battery Pack SD-7 (comes with SC-16 Power Cord)	4520 NCP	27, 28	20mm-35mm f/2.8 R-UW AF Zoom Nikkor	11012 NCP	40
35mm f/2 Nikkor AIS	1920 NCP	13	Flash Sync Cord SC-11 for SB-11 (repl)	3056 NCP	30	28mm f/2.8 R-UW AF Nikkor	11010 NCP	40
50mm f/1.4 AF Nikkor AIS	1904 NCP	13	High Performance AA Battery Pack SD-8	4720 NCP	27, 28	28mm f/3.5 UW-Nikkor IC	10310 NCP	42
50mm f/1.8 AF Nikkor AIS	1906 NCP	14	Mounting Bracket SK-4 (repl)	369 NCP	28	35mm f/2.5 UW-Nikkor IC	10311 NCP	40
85mm f/1.8 Nikkor AIS	1930 NCP	14	Power Cord SC-16 for SD-7 (repl)	4523 NCP	28	50mm f/2.8 R-UW AF Micro-Nikkor	11011 NCP	40
105mm f/2.5 Nikkor AIS	1456 NCP	14	SB-11	311 NCP	28	80mm f/4 UW-Nikkor IC	10312 NCP	42
135mm f/2 AF-DC Nikkor AIS	1934 NAS	14	SB-16B	4543 NCP	28	DK-100 Eyepiece (for RS)	11105 NCP	40
135mm f/2.8 Nikkor AIS	1462 NCP	13	SB-16B Coupler to ISO shoe (repl) AS-9	4545 NCP	28	MC-100 Remote Cord	11100 NCP	40
500mm f/8N Reflex-Nikkor	953 NCP	14	SB-20	4700 NCP	27	Nikonos Close-up Outfit	10705 NCP	41
24-50mm f/3.3-4.5 AF Zoom-Nikkor AIS	1954 NCP	15	SB-22	4703 NCP	27	Nikonos RS AF SLR Camera	11000 NCP	38, 39
28-70mm f/3.5-4.5D AF Zoom-Nikkor AIS	1956 NCP	15	SB-23	4704 NCP	27	Nikonos-V for Moss Green	10071 NCP	41
28-85mm f/3.5-4.5 AF Zoom Nikkor AIS	1959 NCP	15	SC-23 TTL Sync Cord	4562 NCP	30	Nikonos-V for Orange	10070 NCP	41
35-80mm f/4-5.6D AF Zoom-Nikkor AIS	1970 NCP	15	Sensor Unit SU-2 (repl)	3055 NCP	28, 30	SB-103 Speedlight Set	10103 NCP	42
35-105mm f/3.5-4.5 AF Zoom Nikkor AIS	1967 NCP	15	Soft Case SS-16 (repl)	4551 NCP	28	SB-104 Speedlight Set	11200 NCP	42
35-135mm f/3.5-4.5 SN AF Zoom-Nikkor AID	1969 NCP	15	Soft Case SS-20 (repl)	4605 NCP	27	SC-101 Sync Cord	11224 NCP	39, 40
70-210mm f/4-5.6D AF Zoom-Nikkor AIS	1979 NCP	15	Soft Case SS-22 (repl)	4606 NCP	27	SC-102 Sync Cord	11225 NCP	39, 40
77-300mm f/4.5-5.6 AF Zoom-Nikkor AIS	1982 NCP	15	Soft Case SS-23 (repl)	4607 NCP	27	SC-103 Sync Cord	11226 NCP	39, 40
60mm f/2.8D AF Micro-Nikkor AIS	1987 NCP	15, 16	Wide Angle Flash Adapter SW-3 (repl)	3057 NCP	28	SN-104 NiCad Battery Pack	11211 NCP	42
105mm f/2.8D AF Micro-Nikkor AIS	1988 NCP	15, 16	Wide Angle Flash Adapter SW-7 (repl)	4550 NCP	28	SH-104 NiCad Charger	11212 NCP	42
			Spotting Scopes			Sunglasses		
Miscellaneous SLR Accessories			15-45x60 RC	7835 NCP	48	Avalanche	54250 NCP	44
Anti-Cold Battery Packs			15-45x60 RC Angled	7501 NCP	48	Aviator	51004 NCP	43
DB-2 for F Series, FM2N	3062 NCP	33	20x60 RC	7834 NCP	48	Aviator II	55361 NCP	44
Cable Release Adapter AR-8	669 NCP	33	20x60 RC Angled	7500 NCP	48	Baja	55241 NCP	44
Panorama Head AP-2	2028 NCP	33				Berkeley	52231 NCP	43
Soft Shutter Release AR-9	4417 NCP	33				Boca	55281 NCP	44
			Teleconverters			Bristol	54341 NCP	43
Power Sources			TC-14A 1.4 x Teleconverter for Nikkor AF/AIS lenses 200mm or less	1400 NCP	17	Clearwater	53332 NCP	43
Coiled Sync Cord SC-15	4524 NCP	30	TC-201 2x Teleconverter for Nikkor AF/AIS lenses 200mm or less	1403 NCP	17	Cortina	56370 NCP	44
Hot Shoe Adapter AS-15	3066 NCP	30, 33				Del Sol	55250 NCP	44
MD-12 Motor Drive	102 NCP	10				Fifties	55161 NCP	43
Sensor Remote SC-13	313 NCP	30				Hampton	52320 NCP	43
TTL Multi-Flash Adapter AS-10	4560 NCP	29				Hatteras	51220 NCP	43
						Monterey	52311 NCP	43
						Navigator	53054 NCP	43
						Outbound	55381 NCP	44
						Soho	52022 NCP	43
						Solitude	54350 NCP	44

No reproduction in any form of this material, in whole or in part, may be made without written authorization from NIKON INC., Melville, NY, U.S.A.
Specifications subject to change without notice.



*No reproduction in any form of this material, in whole or in part, may be made without written authorization from NIKON INC., Melville, NY, U.S.A.
Specifications subject to change without notice.*



**Nikon Consumer Products (NCP) Dealer Price List
June 1, 1996**

Please Note: This list supercedes all prior NCP Dealer Price Lists and interim pricing announcements.
Prices and specifications are subject to change without notice. Payment terms 2/10 EOM.
Minimum order: \$50. Orders for \$200 or more will be shipped freight prepaid.

PRICE LIST TABLE OF CONTENTS

* Nikon SLR Camera Bodies	1
* Nikon Nuvis Cameras & Accessories	2
* Nikon 35mm Lens/Shutter Cameras	3
Nikon Special Promotional Products	5
* Nikkor AI-S Manual Focus Lenses & Accessories	6
* AF Nikkor Lenses & Accessories	7
* Nikon Teleconverters	9
* Motor Drives & Remote Control Accessories	10
* Data Backs/Accessories	11
* Nikon Speedlights & Accessories	12
* Cases & Straps	13
Caps & Covers for Nikkor Lenses	14
* Filters & Filter Accessories for Nikkor Lenses	15
* Viewfinder Accessories	16
Nikon Close-up System	17
* Nikonos Underwater Camera System	18
* EI-Nikkor Enlarging Lenses & Accessories	21
* Accessories for Nikon Video Camcorders	22
* Nikon Binoculars, Fieldsopes & Spotting Scopes	23
Accessories for Nikon Binoculars & Scopes	25
Accessories for Discontinued Products	29
Numerical Product Listing	30

*Quantity pricing guidelines - See "Sales Terms & Conditions" for details.

THIS PRICE LIST IS FOR THE USE OF AUTHORIZED DEALERS ONLY OF THE LISTED PRODUCTS.
POSSESSION OR RECEIPT OF THIS PRICE LIST BY PERSONS OTHER THAN AUTHORIZED DEALERS
FOR THE LISTED PRODUCTS SHALL NOT BE DEEMED AN OFFER TO SELL TO SUCH PERSONS.

Nikon SLR Camera Bodies

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
Nikon Autofocus SLR Camera Bodies					
c 1793	N70 AF Black 35mm SLR Camera Body <i>Requires 2 CR123A Lithium batteries or equivalent, not included.</i>	745.00	557.84	541.10	529.95
c 1794	N70 QD Black 35mm SLR Camera Body <i>Requires 2 CR123A Lithium batteries or equivalent, not included.</i>	785.00	589.42	571.74	559.95
c 1770	N6006 AF Black 35mm SLR Camera Body <i>Requires 6V Lithium battery pack, not included.</i>	563.00	421.00	408.37	399.95
c 1771	N6006 QD AF Black 35mm SLR Camera Body <i>Requires 6V Lithium battery pack, not included.</i>	603.00	452.58	439.00	429.95
c 1710	N50 AF Black 35mm SLR Camera Body <i>Requires 2 CR5-type Lithium Battery pack, not included.</i>	535.00	399.95	387.95	379.95
c 1715	N50 QD AF Black 35mm SLR Camera Body <i>Requires 2 CR5-type Lithium Battery pack, not included.</i>	575.00	431.53	418.58	409.95
Nikon Manual Focus SLR Camera Bodies					
1683	FM2N Chrome 35mm SLR Camera Body <i>Supplied w/Type K2 Screen, Finder Eyepiece and 3V Lithium battery.</i>	745.00	557.84	541.10	529.95
1684	FM2N Black 35mm SLR Camera Body <i>Supplied w/Type K2 Screen, Finder Eyepiece and 3V Lithium battery.</i>	770.00	578.89	561.52	549.95
* 1685	FM2/T Titanium 35mm SLR Camera Body <i>Supplied w/Type K2 Screen, Finder Eyepiece and 3V Lithium battery.</i>	1,120.00	842.05	816.79	799.95
Nikon NAS Extended Service Coverage (2 Year)					
5266	Extended Service Coverage (2 Year) f/N50, N6006, N70, 35Ti	69.95	29.95	29.95	29.95

c - Earns Co-op * - No longer available, for pricing purposes only

Nikon Advanced Photo System Cameras & Accessories

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
Pronea Advanced Photo System SLR					
c 12000	NEW Pronea 6i SLR Body	842.00	631.53	612.58	599.95
c 12301	NEW 20-60mm f/3.5-5.6 IX Nikkor	533.00	399.95	387.95	379.95
c 12300	NEW 24-70mm f/3.5-5.6 IX Nikkor	225.00	168.37	163.32	159.95
c 12302	NEW 60-180mm f/4-5.6 IX Nikkor	344.00	257.84	250.10	244.95
Accessories for Pronea Advanced Photo System SLR					
12550	AN-11 Strap f/Pronea	12.00	7.00	7.00	7.00
12400	CF-55 Case f/Pronea 6i f/IX Nikkor 24-70mm, 20-60mm, or 60-180mm Zoom lenses	62.00	37.00	37.00	37.00
12401	CF-56 Case f/Pronea 6i Up to AF Nikkor 70-210mm f4-5.6 D	67.00	40.00	40.00	40.00
Nikon Nuvis Advanced Photo System Compact Cameras					
12101	Nikon Nuvis 125 i Camera <i>Includes strap. Requires CR123A battery or equivalent, not included.</i>	380.00	284.16	275.64	269.95
12100	Nikon Nuvis 125 Camera <i>Includes strap. Requires CR123A battery or equivalent, not included.</i>	350.00	263.11	255.22	249.95
12103	Nikon Nuvis 75 i Camera <i>Includes strap. Requires CR123A battery or equivalent, not included.</i>	255.00	189.42	183.74	179.95
12102	Nikon Nuvis 75 Camera <i>Includes strap. Requires CR123A battery or equivalent, not included.</i>	225.00	168.37	163.32	159.95
12105	Nikon Nuvis Mini i Camera <i>Includes strap. Requires CR2 battery or equivalent, not included.</i>	185.00	136.79	132.69	129.95
12104	Nikon Nuvis Mini Camera <i>Includes strap. Requires CR2 battery or equivalent, not included.</i>	155.00	115.74	112.27	109.95
Accessories for Nikon Nuvis Compact Cameras					
12201	ML-L1 Remote Control f/Nuvis 75 i & 125 i	20.00	11.21	10.87	10.65
696	Pouch Case f/Nuvis 125 i, 125 Cameras	18.50	11.10	11.10	11.10
4365	Camera Case f/Nuvis 75 i, 75 Cameras	17.00	10.10	10.10	10.10
4362	Camera Case f/Nuvis Mini i, Mini Cameras	17.00	10.10	10.10	10.10
Extended Service Coverage					
5267	Extended Service Coverage (2 Year) f/Nuvis Cameras	39.95	19.95	19.95	19.95

Nikon 35mm Lens/Shutter Cameras

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
9630	35Ti Outfit <i>Includes 35Ti QD Camera, 3V Lithium battery, color print film, wrist strap, CS-L100 case.</i>	1,120.00	842.05	816.79	799.95
5266	Extended Service Coverage (2 Year) f/35Ti	69.95	29.95	29.95	29.95
Nikon Touch Cameras					
* 1834	Zoom-Touch 105 VR Quartz Date Camera <i>Supplied w/nylon neck strap; requires two 3V Lithium batteries, not included.</i>	495.00	368.37	357.32	349.95
* 1842	Lite-Touch Zoom 105 Camera <i>Supplied w/nylon wrist strap; requires 3V Lithium battery, not included.</i>	325.00	242.05	234.79	229.95
* 1843	Lite-Touch Zoom 105 Camera/Quartz Date <i>Supplied w/nylon wrist strap; requires 3V Lithium battery, not included.</i>	340.00	252.58	245.00	239.95
* 1832	Lite-Touch Zoom AF Camera <i>Supplied w/nylon wrist strap; requires one 3V Lithium battery, not included.</i>	239.00	178.89	173.52	169.95
* 1833	Lite-Touch Zoom AF Camera/Quartz Date <i>Supplied w/nylon wrist strap; requires one 3V Lithium battery, not included.</i>	253.00	189.42	183.74	179.95
1838	Lite-Touch Zoom 70 Camera <i>Supplied w/nylon wrist strap; requires one 3V Lithium battery, not included.</i>	253.00	189.42	183.74	179.95
1852	One-Touch Zoom Camera <i>Supplied w/nylon wrist strap; requires one 3V Lithium battery; not included.</i>	168.00	126.26	122.47	119.95
1853	One-Touch Zoom Camera/Quartz Date <i>Supplied w/nylon wrist strap; requires one 3V Lithium battery; not included.</i>	182.00	136.79	132.69	129.95
* 1815	Lite-Touch AF Camera <i>Supplied w/nylon wrist strap; requires one 3V Lithium battery, not included.</i>	164.00	122.63	118.95	116.50
* 1816	Lite-Touch AF Camera/Quartz Date <i>Supplied w/nylon wrist strap; requires one 3V Lithium battery for camera power, not included.</i>	178.00	133.16	129.17	126.50
1845	NEW Fun-Touch 4 Camera <i>Supplied w/case & nylon strap; requires 2 AA-type batteries, not included.</i>	70.00	52.58	51.00	49.95
1846	NEW Fun-Touch 4 Camera/Quartz Date <i>Supplied w/case & nylon strap; requires 2 AA-type batteries, not included.</i>	85.00	63.11	61.22	59.95
1836	NEW Nice-Touch Zoom Camera/Quartz Date <i>Supplied w/case & nylon wrist strap; requires two 1.5V AA-type batteries, not included.</i>	133.00	99.95	96.55	94.95
1844	Nice-Touch 3 Camera <i>Supplied w/case & nylon strap; requires 2 AA-type batteries, not included.</i>	66.50	49.79	48.30	47.30

* - No longer available for pricing purposes only

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
Accessories for Nikon Compact Cameras					
696	Pouch Case f/Touch Cameras	18.50	11.10	11.10	11.10
647	Touch Camera Neckstrap (repl)	12.00	7.30	7.30	7.30
4575	Camera Case f/Zoom-Touch 800, Zoom Touch 600/ZT105VR	19.00	11.50	11.50	11.50
4365	Camera Case f/Lite-Touch Zoom	17.00	10.10	10.10	10.10
4362	Camera Case f/Lite-Touch	17.00	10.10	10.10	10.10
3232	Wrist Strap f/Lite-Touch (repl)	11.00	6.70	6.70	6.70
^ 3230	Panorama Adapter f/Zoom-Touch 470 (repl)	9.00	5.40	5.40	5.40
^ 3231	P-Adapter Case f/Zoom-Touch 470 (repl)	11.00	6.70	6.70	6.70

^ - Subject to available inventory

Nikon Special Promotional Products

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
Nikon School Instructional Video Tapes					
5253	N50 Videotape	30.00	15.00	15.00	15.00
5254	N70 Videotape	30.00	15.00	15.00	15.00
5255	SB-25/SB-26 Videotape	30.00	15.00	15.00	15.00
5256	N90/N90s Videotape	30.00	15.00	15.00	15.00
5257	F4 Videotape	30.00	15.00	15.00	15.00
5259	N8008s Videotape	30.00	15.00	15.00	15.00
5260	N6006 Videotape	30.00	15.00	15.00	15.00
5262	SB-24 Videotape	30.00	15.00	15.00	15.00
5264	Essence of Light Videotape	30.00	15.00	15.00	15.00
Vestrap by Nikon Inc.					
5207	Vestrap-Green-XL	139.95	75.00	75.00	75.00
5208	Vestrap-Green-L	139.95	75.00	75.00	75.00
5209	Vestrap-Green-M	139.95	75.00	75.00	75.00
5210	Vestrap-Tan-XL	139.95	75.00	75.00	75.00
5211	Vestrap-Tan-L	139.95	75.00	75.00	75.00
5212	Vestrap-Tan-M	139.95	75.00	75.00	75.00
Miscellaneous Promotional Products					
9648	SLR Value Pack <i>Contains: Nikon Deluxe Gadget Bag, 52mm SFX UV Filter, Nikon Guide To SLR Photography, Coupon Book.</i>	99.95	39.95	39.95	39.95
5267	Extended Service Coverage (2Year) for Nikon Nuvis Cameras	39.95	19.95	19.95	19.95
5266	Extended Service Coverage (2Year) f/N50/N6006/N70/35Ti	69.95	29.95	29.95	29.95

Nikkor AI-S Manual Focus Lenses

Product Number	Product Description		Sugg. List Price	Dealer Cost (each)		
				1-2 Pcs.	3-5 Pcs.	6 or More
1442	55mm f2.8 Micro-Nikkor AIS (52mm)		491.00	368.53	357.47	350.10
510	HN-3	Screw-on Hood f/55/2.8 Micro	30.00	17.89	17.89	17.00
4502	CL-31S	Hard Case f/55/2.8 Micro	42.50	25.60	25.60	25.60
1456	105mm f2.5 Nikkor AIS (52mm) <i>Supplied w/Built-in Lens Hood</i>		520.00	389.89	378.19	370.40
4503	CL-32S	Hard Case f/105/2.5	60.50	36.30	36.30	36.30
4302	No. 62	Pouch Case f/105/2.5	47.00	28.20	28.20	28.20
4511	CP-9	Plastic Case f/105/2.5	34.00	20.50	20.50	20.50
1462	135mm f2.8 Nikkor AIS (52mm) <i>Supplied w/Built-in Lens Hood</i>		520.00	389.89	378.19	370.40
4503	CL-32S	Hard Case f/135/2.8	60.50	36.30	36.30	36.30
4302	No. 62	Pouch Case f/135/2.8	47.00	28.20	28.20	28.20
4511	CP-9	Plastic Case f/135/2.8	34.00	20.50	20.50	20.50
953	500mm f8N Reflex-Nikkor (39/82mm) <i>Supplied w/CL-39 Case, HN-27 Hood</i>		1,100.00	824.84	800.09	783.60
558	Screw-on Hood f/500/8 (repl)		30.00	17.89	17.89	17.00
4476	CL-39	Hard Case f/500/8 (repl)	94.50	56.80	56.80	56.80

AF Nikkor Lenses

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
AF Nikkor Fixed Focal Length Lenses					
c 1919	24mm f2.8 D AF Nikkor (52mm)	560.00	421.00	408.37	399.95
508	HN-1 Screw-on Hood f/24/2.8 AF D	30.00	17.89	17.89	17.00
4501	CL-30 Hard Case f/24/2.8 AF D	42.50	25.60	25.60	25.60
4301	No. 61 Pouch Case f/24/2.8 AF D	43.50	26.00	26.00	26.00
4510	CP-8 Plastic Case f/24/2.8 AF D	30.00	18.00	18.00	18.00
c 1922	28mm f2.8 D AF Nikkor (52mm)	351.00	263.11	255.22	249.95
509	HN-2 Screw-on Hood f/28/2.8 AF D	30.00	17.89	17.89	17.00
4501	CL-30 Hard Case f/28/2.8 AF D	42.50	25.60	25.60	25.60
4302	No. 62 Pouch Case f/28/2.8 AF D	47.00	28.20	28.20	28.20
4510	CP-8 Plastic Case f/28/2.8 AF D	30.00	18.00	18.00	18.00
c 1923	35mm f2 D AF Nikkor (52mm)	535.00	399.95	387.95	379.95
510	HN-3 Screw-on Hood f/35/2 AF	30.00	17.89	17.89	17.00
4501	CL-30 Hard Case f/35/2 AF	42.50	25.60	25.60	25.60
4302	No. 62 Pouch Case f/35/2 AF	47.00	28.20	28.20	28.20
c 1902	50mm f1.4 D AF Nikkor (52mm)	390.00	292.42	283.65	277.80
4501	CL-30 Hard Case f/50/1.4 AF	42.50	25.60	25.60	25.60
4301	No. 61 Pouch Case f/50/1.4 AF	43.50	26.00	26.00	26.00
4510	CP-8 Plastic Case f/50/1.4 AF	30.00	18.00	18.00	18.00
c 1906	50mm f1.8 AF Nikkor AIS (52mm)	131.00	97.89	94.95	93.00
538	HR-2 Rubber Hood f/50/1.8 AF	21.00	12.63	12.63	12.00
4501	CL-30 Hard Case f/50/1.8 AF	42.50	25.60	25.60	25.60
4301	No. 61 Pouch Case f/50/1.8 AF	43.50	26.00	26.00	26.00
4510	CP-8 Plastic Case f/50/1.8 AF	30.00	18.00	18.00	18.00
c 1987	60mm f2.8 D AF Micro-Nikkor (62mm)	630.00	473.63	459.42	449.95
566	HN-22 Screw-On Hood f/60/2.8 AF Micro D	34.00	20.53	20.53	19.50
4503	CL-32 Hard Case f/60/2.8 AF Micro D	60.50	36.30	36.30	36.30
4302	No. 62 Pouch Case f/60/2.8 AF Micro D	47.00	28.20	28.20	28.20
4511	CP-9 Plastic Case f/60/2.8 AF Micro D	34.00	20.50	20.50	20.50
c 1931	85mm f1.8 D AF Nikkor (62mm) Supplied w/HN-23 Hood	555.00	415.74	403.27	394.95
565	HN-23 Screw-on Hood f/85/1.8 (repl)	38.50	23.05	23.05	21.90
4502	CL-31 Hard Case f/85/1.8 AF	42.50	25.60	25.60	25.60
4302	No. 62 Pouch Case f/85/1.8 AF	47.00	28.20	28.20	28.20
c 1988	105mm f2.8 D AF Micro-Nikkor (52mm)	990.00	741.47	719.23	704.40
4511	CP-9 Plastic Case f/105/2.8 AF Micro D	34.00	20.50	20.50	20.50
541	HS-7 Snap-on Hood f/105/2.8 AF Micro D	43.00	25.68	25.68	24.40
4303	No. 63 Pouch Case f/105/2.8 AF Micro D	57.00	34.20	34.20	34.20
c 1989	200mm f4 D AF Micro-Nikkor (62mm)	2,040.00	1,532.00	1,486.04	1,455.40

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
c 1955	24-50 f3.3-4.5 D AF Zoom-Nikkor AIS (62mm)	600.00	473.63	459.42	449.95
4604	HB-3 Bayonet Hood f/24-50/3.3-4.5 AF	30.00	17.89	17.89	17.00
4503	CL-32 Hard Case f/24-50/3.3-4.5 AF	60.50	36.30	36.30	36.30
4302	No. 62 Pouch Case f/24-50/3.3-4.5 AF	47.00	28.20	28.20	28.20
4511	CP-9 Plastic Case f/24-50/3.3-4.5 AF	34.00	20.50	20.50	20.50
c 1975	NEW 24-120 f/3.5-5.6 D AF Zoom Nikkor (72mm)	745.00	557.84	541.10	529.95
4675	HB-11 Hood f/24-120/3.5-5.6 D AF	18.00	10.53	10.53	10.00
4467	CL-49 Hard Case f/24-120/3.5-5.6 D AF	64.50	38.42	38.42	38.42
4302	No. 62 Pouch Case f/24-120/3.5-5.6 D AF	47.00	28.20	28.20	28.20
c 1956	28-70mm f/3.5-4.5 D AF Zoom-Nikkor AIS (52mm)	610.00	457.84	444.10	434.95
4612	HB-6 Bayonet Hood f/28-70/3.3-4.5 D AF	30.00	17.89	17.89	17.00
4503	CL-32 Hard Case f/28-70/3.5-4.5 D AF	60.50	36.30	36.30	36.30
4302	No. 62 Pouch Case f/28-70/3.5-4.5 D AF	47.00	28.20	28.20	28.20
c 1976	28-80mm f/3.5-5.6 D AF Zoom Nikkor (58mm)	344.00	257.84	250.10	244.95
4672	HB-10 Hood f/28-80 D AF	30.00	17.89	17.89	17.00
4503	CL-32 Hard Case f/28-80/3.5-5.6 D AF	60.50	36.30	36.30	36.30
4302	No. 62 Pouch Case f/28-80/3.5-5.6 D AF	47.00	28.20	28.20	28.20
c 1959	28-85mm f3.5-4.5 AF Zoom-Nikkor AIS (62mm)	635.00	475.26	461.00	451.50
4602	HB-1 Bayonet Hood f/28-85/3.5-4.5 AF	30.00	17.89	17.89	17.00
4504	CL-33S Hard Case f/28-85/3.5-4.5 AF	60.50	36.30	36.30	36.30
4302	No. 62 Pouch Case f/28-85/3.5-4.5 AF	47.00	28.20	28.20	28.20
4511	CP-9 Plastic Case f/28-85/3.5-4.5 AF	34.00	20.50	20.50	20.50
c 1978	35-80mm F4-5.6 D AF Zoom (52mm)	155.00	115.74	112.27	109.95
510	HN-3 Screw-on Hood f/35-80/4-5.6 D AF	30.00	17.89	17.89	17.00
4502	CL-31 Hard Case f/35-80 f4-5.6 AF	42.50	25.60	25.60	25.60
4302	No. 62 Pouch Case f/35-80 f4-5.6 AF	47.00	28.20	28.20	28.20
4511	CP-9 Plastic Case f/35-80 f4-5.6 AF	34.00	20.50	20.50	20.50
c 1972	35-105mm f/3.5-4.5 D IF AF Zoom Nikkor (52mm)	645.00	484.32	469.79	460.10
4611	HB-5 Bayonet Hood f/35-105/3.5-4.5 AF	30.00	17.89	17.89	17.00
4504	CL-33S Hard Case f/35-105/3.5-4.5 AF	60.50	36.30	36.30	36.30
4302	No. 62 Pouch Case f/35-105/3.5-4.5 AF	47.00	28.20	28.20	28.20
c 1969	35-135mm f3.5-4.5N AF Zoom-Nikkor AIS (62mm)	690.00	516.11	500.63	490.30
4602	HB-1 Bayonet Hood f/35-135/3.5-4.5N AF	30.00	17.89	17.89	17.00
4460	CL-41 Hard Case f/35-135/3.5-4.5N AF	42.50	25.60	25.60	25.60
4303	No. 63 Pouch Case f/35-135/3.5-4.5N AF	57.00	34.20	34.20	34.20
c 1979	70-210mm f4-5.6 D AF Zoom Nikkor (62mm)	470.00	352.58	342.00	334.95
567	HN-24 Screw-on Hood f/70-210/4-5.6 AF D	34.00	20.53	20.53	19.50
4303	No. 63 Pouch Case f/70-210/4-5.6 AF D	57.00	34.20	34.20	34.20
4511	CP-9 Plastic Case f/70-210/4-5.6 AF D	34.00	20.50	20.50	20.50
c 1982	75-300mm f4.5-5.6 AF Zoom-Nikkor AIS (62mm)	835.00	624.74	606.00	593.50
567	HN-24 Screw-on Hood f/75-300/4.5-5.6 AF	34.00	20.53	20.53	19.50
4480	CL-36 Hard Case f/75-300/4.5-5.6 AF	91.00	54.70	54.70	54.70
c 1977	80-200mm f/4.5-5.6 D AF Zoom Nikkor (52mm)	365.00	273.63	265.42	259.95
537	HR-1 Rubber Hood f/80-200/4.5-5.6 D AF	18.50	10.95	10.95	10.40
4302	No. 62 Pouch Case f/80-200/4.5-5.6 D AF	47.00	28.20	28.20	28.20

c - Earns co-op

Nikon Teleconverters

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
1400	TC-14A (1.4x) Teleconverter AIS	409.00	306.95	297.74	291.60
1403	TC-201 (2x) Teleconverter AIS	409.00	306.95	297.74	291.60

Motor Drives & Remote Control Accessories

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
Nikon Motor Drives					
102	MD-12 Motor Drive f/FM, FM2, FE, FE2, FA, (Multi Power) <i>Supplied w/Battery Holder</i>	505.00	378.10	378.10	378.10
Accessories for Nikon Motor Drives/Accessories for Cameras w/Built-In Motor Drives					
4586	MC-12A Motor Remote Trigger Cord (10') <i>w/Release Button</i>	89.50	53.80	53.80	53.80
3062	DB-2 Anti-Cold Battery Pack f/F3, FM2	108.00	64.50	64.50	64.50
Nikon Remote Control Accessories					
4583	MC-4A Motor Remote Cord (3') f/MD-4	55.50	33.30	33.30	33.30
139	MC-18 Motor Connecting Cord f/MW-2 (repl)	77.00	46.10	46.10	46.10
4563	MR-3 Motor Terminal Release	60.50	36.30	36.30	36.30
664	AR-3 Cable Release to F4S Body (Standard tapered thread)	22.00	13.30	13.30	13.30
669	AR-8 Cable Release Adapter f/AR-2, 4	7.25	4.30	4.30	4.30
4641	ML-2 Modulite Remote Control Set <i>For use with MB-21, 22 or 23</i>	555.00	332.80	332.80	332.80
4642	ML-2 Modulite Transmitter (repl.)	212.00	127.40	127.40	127.40
4643	ML-2 Modulite Receiver (repl.)	257.00	154.30	154.30	154.30

Data Backs & Accessories

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
4418	Connecting Cord for MF-12	9.75	5.80	5.80	5.80
Databack for FM/FE/FA Series					
4526	MF-16 Data Back (36-ex.) f/FM2, FE2, FA <i>Supplied w/1.5V Silver-Oxide battery</i>	339.00	203.70	203.70	203.70

Nikon Speedlights & Accessories

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
311	SB-11 Speedlight Set <i>Supplied w/SC-11, SK-4, SU-2, SW-3, Battery Holder; requires eight AA-type batteries, not included.</i>	550.00	411.89	399.53	391.30
3057	SW-3 Wide Adapter (repl)	15.00	9.00	9.00	9.00
3056	SC-11 Flash Sync Cord f/SC-11, 14 (repl)	22.00	13.30	13.30	13.30
369	SK-4 Mounting Bracket (repl)	94.50	56.80	56.80	56.80
3055	SU-2 Sensor Unit (repl)	115.00	68.80	68.80	68.80
3064	AA Battery Holder (repl)	26.50	15.80	15.80	15.80
4520	SD-7 C-Cell Battery Pack <i>Supplied with SC-16 power cord</i>	246.00	147.80	147.80	147.80
4720	SD-8 High Performance Battery Pack	206.00	123.50	123.50	123.50
4543	SB-16B TTL Speedlight f/ISO Shoe <i>Supplied w/AS-9, MS-5, SS-16, SW-7, requires four 1.5V AA-type batteries, not included.</i>	423.00	316.95	307.44	301.10
4545	AS-9 SB-16B Coupler to ISO (repl)	250.00	150.00	150.00	150.00
4552	MS-5 AA Battery Holder (repl)	24.00	14.50	14.50	14.50
4551	SS-16 Soft Case (repl)	25.50	15.30	15.30	15.30
4550	SW-7 Wide Angle Flash Adapter (repl)	15.00	9.00	9.00	9.00
4703	SB-22 AF TTL Speedlight f/ISO Shoe <i>Supplied w/SS-22 Soft Case; requires four 1.5V AA-type batteries, not included.</i>	211.00	158.42	153.67	150.50
4606	SS-22 Soft Case (repl)	15.00	9.00	9.00	9.00
4520	SD-7 C-Cell Battery Pack <i>Supplied with SC-16 power cord</i>	246.00	147.80	147.80	147.80
4720	SD-8 High Performance Battery Pack	206.00	123.50	123.50	123.50
4704	SB-23 AF TTL Speedlight f/ISO Shoe <i>Supplied w/SS-23 Soft Case; requires four 1.5V AA-type batteries, not included.</i>	164.00	123.05	119.36	116.90
4607	SS-23 Soft Case (repl)	15.00	9.00	9.00	9.00
4520	SD-7 C-Cell Battery Pack <i>Supplied with SC-16 power cord</i>	246.00	147.80	147.80	147.80
4720	SD-8 High Performance Battery Pack	206.00	123.50	123.50	123.50
4708	SB-27 AF TTL Speedlight f/ISO Shoe <i>Supplied w/SS-27 Soft Case, Requires four 1.5V AA-type batteries, not included.</i>	350.80	263.11	255.22	249.95
364	SS-27 Soft Case (repl)	14.00	8.50	8.50	8.50
4520	SD-7 C-Cell Battery Pack	246.00	147.80	147.80	147.80
4720	SD-8 High Performance Battery Pack	206.00	123.50	123.50	123.50
Nikon Speedlight Accessories					
4557	SC-17 TTL Sync Extension Cord f/ISO Shoe	94.50	56.80	56.80	56.80
4558	SC-18 TTL Multi-Flash Cord (5')	51.00	30.70	30.70	30.70
4559	SC-19 TTL Multi-Flash Cord (10')	64.00	38.40	38.40	38.40
4560	AS-10 TTL Multi-Flash Adapter	64.00	38.40	38.40	38.40
3066	AS-15 Sync Terminal Adapter (Hot Shoe to PC)	23.50	14.10	14.10	14.10
3056	SC-11 Flash Sync Cord f/SC-11, 14 (repl)	22.00	13.30	13.30	13.30
356	SC-12 TTL Conn. Cord f/SB-11, 14, 140 w/F3	257.00	154.20	154.20	154.20
313	SC-13 Sensor Remote Cord f/SB-11, 14, 140 use w/SU-2, & 3	167.00	100.40	100.40	100.40
4524	SC-15 Coiled Sync Cord (PC to PC)	34.00	20.50	20.50	20.50
4520	SD-7 C-Cell Battery Pack <i>Supplied with SC-16 power cord</i>	246.00	147.80	147.80	147.80
4523	SC-16 Power Cord f/SD-7 (repl)	60.50	36.30	36.30	36.30
4720	SD-8 High Performance Battery Pack	206.00	123.50	123.50	123.50
4721	Tripod Socket Fastening Kit for SD-8 to SLR	19.50	11.80	11.80	11.80
4562	SC-23 TTL Cord for SB-11/14 w/F4S, N90, N8008(s), N6006, N5005, N6000, N2000	214.00	128.60	128.60	128.60
3055	SU-2 Sensor Unit f/SB-11, 14 (repl)	115.00	68.80	68.80	68.80

Cases & Straps

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
Cases for Autofocus SLR Cameras					
4367	CF-51 Eveready Camera Case f/N70 <i>For use with most lenses up to 80mm.</i>	78.50	47.00	47.00	47.00
4368	CF-52 Eveready Camera Case f/N70 <i>For use with most lenses up to 210mm.</i>	87.50	52.60	52.60	52.60
4369	Base Portion of CF-51 (repl)	26.00	15.60	15.60	15.60
4370	Front Flap of CF-51 (repl)	49.50	29.70	29.70	29.70
4371	Front Flap of CF-52 (repl)	56.00	33.60	33.60	33.60
4363	CF-49 Semi-Soft Case for N50	56.00	33.60	33.60	33.60
4364	CF-50 Semi-Soft Case for N50	61.50	37.00	37.00	37.00
4350	CF-45 Eveready Camera Case f/N6000, N6006	78.50	47.00	47.00	47.00
4351	CF-46 Eveready Camera Case f/N6000, N6006	86.00	51.70	51.70	51.70
12400	CF-55 Case f/Pronea 6i <i>f/IX Nikkor 24-70mm, 20-60mm, or 60-180mm Zoom lenses</i>	62.00	37.00	37.00	37.00
12401	CF-56 Case f/Pronea 6i <i>Up to AF Nikkor 70-210mm f4-5.6 D</i>	67.00	40.00	40.00	40.00
Cases for Manual Focus SLR Cameras					
4415	CS-16 Leather Camera/Lens Pouch f/FM2, FE2	120.00	72.20	72.20	72.20
4427	CF-27 Eveready Case w/Strap f/FM2, FE2	94.50	56.80	56.80	56.80
4428	CF-28 Eveready Case w/Strap f/FM2, FE2	111.00	66.60	66.60	66.60
4429	CF-29 Case w/Strap f/FM2, FE2 w/MD-11, 12	147.00	88.50	88.50	88.50
4430	CF-27 Case Base f/FM2, FE2 w/MF-16	42.50	25.60	25.60	25.60
4431	CF-28 Case Flap f/CF-27, 28, 29, 30, 31	64.00	38.40	38.40	38.40
Miscellaneous Camera Cases					
^ 422	CS-7 Camera/Lens Pouch (Short)	47.00	28.20	28.20	28.20
^ 425	CS-8 Camera/Lens Pouch (Short)	51.00	30.70	30.70	30.70
^ 426	CS-9 Camera/Lens Pouch (Medium)	57.00	34.20	34.20	34.20
^ 427	CS-10 Camera/Lens Pouch (Long)	64.00	38.40	38.40	38.40
Nikon Compartment Cases					
^ 503	FB-14 Leather Compartment Case (Black)	420.00	251.89	251.89	239.30
^ 4498	FB-17 Compartment Case (Brown)	128.00	77.00	77.00	77.00
Nikon Universal Camera Cases					
4484	CS-13 Camera Blimp Case	128.00	76.90	76.90	76.90
4136	CS-17 Soft Leather Case f/FM2 with lenses up to 35-70/f3.3-4.5 with filter, cap and reverse mounted bayonet lens hood.	106.00	63.30	63.30	63.30
4137	CS-18 Soft Leather Case f/FM2 with lenses up to 35-135	116.00	69.70	69.70	69.70
4138	CS-19 Soft Leather Case for Nikon SLR cameras with lenses up to size of 35-70/3.3-4.5	112.00	67.10	67.10	67.10
4139	CS-20 Soft Leather Case for Nikon SLR cameras with lenses up to size of 35-135	123.00	73.50	73.50	73.50
Miscellaneous Camera Straps					
5203	NS-3 Soft Neck Strap (Blue)	14.50	8.60	8.60	8.60
5204	NS-4 Soft Neck Strap (Black)	14.50	8.60	8.60	8.60
5205	NS-5 Wide Soft Neck Strap (Black)	16.50	9.90	9.90	9.90
673	NS-1 Wide Logo Neckstrap (Grey)	13.00	6.85	6.85	6.85
635	AN-1 Leather Camera Neck Strap (Black)	26.50	15.80	15.80	15.80
639	AN-4B Nylon Neck Strap (Black)	26.50	15.80	15.80	15.80
638	AN-4Y Nylon Neck Strap (Yellow)	26.50	15.80	15.80	15.80
4508	AN-6W Nylon Wide Neck Strap (Wine)	42.50	25.60	25.60	25.60
4507	AN-6Y Nylon Wide Neck Strap (Yellow)	42.50	25.60	25.60	25.60
5250	NS-6 Wide Logo Neckstrap (Tan)	13.00	6.85	6.85	6.85
5251	NS-7 Wide Logo Neckstrap (Green)	13.00	6.85	6.85	6.85
5252	NS-8 Wide Logo Neckstrap (Burgundy)	13.00	6.85	6.85	6.85
12550	AN-11 Strap f/Pronea	12.00	7.00	7.00	7.00

Caps & Covers for Nikkor Lenses

Product Number	Product Description		Sugg. List Price	Dealer Cost (each)		
				1-2 Pcs.	3-5 Pcs.	6 or More
581	52mm	Snap-on Front Lens Cap (repl)	14.50	8.60	8.60	8.60
1335	85mm	Slip-on Lens Cap f/500/8N Reflex (repl)	12.00	7.30	7.30	7.30

Filters & Filter Accessories For Nikkor Lenses

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
52mm Screw-On Glass Filters					
2479	NEW 52mm Filter NC	44.00	26.32	26.32	25.00
2490	NEW 52mm ND4S	53.00	31.58	31.58	30.00
2491	NEW 52mm ND8S	53.00	31.58	31.58	30.00
2229	52mm Medium Yellow Filter (Y48)	38.50	23.05	23.05	21.90
2230	52mm Dark Green Filter (X1)	38.50	23.05	23.05	21.90
2231	52mm Orange Filter (O56)	38.50	23.05	23.05	21.90
2235	52mm 82A Conversion Filter (B2)	38.50	23.05	23.05	21.90
2249	52mm Red Filter (R60)	38.50	23.05	23.05	21.90
2484	52mm 85B Conversion Filter	38.50	23.05	23.05	21.90
2264	52mm 85 Conversion Filter (A12)	38.50	23.05	23.05	21.90
2265	52mm CC30R Correction Filter	38.50	23.05	23.05	21.90
2266	52mm 81A Conversion Filter (A2)	38.50	23.05	23.05	21.90
2267	52mm 80C Conversion Filter (B8)	38.50	23.05	23.05	21.90
2268	52mm 80B Conversion Filter (B12)	38.50	23.05	23.05	21.90
2295	52mm Light Yellow Filter (Y44)	38.50	23.05	23.05	21.90
2296	52mm Dark Yellow Filter (Y52)	38.50	23.05	23.05	21.90
2297	52mm Light Green Filter (X0)	38.50	23.05	23.05	21.90
2390	52mm Circular Polarizing Filter	128.00	76.95	76.95	73.10
2399	52mm UV Haze Filter (L37c)	43.00	25.68	25.68	24.40
2402	52mm Skylight Filter (L1Bc)	51.00	30.74	30.74	29.20
2407	52mm Soft Focus Filter No. 1	102.00	61.30	61.30	61.30
2408	52mm Soft Focus Filter No. 2	108.00	64.53	64.53	61.30
58mm Screw-On Glass Filters					
2483	NEW 58mm Filter NC	45.50	27.37	27.37	26.00
62mm Screw-On Glass Filters					
2480	NEW 62mm Filter NC	61.50	36.84	36.84	35.00
2371	62mm Skylight Filter (L1Bc)	77.00	46.11	46.11	43.80
2372	62mm UV Haze Filter (L37c)	64.00	38.42	38.42	36.50
2373	62mm Medium Yellow Filter (Y48)	54.50	32.84	32.84	31.20
2374	62mm Orange Filter (O56)	54.50	32.84	32.84	31.20
2375	62mm Red Filter (R60)	54.50	32.84	32.84	31.20
2391	62mm Circular Polarizing Filter	179.00	107.68	107.68	102.30
2430	62mm 81A Conversion Filter (A2)	53.00	31.68	31.68	30.10
2431	62mm 85 Conversion Filter (A12)	53.00	31.68	31.68	30.10
2432	62mm 82A Conversion Filter (B2)	53.00	31.68	31.68	30.10
2433	62mm 80B Conversion Filter (B12)	53.00	31.68	31.68	30.10
2485	62mm 85B Conversion Filter	53.00	31.68	31.68	30.10
2434	62mm Soft Focus Filter No. 1	154.00	92.63	92.63	88.00
2435	62mm Soft Focus Filter No. 2	154.00	92.63	92.63	88.00
Gelatin Filter Holders/Miscellaneous Filters And Accessories					
568	HN-26 Hood for 62mm Circular Polar	57.00	34.21	34.21	32.50
@	2291 CP-3 Plastic Case f/52mm Filter (repl)	6.00	3.65	3.65	3.65
@	2307 CA-1 Filter Pouch f/52mm Filter	40.00	23.89	23.89	22.70
@	2377 UR-1 Filter Adapter Ring (62-72mm)	26.50	15.80	15.80	15.80
@	2378 CP-6 Plastic Case f/62mm Filter (repl)	4.50	2.74	2.74	2.60

@ - May not be included in assortment for multiple pricing

Viewfinder Accessories

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
Focusing Screens For FM2/FE2/FA					
2420	Type K2 Focusing Screen f/FM2, FE2, FA (repl)	45.00	26.90	26.90	26.90
2421	Type B2 Focusing Screen f/FM2, FE2, FA	45.00	26.90	26.90	26.90
2422	Type E2 Focusing Screen f/FM2, FE2, FA	45.00	26.90	26.90	26.90
Rubber Eyecups & Miscellaneous Accessories					
2939	Rubber Eyecup f/N6006, N6000, N5005, N4004(s), N2000, N2020	6.75	4.00	4.00	4.00
2362	DK-3 Rubber Eyecup f/FM2, FE2, FA	12.00	7.30	7.30	7.30
2380	DK-5 Eyepiece Shield f/N6000, N6006, N50, N2000, N2020, N4004(s), N5005 (repl)	2.75	1.70	1.70	1.70
2969	DK-9 Rubber Eyecup f/N50	7.25	4.40	4.40	4.40
2355	DG-2 Eyepiece Magnifier (requires DK-7)	94.50	56.80	56.80	56.80
2326	DR-3 Right Angle Finder (requires DK-7)	234.00	140.60	140.60	140.60
Correction & Replacement Eyepieces For N6006, N6000, N50, N4004(s), N5005					
2370	Eyepiece Adapter N6000, N6006, N50, N2000, N2020, N5005, N4004(s)	4.25	2.53	2.53	2.40
2940	Neutral"0" Eyepiece f/N6006, N6000, N50, N5005, N4004(s), N2000, N2020	13.50	8.10	8.10	8.10
2941	+0.5 Correction Eyepiece f/N6006, N6000, N50, N5005, N4004(s), N2000, N2020	13.50	8.10	8.10	8.10
2942	+1.0 Correction Eyepiece f/N6006, N6000, N50, N5005, N4004(s), N2000, N2020	13.50	8.10	8.10	8.10
2943	+2.0 Correction Eyepiece f/N6006, N6000, N50, N5005, N4004(s), N2000, N2020	13.50	8.10	8.10	8.10
2944	+3.0 Correction Eyepiece f/N6006, N6000, N50, N5005, N4004(s), N2000, N2020	13.50	8.10	8.10	8.10
2945	-2.0 Correction Eyepiece f/N6006, N6000, N50, N5005, N4004(s), N2000, N2020	13.50	8.10	8.10	8.10
2946	-3.0 Correction Eyepiece f/N6006, N6000, N50, N5005, N4004(s), N2000, N2020	13.50	8.10	8.10	8.10
2947	-4.0 Correction Eyepiece f/N6006, N6000, N50, N5005, N4004(s), N2000, N2020	13.50	8.10	8.10	8.10
2948	-5.0 Correction Eyepiece f/N6006, N6000, N50, N5005, N4004(s), N2000, N2020	13.50	8.10	8.10	8.10
Correction & Replacement Eyepieces For FM, FE & FA Series					
2925	Finder Eyepiece f/FM2, FE2, FA (repl)	23.00	13.70	13.70	13.70
2930	Neutral"0" Corr. Eyepiece f/FM2, FE2, FA	23.00	13.70	13.70	13.70
2931	+0.5 Correction Eyepiece f/FM2, FE2, FA	23.00	13.70	13.70	13.70
2932	+1.0 Correction Eyepiece f/FM2, FE2, FA	23.00	13.70	13.70	13.70
2933	+2.0 Correction Eyepiece f/FM2, FE2, FA	23.00	13.70	13.70	13.70
2934	+3.0 Correction Eyepiece f/FM2, FE2, FA	23.00	13.70	13.70	13.70
2935	-2.0 Correction Eyepiece f/FM2, FE2, FA	23.00	13.70	13.70	13.70
2936	-3.0 Correction Eyepiece f/FM2, FE2, FA	23.00	13.70	13.70	13.70
2937	-4.0 Correction Eyepiece f/FM2, FE2, FA	23.00	13.70	13.70	13.70
2938	-5.0 Correction Eyepiece f/FM2, FE2, FA	23.00	13.70	13.70	13.70

Nikon Close-up System

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
4580	AH-3 Tripod Mounting Adapter <i>f/Nikon SLR cameras w/separate motor drives; to attach to tripod or PF-4</i>	48.00	28.70	28.70	28.70
2657	BR-2A Lens Reversing Ring f/52mm Thread	45.50	27.40	27.40	27.40
2629	BR-3 Mount Adapter Ring f/52mm Thread	47.00	28.20	28.20	28.20
2631	BR-5 Mount Adapter Ring f/62mm Thread <i>Requires BR-2, 2A</i>	45.50	27.40	27.40	27.40
3213	ES-1 Slide Copying Adapter f/52mm Thread	68.50	41.00	41.00	41.00
2756	PG-2 Camera Focusing Stage	352.00	211.50	211.50	211.50
2656	PK-11A Auto Extension Tube Al (8mm)	111.00	66.60	66.60	66.60
2652	PK-12 Auto Extension Tube Al (14mm)	115.00	68.80	68.80	68.80
2653	PK-13 Auto Extension Tube Al (27.5mm) <i>Use with 55mm f/2.8 Micro-Nikkor</i>	119.00	71.30	71.30	71.30
2732	52mm Close-up Lens No. 0 IC (0.7 Diopter)	64.00	38.42	38.42	36.50
2733	52mm Close-up Lens No. 1 IC (1.5 Diopter)	64.00	38.42	38.42	36.50
2734	52mm Close-up Lens No. 2 IC (3.0 Diopter)	64.00	38.42	38.42	36.50
2736	52mm Close-up Lens No. 3T IC (1.5 Diopter)	64.00	38.42	38.42	36.50
2737	52mm Close-up Lens No. 4T IC (3.0 Diopter)	64.00	38.42	38.42	36.50
4536	62mm Close-up Lens No. 5T IC (1.5 Diopter)	81.00	48.74	48.74	46.30
4537	62mm Close-up Lens No. 6T IC (3.0 Diopter)	81.00	48.74	48.74	46.30

Nikonos V & RS Underwater Camera Systems

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
Nikonos-V System Cameras And Lenses					
10070	Nikonos-V Camera Body (Orange) <i>Supplied w/Rubber Neck Strap, spare O-ring Set and 3V Lithium battery</i>	800.00	599.95	581.95	569.95
10071	Nikonos-V Camera Body (Green) <i>Supplied w/Rubber Neck Strap, spare O-ring Set and 3V Lithium battery</i>	800.00	599.95	581.95	569.95
10311	35mm f2.5 W-Nikkor IC <i>For land and water</i>	236.00	176.74	171.44	167.90
10315	15mm f2.8N UW-Nikkor IC <i>For use exclusively underwater. Use finder #10758</i>	2,190.00	1,642.50	1,642.50	1,642.50
10314	20mm f2.8 UW-Nikkor IC <i>For use exclusively underwater. Use finder #10759</i>	960.00	719.90	719.90	719.90
10310	28mm f3.5 UW-Nikkor IC <i>For use exclusively underwater. Use finder #10759</i>	488.00	366.30	366.30	366.30
10312	80mm f4 W-Nikkor IC <i>For land and water. Use finder #10756</i>	488.00	366.30	366.30	366.30
Nikonos RS AF SLR System Camera, Lenses, And Accessories					
11000	Nikonos RS AF SLR Camera Body <i>Supplied w/Neck Strap, Spare O-Ring Set, 6V Lithium battery</i>	3,550.00	2,659.47	2,579.69	2,526.50
11010	28mm f2.8 R-UW AF Nikkor <i>For use exclusively underwater</i>	995.00	745.95	723.57	708.65
11011	50mm f2.8 R-UW AF Micro-Nikkor <i>For land & water</i>	1,560.00	1,170.85	1,170.85	1,170.85
11012	20-35mm f2.8 R-UW AF Zoom-Nikkor <i>For use exclusively underwater</i>	3,690.00	2,768.30	2,768.30	2,768.30
11013	13mm/2.8 R-UW AF Fisheye-Nikkor	2,480.00	1,861.40	1,861.40	1,861.40
11103	O-Ring Set f/Nikonos RS (repl)	17.50	10.60	10.60	10.60
11214	SK-104 Mounting Bracket Set <i>Supplied w/Supporting Arm, Mounting Bracket</i>	342.00	205.10	205.10	205.10
11215	SK-104W Double Bracket	342.00	205.10	205.10	205.10
11216	SK-104E Extension Arm	298.00	179.00	179.00	179.00
11217	SK-104C Connector Arm f/SB-102, 103, 105	184.00	110.70	110.70	110.70
11218	SK-104A Supporting Arm	184.00	110.70	110.70	110.70
11219	SK-104B Mounting Bracket	156.00	93.60	93.60	93.60
11105	DK-100 Eyepiece Cover for Nikonos RS	42.50	25.40	25.40	25.40
11150	LF-2A LF-2 Rear Lens Cap f/R-UW AF Nikkor Lens	11.50	6.90	6.90	6.90
11101	Body Cap for Nikonos RS (repl)	11.00	6.70	6.70	6.70
11151	Front Lens Cap for R-UW AF28/2.8 (repl)	7.25	4.30	4.30	4.30
11152	Front Lens Cap for R-UW AF 50/2.8 Micro (repl)	7.25	4.30	4.30	4.30
11153	Front Lens Cap for R-UW AF 20-35 (repl)	13.50	8.20	8.20	8.20
11154	Front Cap f/R-UW AF 13/2.8	7.25	4.30	4.30	4.30
11100	MC-100 Remote Cord f/Nikonos RS <i>For land and water</i>	364.00	218.40	218.40	218.40

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
Nikonos-V System General Accessories					
10420	Custom Shoulder Case f/IV-A, V	87.00	52.10	52.10	52.10
10422	Neck Strap f/IV-A, V (repl)	14.00	8.50	8.50	8.50
10705	UW Close-up Outfit f/Nikonos-IV-A, V <i>Supplied w/Close-up Lens, 28/35/80mm Field Frames, Fitted Case, Support Arm</i>	530.00	318.60	318.60	318.60
10760	Supporting Arm for UW-Close-up Outfit (repl)	31.00	18.70	18.70	18.70
10706	Fitted Case f/UW Close-up Set (repl)	124.00	74.40	74.40	74.40
10713	O-Ring Set f/Nikonos-V (repl)	14.00	8.50	8.50	8.50
2407	52mm Soft Focus Filter No. 1	108.00	64.53	64.53	61.30
2408	52mm Soft Focus Filter No. 2	108.00	64.53	64.53	61.30
@	2291 CP-8 Plastic Case f/52mm Filter (repl)	6.00	3.60	3.60	3.60
2265	52mm CC30R Correction Filter	38.50	23.05	23.05	21.90
2402	52mm Skylight Filter (L1Bc)	51.00	30.74	30.74	29.20
2399	52mm UV Haze Filter (L37c)	43.00	25.68	25.68	24.40
Nikonos-V System Lens Accessories					
10803	Front Lens Cap f/15/2.8N UW (repl)	63.50	38.20	38.20	38.20
10804	60mm Slip-on Lens Cap f/35, 28, 80mm	11.00	6.60	6.60	6.60
10730	Rear Lens Cap f/Nikonos Lens	11.00	6.60	6.60	6.60
10620	Plastic Lens Protector f/35, 80mm	11.00	6.60	6.60	6.60
10625	Lens Hood/Filter Ring f/35mm	11.00	6.60	6.60	6.60
10626	Rubber Lens Hood f/35/2.5 W	11.00	6.60	6.60	6.60
^	10418 CL-50A Hard Lens Case f/28/3.5, 35/2.5	40.50	24.40	24.40	24.40
10756	DF-10 Non-UW Viewfinder f/80/4	155.00	93.10	93.10	93.10
10758	DF-11 UW Viewfinder f/15/2.8N UW	515.00	308.80	308.80	308.80
10759	DF-12 UW Viewfinder f/20/2.8, 28/3.5 UW	311.00	186.50	186.50	186.50
10751	UW Frame Finder f/28/3.5 UW	28.50	17.10	17.10	17.10
10753	UW Frame Finder f/35/2.5 W, 80/4	32.50	19.50	19.50	19.50
Nikonos-V And RS Systems UW Speedlights					
11202	SB-105 UW TTL Speedlight Set <i>Supplied w/ MS-5 Battery Holder, SW-103, O-ring Set, UW Sync Cord, Mounting Bracket Set; requires four 1.5V AA-type batteries, not included.</i>	820.00	615.70	615.70	615.70
11229	NEW SB-105 Flash Head Only (repl) <i>Sync Cord #10208 sold separately</i>	660.00	394.80	394.80	394.80
11200	SB-104 UW TTL Speedlight Set <i>Supplied w/SK-104 mounting bracket set; UW sync cord, spare o-ring set. SN-104 nicad battery pack and SH-104 battery charger not included.</i>	1,560.00	1,169.10	1,169.10	1,169.10
11211	SN-104 NiCad Battery Pack f/SB-104	198.00	118.80	118.80	118.80
11212	SH-104 NiCad Battery Charger f/SN-104 NiCad Pack	427.00	256.40	256.40	256.40
11210	SB-104 Flash Head only (repl) <i>Sync Cord #10208 sold separately</i>	1,334.00	1,000.70	1,000.70	1,000.70

@ - May not be included in assortment for multiple pricing ^ - Subject to available inventory

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
Nikonos-V And RS Systems Speedlight Accessories					
10206	C-Cell Battery Holder f/SB-102 (repl)	25.00	15.10	15.10	15.10
10200	Flash Protector Set f/SB-102	122.00	73.20	73.20	73.20
10712	O-Ring Set f/SB-102 (repl)	13.00	7.70	7.70	7.70
10711	O-Ring Set f/SB-103, 105 (repl)	13.00	7.70	7.70	7.70
11213	O-Ring Set f/SB-104 (repl)	14.00	8.50	8.50	8.50
10212	Cord Hanger f/SB-104, 105 (repl)	5.25	3.20	3.20	3.20
10215	Bracket Set f/SB-102, 103, 105 (repl) <i>Supplied w/mounting bracket, supporting arm, arm joint</i>	329.00	197.70	197.70	197.70
10210	Mounting Bracket f/SB-102, 103, 105 (repl)	45.00	26.90	26.90	26.90
10209	Supporting Arm f/SB-102, 103, 105 (repl)	168.00	100.90	100.90	100.90
10211	Arm Joint f/SB-102, 103, 105 (repl)	102.00	61.00	61.00	61.00
10203	Extension Arm Set f/SB-102, 103, 105 <i>Supplied w/extension arm, arm joint</i>	238.00	142.80	142.80	142.80
10213	Extension Arm f/SB-102, 103, 105 (repl)	140.00	84.20	84.20	84.20
10201	Double Bracket Set f/SB-102, 103, 105 <i>Supplied w/double bracket, supporting arm, arm joint</i>	540.00	322.60	322.60	322.60
10214	Double Bracket f/SB-102, 103, 105 (repl)	242.00	145.40	145.40	145.40
4552	MS-5 AA Battery Holder f/SB-103 (repl)	24.00	14.50	14.50	14.50
10746	SU-101 Sensor Unit f/SB-101, 102	189.00	113.50	113.50	113.50
10207	SW-102 Wide Flash Adapter f/SB-102 (repl)	25.00	15.10	15.10	15.10
10216	SW-103 Wide Flash Adapter f/SB-103, 105 (repl)	16.50	10.00	10.00	10.00
11220	Exposure Chart f/SB-104 (sticker)	10.50	6.40	6.40	6.40
11227	MS-105 Battery Holder f/SB-105	24.00	14.50	14.50	14.50
11228	Exposure Calculation Chart f/SB-105 (cards)	3.25	1.90	1.90	1.90
Sync Cords					
10204	Twin Sync Cord f/SB-102, 103, 104, 105 UW TTL f/Nikonos V	238.00	142.80	142.80	142.80
10208	Single Sync Cord f/SB-104, 105 UW TTL (repl)	140.00	84.20	84.20	84.20
11221	SC-100 Twin Sync Cord (UW TTL) f/V or RS	241.00	144.80	144.80	144.80
11222	Single Openwater Sync (SC-101+ SC-103) f/V or RS	392.00	235.20	235.20	235.20
11223	Twin Openwater Sync(SC-102+ SC-103) f/ V or RS	485.00	291.20	291.20	291.20
11224	SC-101 Single Sync Cord Openwater f/V or RS	182.00	109.20	109.20	109.20
11225	SC-102 Twin Sync Cord Openwater f/V or RS	273.00	164.10	164.10	164.10
11226	SC-103 Connects Openwater Sync Cord to Camera f/V or RS <i>Openwater Sync Cords can be connected & disconnected underwater.</i>	213.00	127.70	127.70	127.70
10205	TTL Sync Cord f/V or RS	131.00	78.60	78.60	78.60

EL-Nikkor Enlarging Lenses & Accessories

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
EL-Nikkor Enlarging Lenses					
209	40mm f4N EL-Nikkor	347.50	225.89	219.11	214.60
210	50mm f2.8N EL-Nikkor	239.50	155.79	151.12	148.00
211	63mm f2.8N EL-Nikkor	341.50	222.11	215.45	211.00
224	75mm f4N EL-Nikkor	247.00	160.63	155.81	152.60
212	80mm f5.6N EL-Nikkor	317.50	206.32	200.13	196.00
213	105mm f5.6N EL-Nikkor	383.50	249.26	241.78	236.80
Accessories for EL-Nikkor Enlarging Lenses					
574	34.5mm Snap-on Lens Cap f/EL-Nikkor (repl)	9.50	6.20	6.20	6.20
577	40.5mm Snap-on Lens Cap f/EL-Nikkor	9.50	6.20	6.20	6.20
576	43mm Snap-on Lens Cap f/EL-Nikkor (repl)	9.50	6.20	6.20	6.20
461	Plastic Case f/50mm EL-Nikkor (repl)	13.50	8.90	8.90	8.90
2655	Lens Mounting Adapter f/50mm EL-Nikkor	56.50	36.60	36.60	36.60
2641	Reverse Mounting Ring f/50, 63mm N EL-Nikkor	21.50	14.10	14.10	14.10
2640	Reverse Mounting Ring f/50, 75, 80mm EL-Nikkor	21.50	14.10	14.10	14.10
2642	Extension Mounting Tube f/EL-Nikkor (15mm)	25.00	16.40	16.40	16.40
96925	39mm Lens Mounting Flange	30.00	19.50	19.50	19.50

Accessories for Nikon Video Camcorders

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)	
			1-3 Pcs.	4 or More
Nikon Video Camcorder Accessories				
** 8040	N-55 50 Minute NiCad Battery	38.00	26.00	26.00
** 8045	N-66H 85 Minute NiCad Battery	55.00	27.00	27.00
** 8034	NP-77H 110 Minute NiCad Battery	90.00	45.00	45.00
8083	AC-V500N AC Power Adapter/Charger f/VN-720 only (repl)	80.00	66.00	66.00
8067	AC-V60N AC Power Adapter/Charger f/VN-850 (repl)	128.00	105.00	105.00
8052	AC-V55N AC Power Adapter/Charger for all NiCad Batteries <i>Charges 2 batteries serially</i>	185.00	127.00	127.00
8085	AC-V25N AC Power Adapter/Charger (repl) f/all NiCad Batteries	200.00	135.89	135.89
8066	RMT-502N Remote Commander f/VN-850 (repl)	36.00	27.00	27.00
8071	RMT-501N Remote Commander f/VN-960 (repl)	34.00	26.00	26.00
8054	RM-152KN Remote Control Set (All Models)	100.00	70.00	70.00
8058	VCL-0746 Wide Lens Converter .7X (46mm)	100.00	70.00	70.00
8028	Compartment Case f/VN-820, 830, 840, 850, 860	100.00	49.95	49.95
8068	Compartment Case f/VN-910, 500, 300, 700, 310, 320, 750, 720, 350, 330, 340, 200, 400, 360	66.00	33.00	33.00
8073	VL-1 Nikon Video Light/Bracket f/most video models.	60.00	38.97	38.97
8074	RMT-507N Remote Commander VN-310, VN-320	20.00	13.00	13.00
8075	Holder f/RMT-507N, RMT-508N	5.00	3.25	3.25
8076	RMT-506N Remote Commander VN-860	30.00	19.50	19.50
8078	DCS-10N Automobile Charger f/NiCad type Camcorders	150.00	75.00	75.00
8080	Compact Camcorder Eveready Case <i>Fits all compact camcorders</i>	30.00	15.00	15.00
8011	BC-80 Car Power Conn. Cord f/VN-800, 810	102.00	61.50	61.50
8012	EC-80 Power Extension Cord f/VN-800, 810	82.50	49.50	49.50
8017	BP-300 NiCad Battery Unit f/VN-3000 (repl)	63.00	38.00	38.00

** - Approximate battery life; will vary depending on conditions & camcorder used

Nikon Binoculars, Fieldsopes & Spotting Scopes

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-5 Pcs.	6-11 Pcs.	12 or More
Companion Series					
c 7320	NEW 7X20 Travelite IV	156.00	101.16	89.02	77.80
c 7321	NEW 8X23 Travelite IV	173.00	112.47	98.97	86.50
c 7322	NEW 9X25 Travelite IV	190.00	123.39	108.58	94.90
c 7323	NEW 10X25 Travelite IV	207.00	134.31	118.20	103.30
c 7324	NEW 12X25 Travelite IV	228.00	148.23	130.44	114.00
Companion Outfits					
c 6907	NEW 7X20 National Geographic Travelite Outfit	177.00	114.16	100.46	87.80
c 6908	NEW 8X23 National Geographic Travelite Outfit	193.00	125.47	110.41	96.50
c 6909	NEW 9X25 National Geographic Tavelite Outfit	210.00	136.39	120.02	104.90
c 6910	NEW 10X25 National Geographic Travelite Outfit	227.00	147.32	129.64	113.30
Companion Pocket Series					
c 7885	8x20 D Sportstar	218.00	141.98	124.94	109.20
c 7886	10x25 D Sportstar	252.00	163.70	144.06	125.90
Companion Deluxe Series					
c 7896	8X23 Diplomat	370.00	240.80	211.90	185.20
c 7897	10X25 Diplomat	414.00	269.28	236.97	207.10
Companion Deluxe Waterproof Series					
c 7845	10x25 Mountaineer	481.00	312.70	275.18	240.50
c 7846	8x23 Mountaineer	445.00	289.30	254.58	222.50
Sprint Series					
c 7330	NEW 7X21 Sprint II	108.00	70.07	61.66	53.89
c 7331	NEW 8X21 Sprint II	112.00	72.86	64.12	56.04
c 7332	NEW 9X21 Sprint II	116.00	75.67	66.59	58.20
c 7333	NEW 10X21 Sprint II	122.00	79.31	69.8	61.00
Action Series					
c# 7315	NEW 7X35 Naturalist IV	144.00	93.62	82.38	72.00
c# 7316	NEW 8X40 Egret II	170.00	110.52	97.26	85.00
c# 7317	NEW 10X50 Lookout IV	201.00	130.67	114.99	100.50
c# 7318	NEW 12X50 Fieldmaster	228.00	148.23	130.44	114.00
c 7309	8x42 Attache	405.00	263.55	231.93	202.70
c 7310	10x42 Attache	436.00	283.45	249.44	218.00
Sky & Earth Series					
c 7305	7x35 Lemur	237.00	154.21	135.70	118.60
c 7306	7x50 Wolverine	286.00	185.93	163.62	143.00
c 7307	8x40 Talon	261.00	169.55	149.20	130.40
c 7308	10x50 Kestrel	291.00	188.92	166.25	145.30
Criterion Series					
c 7887	8x32 D Execulite II	830.00	537.25	472.78	413.20
c 7888	10x40 D Execulite II	880.00	569.89	501.50	438.30
c 780	7x35 E	580.00	375.11	330.10	288.50
c 782	8x30 E	630.00	410.87	361.57	316.00
c 784	10x35 E	690.00	446.63	393.03	343.50
c 7311	NEW 10X42 Superior E	1,205.00	783.51	689.49	602.60
c 7893	10x70 Astroluxe WP	2,100.00	1,364.45	1,200.72	1,049.40
c 7789	7x50 IF Prostar WP	1,450.00	944.74	831.37	726.60
c 7826	8x40 Classic Eagle WP	1,520.00	988.69	870.05	760.40
Sea & Sport Series					
c 7892	8x30 D IF RC Trailblazer WP	740.00	481.47	423.70	370.30
c 7869	7X50 IF Sports & Marine w/Compass WP	540.00	348.07	306.30	267.70
c 7996	7X50 IF Sports & Marine WP	403.00	261.99	230.56	201.50
c 7868	7x50 Seafarer II WP	1,100.00	717.85	631.71	552.10

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-5 Pcs.	6-11 Pcs.	12 or More
Zoom Binoculars					
c 7860	8-16x40 Zoom XL	1,260.00	821.87	723.25	632.10
	7861 6-12X24 Le Tour Zoom (Blue)	820.00	534.13	470.03	410.80
c 7864	7-15x35 Scoutmaster Zoom II	313.00	203.61	179.18	156.60
Monocular					
c 7884	6x15 Monocular (9X Magnifier)	160.00	104.28	91.76	80.20
Specialty Items & Accessories					
c 820	Binocumont	53.00	34.20	30.10	26.31
c 831	Birding Design Binocular/Camera Strap	20.00	13.39	11.79	10.30
c 832	Wildlife Design Binocular/Camera Strap	20.00	13.39	11.79	10.30
c 833	Bear Design Binocular/Camera Strap	20.00	13.39	11.79	10.30
c 844	Black Binocular/Camera Strap	15.00	9.75	8.58	7.50
	7650 Binocular Tripod Adapter	22.00	11.00	11.00	11.00
c 7806	Tripod Adapter E Series, Astroluxe, 8-16X40 Zoom	58.00	37.80	37.80	37.80
Fieldscope Bodies					
c< 7894	Fieldscope 60mm Body	670.00	436.48	384.11	335.70
c< 7895	Fieldscope 60mm ED Body	1,190.00	776.10	682.97	596.90
c< 7838	Angled Fieldscope 60mm Body	810.00	528.54	465.12	406.50
c< 7839	Angled Fieldscope 60mm ED Body	1,300.00	844.10	742.81	649.20
c< 7898	Fieldscope 78mm ED Body	2,040.00	1,325.06	1,166.05	1,019.10
c< 7899	Fieldscope 78mm ED Angled Body	2,170.00	1,410.48	1,241.22	1,084.80
Fieldscope Eyepieces					
c 7772	15x Eyepiece f/Fieldscopes	147.00	95.31	83.87	73.30
c 7640	24X Wide Angle Fieldscope Eyepiece	265.20	172.41	151.72	132.60
c 7943	30X Wide Angle Eyepiece (38X Wide f/78mm Scope)	265.00	172.41	151.72	132.60
c 7773	30x Eyepiece f/Fieldscopes (38X f/78mm Scope)	147.00	95.31	83.87	73.30
c 7774	40x Eyepiece f/Fieldscopes (50X f/78mm Scope)	147.00	95.31	83.87	73.30
c 7775	20x Eyepiece f/Fieldscopes (25X f/78mm Scope)	147.00	95.31	83.87	73.30
c 7811	60x Eyepiece f/Fieldscopes (75X f/78mm Scope)	160.00	103.89	91.42	79.90
c 7771	20-45x Eyepiece f/Fieldscopes (25X-56X f/78mm Scope)	318.00	206.61	181.81	158.90
Photo Attachment					
c 7770	Photo Attachment f/Fieldscopes	347.00	225.72	198.63	173.60
Spotting Scopes & Accessory Eyepieces					
c 7834	20x60 RC Spotting Scope (Gray)	467.00	303.60	267.17	233.50
c 7835	15-45x60 RC Spotting Scope Zoom (Gray)	690.00	447.93	394.18	344.50
c 7500	20X60 Angled Spotting Scope	500.00	324.80	285.82	249.80
c 7501	15-45X60 Angled Spotting Scope	720.00	468.73	412.48	360.50
c 7901	20x Eyepiece f/Spotting Scopes	85.00	54.85	48.27	42.19
c 7902	15-45x Eyepiece f/Spotting Scopes	308.00	200.43	176.38	154.15
Waterproof Spotter					
c 7900	16-47X60 Spotter XL	760.00	491.48	432.51	378.00
c 6901	16-47X60 Spotter XL Outfit (Includes: Slik Tripod & Carrying Case)	820.00	535.69	471.41	412.00

c - Earns co-op > - Nikon Camera Adaptable #Tripod Adaptable < - Body only

Accessories for Nikon Binoculars & Scopes

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-5 Pcs.	6-11 Pcs.	12 or More
Binocular Cases					
786	f/7x35E, 10x35E, Hard	78.50	50.90	50.90	50.90
787	f/8x30E Hard	78.50	50.90	50.90	50.90
788	f/7X35E, 10X35E Soft	30.00	19.50	19.50	19.50
789	f/8X30E Soft	30.00	19.50	19.50	19.50
810	f/6-12x24 DCF	41.75	27.20	27.20	27.20
7609	f/8x23, 10x25 Mountaineer	16.75	10.95	10.95	10.95
7622	f/8x, 10x Sprint I	11.00	7.10	7.10	7.10
7623	f/8x42, 10x42 Attache'	6.00	3.85	3.85	3.85
7632	f/10X42 SE	62.00	40.15	40.15	40.15
7645	f/8X23 Trv IV/7x,8x,9x,10x,Sprint II	4.60	3.00	3.00	3.00
7646	f/7X20 Trv IV	4.60	3.00	3.00	3.00
7647	f/9X25, 10X25, 12X25Trv IV	4.60	3.00	3.00	3.00
7656	f/7X35 Act V	12.30	8.00	8.00	8.00
7657	8X40 Act V	12.30	8.00	8.00	8.00
7658	10X50, 12X50, Act V	12.30	8.00	8.00	8.00
7796	f/7x20 Travelite II & III	10.50	6.75	6.75	6.75
7797	f/8x23, 9x25 & 10x25 Travelite II & III	10.75	6.95	6.95	6.95
7799	f/7x50 Prostar	95.00	61.85	61.85	61.85
7800	f/10x70 Astroluxe	98.50	64.05	64.05	64.05
7915	f/8x40 Stayfocus, Action IV, Sky & Earth, 7-15x35 Zoom	15.75	10.20	10.20	10.20
7916	f/7x50,10X50, Stayfocus, Action IV, Sky & Earth,7-15x35	18.00	11.75	11.75	11.75
7917	f/8x32 Execulite II	25.75	16.75	16.75	16.75
7918	f/10x40 Execulite II	25.25	18.30	18.30	18.30
7940	f/8x40 Classic Eagle	134.00	86.95	86.95	86.95
7941	f/6x15 Monocular	7.25	4.75	4.75	4.75
7958	f/10x25 Sportstar	9.00	5.90	5.90	5.90
7963	f/8x20 Sportstar	9.00	5.90	5.90	5.90
7970	f/8-16x40 CF Zoom	45.50	29.50	29.50	29.50
7985	f/8x23 Diplomat	14.50	9.35	9.35	9.35
7986	f/10x25 Diplomat	14.50	9.35	9.35	9.35
7997	f/7x50 IF Non-Compass Sports & Marine	12.25	7.90	7.90	7.90
7998	f/7x50 IF Compass Sports & Marine	20.50	13.25	13.25	13.25
Binocular Eyepiece Caps					
795	f/7x35E, 8x30E, 10x35E	1.50	1.00	1.00	1.00
796	f/8-16x40 CF	1.50	1.00	1.00	1.00
7613	f/7x50 IF Sports & Marine	1.50	0.90	0.90	0.90
7617	f/Sprint, Sprint II	1.50	1.00	1.00	1.00
7630	f/7x35, 8x40, 10x50 Sky & Earth	1.50	1.05	1.05	1.05
7634	f/10X42SE	0.77	0.34	0.34	0.34
7716	f/Venturer II, Travelite II	1.50	0.50	0.50	0.50
7651	f/7X35, 8X40, 10X50, 12X50 Act V	0.70	0.45	0.45	0.45
7759	f/7x50 Prostar, 10x70 Astoluxe II	2.75	1.75	1.75	1.75
7760	f/8x23, 10x25 Mountaineer	2.75	1.75	1.75	1.75
7766	f/Stayfocus II Plus, Action IV, Attache	1.50	1.00	1.00	1.00
7767	f/8x40 Classic Eagle	1.50	1.00	1.00	1.00
7819	Eyepiece Lid f/8x30 Trailblazer	6.50	4.20	4.20	4.20
7910	f/Travelite III, IV, 10x25 Diplomat	1.50	1.00	1.00	1.00
7926	Eye Lid f/8x30 Trailblazer	7.25	4.75	4.75	4.75
7927	f/8x32, 10x40 Execulite	2.75	1.75	1.75	1.75
7960	f/10x25 Sportstar	1.50	1.00	1.00	1.00
7964	f/8x20 Sportstar	1.50	1.00	1.00	1.00
7990	f/8x23 Diplomat	0.75	0.45	0.45	0.45

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-5 Pcs.	6-11 Pcs.	12 or More
Binocular Objective Caps					
757	f/8-16x40 Zoom XL	1.50	1.00	1.00	1.00
793	f/7x35E, 10x35E	1.50	1.00	1.00	1.00
794	f/8x30E	1.50	1.00	1.00	1.00
799	f/7x50 Prostar	1.50	1.00	1.00	1.00
7612	f/7x50 IF Sports & Marine	2.75	1.75	1.75	1.75
7635	f/10X42 SE	0.80	0.50	0.50	0.50
7751	f/10x70 Astroluxe II	2.75	1.75	1.75	1.75
7753	f/7x35 Stayfocus II, Act IV, V, Sky & Earth, 7-15 Zoom	2.75	1.75	1.75	1.75
7754	f/8x40 Classic Eagle	1.50	1.00	1.00	1.00
7810	Polarizing Filter f/7x50 IF HP/SP, 10x70 IF HP	34.00	22.10	22.10	22.10
7921	f/8x40, SF2, Act IV, V, Sky & Earth, Attache	2.75	1.75	1.75	1.75
7922	f/7x50, 10x50 Stayfocus Plus II, 10x50 Act IV	2.75	1.75	1.75	1.75
7923	f/8x32 Execulite II	2.75	1.75	1.75	1.75
7924	f/10x40 Execulite II	2.75	1.75	1.75	1.75
7925	f/8x30 Trailblazer	7.25	4.75	4.75	4.75
7953	f/6-12x24 Le Tour	1.75	1.20	1.20	1.20
7968	f/7x50 Seafarer	7.25	4.75	4.75	4.75
Binocular Rubber Eyecups					
7611	f/7x50 IF Sports & Marine	1.75	1.20	1.20	1.20
7618	R(8x) f/Sprint, Sprint II	2.50	1.65	1.65	1.65
7619	L(8x) f/Sprint, Sprint II	2.50	1.65	1.65	1.65
7620	R(10x) f/Sprint, Sprint II	2.50	1.65	1.65	1.65
7621	L(10x) f/Sprint, Sprint II	2.50	1.65	1.65	1.65
7624	f/8x42 Attache	2.50	1.65	1.65	1.65
7625	f/10x42 Attache	2.50	1.65	1.65	1.65
7626	(R) f/7x35, 8x40, 10x50 Sky & Earth	2.50	1.65	1.65	1.65
7627	(L) f/7x35, 8x40, 10x50 Sky & Earth	2.50	1.65	1.65	1.65
7628	(R) f/7x50 Sky & Earth	2.50	1.65	1.65	1.65
7629	(L) f/7x50 Sky & Earth	2.50	1.65	1.65	1.65
7631	f/7x50 Sky & Earth	1.50	1.05	1.05	1.05
7636	f/10X42 SE	1.60	1.00	1.00	1.00
7641	(R) f/7X21 Sprint II	2.50	1.65	1.65	1.65
7642	(L) f/7X21 Sprint II	2.50	1.65	1.65	1.65
7643	(R) f/9X21 Sprint II	2.50	1.65	1.65	1.65
7644	(L) f/9X21 Sprint II	2.50	1.65	1.65	1.65
7652	(R) f/7X35, 8X40, 10X50 Act V	1.60	1.05	1.05	1.05
7653	(L) f/7X35, 8X40, 10X50 Act V	1.60	1.05	1.05	1.05
7654	(R) f/12X50 Act V	1.60	1.05	1.05	1.05
7655	(L) f/12X50 Act V	1.60	1.05	1.05	1.05
7717	(R) f/10x25 Mountaineer	2.75	1.75	1.75	1.75
7718	(L) f/10x25 Mountaineer	2.75	1.75	1.75	1.75
7728	(R) f/Travelite II	2.75	1.75	1.75	1.75
7729	(L) f/Travelite II	2.75	1.75	1.75	1.75

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-5 Pcs.	6-11 Pcs.	12 or More
7733	f/7x35E, 8x30E, 10x35E	2.75	1.75	1.75	1.75
7735	f/8-16x40 Zoom XL	2.75	1.75	1.75	1.75
7743	Horn f/7x50 Prostar, 7x50, 10x70 Astroluxe II	5.25	3.40	3.40	3.40
7745	f/8x40 Classic Eagle, 7x50 Prostar, 10x70 Astroluxe II	2.75	1.75	1.75	1.75
7746	(R) f/7x35, 8x40, 10x50 ActIV, Stayfocus Plus II	2.75	1.75	1.75	1.75
7747	Ring f/8x40 Classic Eagle, 7x50 Prostar & Seafarer II	2.75	1.75	1.75	1.75
7748	f/6-12x24 Le Tour Zoom	1.75	1.20	1.20	1.20
7911	(R) f/Travelite III, IV	2.75	1.75	1.75	1.75
7912	(L) f/Travelite III, IV	2.75	1.75	1.75	1.75
7926	Rubber Eyepiece Lid f/Trailblazer 8x30	7.25	4.75	4.75	4.75
7927	f/8x32, 10x40 Execulite II	2.75	1.75	1.75	1.75
7928	(L) f/7x35, 8x40, 10x50 Act IV & Stayfocus Plus II	2.75	1.75	1.75	1.75
7929	(R) f/7x50 Stayfocus Plus II	2.75	1.75	1.75	1.75
7930	(L) f/7x50 Stayfocus Plus II	2.75	1.75	1.75	1.75
7931	(R) f/8x32, 10x40 Execulite II	2.75	1.75	1.75	1.75
7932	(L) f/8x32, 10x40 Execulite II	2.75	1.75	1.75	1.75
7933	f/8x30 Trailblazer	2.75	1.75	1.75	1.75
7961	(L) f/10x25 Sportstar	2.75	1.75	1.75	1.75
7962	(R) f/10x25 Sportstar	2.75	1.75	1.75	1.75
7965	(L) f/8x20 Sportstar	2.75	1.75	1.75	1.75
7966	(R) f/8x20 Sportstar	2.75	1.75	1.75	1.75
7988	f/8x23 Diplomat	1.75	1.10	1.10	1.10
7989	f/10x25 Diplomat	1.75	1.10	1.10	1.10

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-5 Pcs.	6-11 Pcs.	12 or More
Binocular Neck Straps					
749	Strap f/7x50 Prostar, Seafarer II	6.50	4.20	4.20	4.20
751	Strap (Shoulder) f/Prostar	20.25	13.15	13.15	13.15
791	Strap f/7x35E, 8x30E, 10x35E	14.00	9.15	9.15	9.15
802	Strap f/8x30 Trailblazer	8.75	5.75	5.75	5.75
7610	Strap f/7x50 IF Sports & Marine	1.50	0.95	0.95	0.95
7633	Strap f/10X42 SE	22.00	14.30	14.30	14.30
7723	Strap f/8x40 Classic Eagle	23.75	15.50	15.50	15.50
7724	Strap f/Travelite II, III, IV	4.00	2.65	2.65	2.65
7725	Strap f/8-16x40 CF	15.00	9.75	9.75	9.75
7803	Strap f/10x70 Astroluxe II, 8-16x40 CF	15.00	9.75	9.75	9.75
7804	Strap f/Action IV, V, Stayfocus Plus II	4.00	2.65	2.65	2.65
7919	Strap (Shoulder) f/Action IV, V, Stayfocus Plus II, 7-15 Zoo	4.25	2.80	2.80	2.80
7920	Strap f/8x32, 10x40 Execulite II	11.00	7.15	7.15	7.15
7957	Strap f/8x23, 10x25 Mountaineer	10.50	6.90	6.90	6.90
7959	Strap f/8x20, 10x25 Sportstar, Sprint, Sprint II	3.50	2.35	2.35	2.35
7975	Strap f/6x15 Monocular	2.75	1.85	1.85	1.85
7987	Strap f/8x, 10x Diplomat	4.00	2.55	2.55	2.55
7999	Strap (Shoulder), Sky & Earth, Attache, Sports & Marine	3.50	2.25	2.25	2.25
Fieldscope/Spotting Scope Accessories					
7614	Case f/Spotter XL	26.50	17.15	17.15	17.15
7934	Case f/60mm Straight Fieldscope	66.00	43.00	43.00	43.00
7942	Case f/60mm Angled Fieldscope	66.00	43.00	43.00	43.00
7991	Case f/78mm ED Straight Fieldscope	66.00	42.95	42.95	42.95
7992	Case f/Fieldscope Eyepiece	7.50	4.90	4.90	4.90
7994	Case f/60mm Angled Spotting Scope	22.00	14.25	14.25	14.25
7995	Case f/78mm ED Angled Fieldscope	63.00	40.85	40.85	40.85
7778	Case f/Photo Attachment	23.75	15.50	15.50	15.50
795	Fieldscope 15x Eyepiece Cap	1.50	1.00	1.00	1.00
796	Fieldscope 20x Eyepiece Cap	1.50	1.00	1.00	1.00
7616	Eyepiece Cap f/Spotter XL	2.00	1.30	1.30	1.30
7761	30x, 20-45x Eyepiece Cap	1.50	1.00	1.00	1.00
7812	Eyepiece Case f/Spotting Scope	12.25	8.00	8.00	8.00
7906	Front Cap f/Spotting Scope, 20x, 15-45x, Eyepiece	1.50	1.00	1.00	1.00
7907	Rear Cap 20x Eyepiece f/Spotting Scope	1.50	1.00	1.00	1.00
7908	Rear Cap 15-45x Eyepiece f/Spotting Scope	1.50	1.00	1.00	1.00
7971	Fieldscope Rear Eyepiece Cap f/15x, 20x, 30x, 40x, 60x	2.75	1.75	1.75	1.75
7972	Eyepiece Cap f/40x & 60x Eyepiece	1.50	1.00	1.00	1.00
7974	Eyepiece Cap f/30x Wide Eyepiece	1.50	1.00	1.00	1.00
7816	Filter Ring f/Spotting Scope	20.75	13.50	13.50	13.50
7905	Protection Cap f/60mm Spotting Scope	4.25	2.80	2.80	2.80
7936	Objective Cap 60mm Fieldscope	2.75	1.75	1.75	1.75
7937	Protector Cap f/Fieldscope II 60mm, 78mm	2.75	1.75	1.75	1.75
7993	Objective Cap 78mm Fieldscope	1.25	0.75	0.75	0.75
7779	Front Cap f/Photo Attachment	3.50	2.35	2.35	2.35
7780	Rear Cap f/Photo Attachment	1.50	1.00	1.00	1.00
7733	Fieldscope Rubber Eyecup 15x	2.75	1.75	1.75	1.75
7813	Fieldscope Rubber Eyecup 20x	2.75	1.75	1.75	1.75
7814	Fieldscope Rubber Eyecup 40x	2.75	1.75	1.75	1.75
7815	Fieldscope Rubber Eyecup 60x	2.75	1.75	1.75	1.75
7939	Fieldscope Rubber Eyecup 30x, 20-45x	2.75	1.75	1.75	1.75
7973	Fieldscope Rubber Eyecup f/30x Wide Eyepiece	2.75	1.75	1.75	1.75
7909	Rubber Eyecup f/Spotting Scope, 15-45x, 20x	1.75	1.20	1.20	1.20
7615	Shoulder Strap f/Spotter XL	3.50	2.30	2.30	2.30
7777	Shoulder Strap f/Fieldscope (repl)	8.25	5.35	5.35	5.35
7904	Strap f/ Spotting Scope	5.50	3.60	3.60	3.60
7935	Strap Shoulder f/Fieldscope II	11.00	7.15	7.15	7.15
7938	Fieldscope Rear Eyepiece 30x wide, 20-45x	2.75	1.75	1.75	1.75

Nikon Accessories for Discontinued Products

Product Number	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
Motor Drive Accessories					
131	MC-10 Remote Cord (10') w/Button Release	73.50	44.00	44.00	44.00
4582	MC-3A Coiled Cord f/Pistol Grip II	77.00	46.10	46.10	46.10
Speedlight Accessories					
347	SC-7 Flash Sync Cord f/SB-2, 3, 7E, 8E, 10	15.00	9.00	9.00	9.00
Miscellaneous Cases & Straps					
^ 4573	CS-L35A Pouch Case f/Action-Touch	37.50	22.60	22.60	22.60
648	AN-8 Nylon Strap f/Action-Touch (repl)	14.50	8.60	8.60	8.60
650	AN-9 Floating Strap f/Action-Touch	27.50	16.60	16.60	16.60
4434	CF-34 Camera/Lens Utility Case	176.00	105.90	105.90	105.90
^ 4491	CF-15D Base Portion for MF-12	39.00	23.50	23.50	23.50
4576	CF-35 Eveready Case f/N2000, N2020	77.00	46.10	46.10	46.10
4578	CF-35D Case Base f/N2000, N2020 w/MF-19	42.50	25.60	25.60	25.60
4577	CF-36 Eveready Case f/N2000, N2020	86.00	51.70	51.70	51.70
4579	CF-36A Case Front Flap f/CF-35, 36	64.00	38.40	38.40	38.40
4564	AN-7 Nylon Strap f/Eveready Case (repl)	13.50	8.10	8.10	8.10
4356	CF-38LA Case Front Flap f/CF-37(L)	47.00	28.20	28.20	28.20
Miscellaneous Cases for Nikkor Lenses					
4478	CL-40 Hard Case	77.00	46.10	46.10	46.10
4479	CL-35A Hard Case f/80-200/4 AIS	81.00	48.70	48.70	48.70
Hoods for Nikkor Lenses					
546	HS-11 Hood for 50mm f/1.8	45.00	26.95	26.95	25.60
4603	HB-2 52mm Bayonet Lens Hood for 35-105 (Zoom Ring Version)	30.00	17.89	17.89	17.00
540	HS-6 Snap-on Hood f/50/2	34.00	20.53	20.53	19.50
541	HS-7 Snap-on Hood f/55 1.2, 105/2.8 AF Micro	43.00	25.68	25.68	24.40
Nikon Miscellaneous Camera Accessories					
661	AR-1 Soft Shutter Release f/Nikon Thread	12.00	7.30	7.30	7.30
4417	AR-9 Soft Shutter Release f/ISO Thread	7.75	4.70	4.70	4.70
3066	AS-15 Sync Terminal Adapter (Hot Shoe to PC)	23.50	14.10	14.10	14.10
4571	MB-4 AAA Battery Holder f/N2000, N2020 (repl)	25.00	15.00	15.00	15.00
141	MW-2 Wireless Radio Remote Control Set	2,840.00	1,706.90	1,706.90	1,706.90
139	MC-18 Connecting Cord f/MW-2	77.00	46.10	46.10	46.10
4641	ML-2 Modulite Remote Control Set <i>For use with MB-21, 22 or 23</i>	555.00	332.80	332.80	332.80
Nikonos System Accessories					
10757	UW Viewfinder f/15/2.8 UW	780.00	466.70	466.70	466.70
10748	SW-101 Wide Flash Adapter f/SB-101 (repl)	32.50	19.50	19.50	19.50
^ 10724	PC Adapter for Nikonos III	43.50	26.00	26.00	26.00
^ 10729	Flash Unit Adapter for Nikonos IV	45.00	26.90	26.90	26.90

^ - Subject to available inventory

Numerical Product Listing

PROD	DESCRIPTION	PG #
102	Motor Drive f/FM, FM2, FE, FE2, FA, (Multi	10
131	Remote Cord (10') w/Button Release	29
139	Motor Connecting Cord f/MW-2 (repl)	10
139	Connecting Cord f/MW-2	29
141	Wireless Radio Remote Control Set	29
209	40mm f4N EL-Nikkor	21
210	50mm f2.8N EL-Nikkor	21
211	63mm f2.8N EL-Nikkor	21
212	80mm f5.6N EL-Nikkor	21
213	105mm f5.6N EL-Nikkor	21
224	75mm f4N EL-Nikkor	21
311	SB-11 Speedlight Set	12
313	Sensor Remote Cord f/SB-11, 14, 140 use w/SU-	12
347	Flash Sync Cord f/SB-2, 3, 7E, 8E, 10	29
356	TTL Conn. Cord f/SB-11, 14, 140 w/F3	12
369	Mounting Bracket (repl)	12
422	Camera/Lens Pouch (Short)	13
425	Camera/Lens Pouch (Short)	13
426	Camera/Lens Pouch (Medium)	13
427	Camera/Lens Pouch (Long)	13
461	Plastic Case f/50mm EL-Nikkor (repl)	21
503	Leather Compartment Case (Black)	13
508	Screw-on Hood f/24/2.8 AF D	7
509	Screw-on Hood f/28/2.8 AF D	7
510	Screw-on Hood f/55/2.8 Micro	6
510	Screw-on Hood f/35/2 AF	7
510	Screw-on Hood f/35-80/4-5.6 D AF	8
537	Rubber Hood f/80-200/4.5-5.6 D AF	8
540	Snap-on Hood f/50/2	29
541	Snap-on Hood f/105/2.8 AF Micro D	8
541	Snap-on Hood f/55 1.2, 105/2.8 AF Micro	29
546	Hood for 50mm f/1.8	29
558	Screw-on Hood f/500/8 (repl)	6
565	Screw-on Hood f/85/1.8 (repl)	8
566	Screw-On Hood f/60/2.8 AF Micro D	7
567	Screw-on Hood f/70-210/4-5.6 AF D	8
567	Screw-on Hood f/75-300/4.5-5.6 AF	8
568	Hood for 62mm Circular Polar	15
574	34.5mm Snap-on Lens Cap f/EL-Nikkor (repl)	21
576	43mm Snap-on Lens Cap f/EL-Nikkor (repl)	21
577	40.5mm Snap-on Lens Cap f/EL-Nikkor	21
581	Snap-on Front Lens Cap (repl)	14
635	Leather Camera Neck Strap (Black)	13
638	Nylon Neck Strap (Yellow)	13
639	Nylon Neck Strap (Black)	13
647	Touch Camera Neckstrap (repl)	4
648	Nylon Strap f/Action-Touch (repl)	29
650	Floating Strap f/Action-Touch	29
661	Soft Shutter Release f/Nikon Thread	29
664	Cable Release to F4S Body (Standard tapered	10
669	Cable Release Adapter f/AR-2, 4	10
673	Wide Logo Neckstrap (Grey)	13
696	Pouch Case f/Nuvis 125 i, 125 Cameras	2
696	Pouch Case f/Touch Cameras	4
749	Strap f/7x50 Prostar, Seafarer II	28
751	Strap (Shoulder) f/Prostar	28
757	f/8-16x40 Zoom XL	26
780	7x35 E	23
782	8x30 E	23
784	10x35 E	23
786	f/7x35E, 10x35E, Hard	25
787	f/8x30E Hard	25
788	f/7X35E, 10X35E Soft	25
789	f/8X30E Soft	25
791	Strap f/7x35E, 8x30E, 10x35E	28
793	f/7x35E, 10x35E	26

PROD	DESCRIPTION	PG #
794	f/8x30E	26
795	f/7x35E, 8x30E, 10x35E	25
795	Fieldscope 15x Eyepiece Cap	28
796	f/8-16x40 CF	25
796	Fieldscope 20x Eyepiece Cap	28
799	f/7x50 Prostar	26
802	Strap f/8x30 Trailblazer	28
810	f/6-12x24 DCF	25
820	Binocumount	24
831	Birding Design Binocular/Camera Strap	24
832	Wildlife Design Binocular/Camera Strap	24
833	Bear Design Binocular/Camera Strap	24
844	Black Binocular/Camera Strap	24
953	500mm f8N Reflex-Nikkor (39/82mm)	6
1335	Slip-on Lens Cap f/500/8N Reflex (repl)	14
1400	(1.4x) Teleconverter AIS	9
1403	(2x) Teleconverter AIS	9
1442	55mm f2.8 Micro-Nikkor AIS (52mm)	6
1456	105mm f2.5 Nikkor AIS (52mm)	6
1462	135mm f2.8 Nikkor AIS (52mm)	6
1683	FM2N Chrome 35mm SLR Camera Body	1
1684	FM2N Black 35mm SLR Camera Body	1
1685	FM2/T Titanium 35mm SLR Camera Body	1
1710	N50 AF Black 35mm SLR Camera Body	1
1715	N50 QD AF Black 35mm SLR Camera Body	1
1770	N6006 AF Black 35mm SLR Camera Body	1
1771	N6006 QD AF Black 35mm SLR Camera Body	1
1793	N70 AF Black 35mm SLR Camera Body	1
1794	N70 QD Black 35mm SLR Camera Body	1
1815	Lite-Touch AF Camera	3
1816	Lite-Touch AF Camera/Quartz Date	3
1832	Lite-Touch Zoom AF Camera	3
1833	Lite-Touch Zoom AF Camera/Quartz Date	3
1834	Zoom-Touch 105 VR Quartz Date Camera	3
1836	Nice-Touch Zoom Camera/Quartz Date	3
1838	Lite-Touch Zoom 70 Camera	3
1842	Lite-Touch Zoom 105 Camera	3
1843	Lite-Touch Zoom 105 Camera/Quartz Date	3
1844	Nice-Touch 3 Camera	3
1845	Fun-Touch 4 Camera	3
1846	Fun-Touch 4 Camera/Quartz Date	3
1852	One-Touch Zoom Camera	3
1853	One-Touch Zoom Camera/Quartz Date	3
1902	50mm f1.4 D AF Nikkor (52mm)	7
1906	50mm f1.8 AF Nikkor AIS (52mm)	7
1919	24mm f2.8 D AF Nikkor (52mm)	7
1922	28mm f2.8 D AF Nikkor (52mm)	7
1923	35mm f2 D AF Nikkor (52mm)	7
1931	85mm f1.8 D AF Nikkor (62mm)	8
1955	24-50 f3.3-4.5 D AF Zoom-Nikkor AIS	8
1956	28-70mm f/3.5-4.5 D AF Zoom-Nikkor AIS	8
1959	28-85mm f3.5-4.5 AF Zoom-Nikkor AIS	8
1969	35-135mm f3.5-4.5N AF Zoom-Nikkor AIS	8
1972	35-105mm f/3.5-4.5 D IF AF Zoom Nikkor	8
1976	28-80mm f/3.5-5.6 D AF Zoom Nikkor	8
1977	80-200mm f/4.5-5.6 D AF Zoom Nikkor	8
1978	35-80mm F4-5.6 D AF Zoom (52mm)	8
1979	70-210mm f4-5.6 D AF Zoom Nikkor	8
1982	75-300mm f4.5-5.6 AF Zoom-Nikkor AIS	8
1987	60mm f2.8 D AF Micro-Nikkor (62mm)	7
1988	105mm f2.8 D AF Micro-Nikkor (52mm)	8
1989	200mm f4 D AF Micro-Nikkor (62mm)	8
2229	Medium Yellow Filter (Y48)	15
2230	Dark Green Filter (X1)	15
2231	Orange Filter (O56)	15
2235	82A Conversion Filter (B2)	15

Numerical Product Listing

PROD	DESCRIPTION	PG #
2249	Red Filter (R60)	15
2264	85 Conversion Filter (A12)	15
2265	CC30R Correction Filter	15
2265	CC30R Correction Filter	19
2266	81A Conversion Filter (A2)	15
2267	80C Conversion Filter (B8)	15
2268	80B Conversion Filter (B12)	15
2291	Plastic Case f/52mm Filter (repl)	15
2291	Plastic Case f/52mm Filter (repl)	19
2295	Light Yellow Filter (Y44)	15
2296	Dark Yellow Filter (Y52)	15
2297	Light Green Filter (X0)	15
2307	Filter Pouch f/52mm Filter	15
2326	Right Angle Finder (requires DK-7)	16
2355	Eyepiece Magnifier (requires DK-7)	16
2362	Rubber Eyecup f/FM2, FE2, FA	16
2370	Eyepiece Adapter N6000, N6006, N50, N2000,	16
2371	Skylight Filter (L1Bc)	15
2372	UV Haze Filter (L37c)	15
2373	Medium Yellow Filter (Y48)	15
2374	Orange Filter (O56)	15
2375	Red Filter (R60)	15
2377	Filter Adapter Ring (62-72mm)	15
2378	Plastic Case f/62mm Filter (repl)	15
2380	Eyepiece Shield f/N6000, N6006, N50, N2000,	16
2390	Circular Polarizing Filter	15
2391	Circular Polarizing Filter	15
2399	UV Haze Filter (L37c)	15
2399	UV Haze Filter (L37c)	19
2402	Skylight Filter (L1Bc)	15
2402	Skylight Filter (L1Bc)	19
2407	Soft Focus Filter No. 1	15
2407	Soft Focus Filter No. 1	19
2408	Soft Focus Filter No. 2	15
2408	Soft Focus Filter No. 2	19
2420	Focusing Screen f/FM2, FE2, FA (repl)	16
2421	Focusing Screen f/FM2, FE2, FA	16
2422	Focusing Screen f/FM2, FE2, FA	16
2430	81A Conversion Filter (A2)	15
2431	85 Conversion Filter (A12)	15
2432	82A Conversion Filter (B2)	15
2433	80B Conversion Filter (B12)	15
2434	Soft Focus Filter No. 1	15
2435	Soft Focus Filter No. 2	15
2479	52mm Filter NC	15
2480	62mm Filter NC	15
2483	58mm Filter NC	15
2484	85B Conversion Filter	15
2485	85B Conversion Filter	15
2490	52mm ND4S	15
2491	52mm ND8S	15
2629	Mount Adapter Ring f/52mm Thread	17
2631	Mount Adapter Ring f/62mm Thread	17
2640	Reverse Mounting Ring f/50, 75, 80mm EL-	21
2641	Reverse Mounting Ring f/50, 63mm N EL-Nikkor	21
2642	Extension Mounting Tube f/EL-Nikkor (15mm)	21
2652	Auto Extension Tube Al (14mm)	17
2653	Auto Extension Tube Al (27.5mm)	17
2655	Lens Mounting Adapter f/50mm EL-Nikkor	21
2656	Auto Extension Tube Al (8mm)	17
2657	Lens Reversing Ring f/52mm Thread	17
2732	Close-up Lens No. 0 IC (0.7 Diopter)	17
2733	Close-up Lens No. 1 IC (1.5 Diopter)	17
2734	Close-up Lens No. 2 IC (3.0 Diopter)	17
2736	Close-up Lens No. 3T IC (1.5 Diopter)	17
2737	Close-up Lens No. 4T IC (3.0 Diopter)	17

PROD	DESCRIPTION	PG #
2756	Camera Focusing Stage	17
2925	Finder Eyepiece f/FM2, FE2, FA (repl)	16
2930	Neutral"0" Corr. Eyepiece f/FM2, FE2, FA	16
2931	Correction Eyepiece f/FM2, FE2, FA	16
2932	Correction Eyepiece f/FM2, FE2, FA	16
2933	Correction Eyepiece f/FM2, FE2, FA	16
2934	Correction Eyepiece f/FM2, FE2, FA	16
2935	Correction Eyepiece f/FM2, FE2, FA	16
2936	Correction Eyepiece f/FM2, FE2, FA	16
2937	Correction Eyepiece f/FM2, FE2, FA	16
2938	Correction Eyepiece f/FM2, FE2, FA	16
2939	Rubber Eyecup f/N6006, N6000, N5005,	16
2940	Neutral"0" Eyepiece f/N6006, N6000, N50,	16
2941	Correction Eyepiece f/N6006, N6000, N50,	16
2942	Correction Eyepiece f/N6006, N6000, N50,	16
2943	Correction Eyepiece f/N6006, N6000, N50,	16
2944	Correction Eyepiece f/N6006, N6000, N50,	16
2945	Correction Eyepiece f/N6006, N6000, N50,	16
2946	Correction Eyepiece f/N6006, N6000, N50,	16
2947	Correction Eyepiece f/N6006, N6000, N50,	16
2948	Correction Eyepiece f/N6006, N6000, N50,	16
2969	Rubber Eyecup f/N50	16
3055	Sensor Unit (repl)	12
3055	Sensor Unit f/SB-11, 14 (repl)	12
3056	Flash Sync Cord f/SC-11, 14 (repl)	12
3056	Flash Sync Cord f/SC-11, 14 (repl)	12
3057	Wide Adapter (repl)	12
3062	Anti-Cold Battery Pack f/F3, FM2	10
3064	AA Battery Holder (repl)	12
3066	Sync Terminal Adapter (Hot Shoe to PC)	12
3066	Sync Terminal Adapter (Hot Shoe to PC)	29
3213	Slide Copying Adapter f/52mm Thread	17
3230	Panorama Adapter f/Zoom-Touch 470 (repl)	4
3231	P-Adapter Case f/Zoom-Touch 470 (repl)	4
3232	Wrist Strap f/Lite-Touch (repl)	4
4136	Soft Leather Case f/FM2 with lenses up to 35-	13
4137	Soft Leather Case f/FM2 with lenses up to 35-135	13
4138	Soft Leather Case for Nikon SLR cameras with	13
4139	Soft Leather Case for Nikon SLR cameras with	13
4301	Pouch Case f/24/2.8 AF D	7
4301	Pouch Case f/50/1.4 AF	7
4301	Pouch Case f/50/1.8 AF	7
4302	Pouch Case f/105/2.5	6
4302	Pouch Case f/135/2.8	6
4302	Pouch Case f/28/2.8 AF D	7
4302	Pouch Case f/35/2 AF	7
4302	Pouch Case f/60/2.8 AF Micro D	7
4302	Pouch Case f/85/1.8 AF	8
4302	Pouch Case f/24-50/3.3-4.5 AF	8
4302	Pouch Case f/28-70/3.5-4.5 D AF	8
4302	Pouch Case f/28-80/3.5-506 D AF	8
4302	Pouch Case f/28-85/3.5-4.5 AF	8
4302	Pouch Case f/35-80 f4-5.6 AF	8
4302	Pouch Case f/35-105/3.5-4.5 AF	8
4302	Pouch Case f/80-200/4.5-5.6 D AF	8
4303	Pouch Case f/105/2.8 AF Micro D	8
4303	Pouch Case f/35-135/3.5-4.5N AF	8
4303	Pouch Case f/70-210/4-5.6 AF D	8
4350	Eveready Camera Case f/N6000, N6006	13
4351	Eveready Camera Case f/N6000, N6006	13
4356	Case Front Flap f/CF-37(L)	29
4362	Camera Case f/Nuvis Mini i, Mini Cameras	2
4362	Camera Case f/Lite-Touch	4
4363	Semi-Soft Case for N50	13
4364	Semi-Soft Case for N50	13
4365	Camera Case f/Nuvis 75 i, 75 Cameras	2

Numerical Product Listing

PROD	DESCRIPTION	PG #
4365	Camera Case f/Lite-Touch Zoom	4
4367	Eveready Camera Case f/N70	13
4368	Eveready Camera Case f/N70	13
4369	Base Portion of CF-51 (repl)	13
4370	Front Flap of CF-51 (repl)	13
4371	Front Flap of CF-52 (repl)	13
4415	Leather Camera/Lens Pouch f/FM2, FE2	13
4417	Soft Shutter Release f/ISO Thread	29
4418	Connecting Cord for MF-12	11
4427	Eveready Case w/Strap f/FM2, FE2	13
4428	Eveready Case w/Strap f/FM2, FE2	13
4429	Case w/Strap f/FM2, FE2 w/MD-11, 12	13
4430	Case Base f/FM2, FE2 w/MF-16	13
4431	Case Flap f/CF-27, 28, 29, 30, 31	13
4434	Camera/Lens Utility Case	29
4460	Hard Case f/35-135/3.5-4.5N AF	8
4476	Hard Case f/500/8 (repl)	6
4478	Hard Case	29
4479	Hard Case f/80-200/4 AIS	29
4480	Hard Case f/75-300/4.5-5.6 AF	8
4484	Camera Blimp Case	13
4491	Base Portion for MF-12	29
4498	Compartment Case (Brown)	13
4501	Hard Case f/24/2.8 AF D	7
4501	Hard Case f/28/2.8 AF D	7
4501	Hard Case f/35/2 AF	7
4501	Hard Case f/50/1.4 AF	7
4501	Hard Case f/50/1.8 AF	7
4502	Hard Case f/55/2.8 Micro	6
4502	Hard Case f/85/1.8 AF	8
4502	Hard Case f/35-80 f4-5.6 AF	8
4503	Hard Case f/105/2.5	6
4503	Hard Case f/135/2.8	6
4503	Hard Case f/60/2.8 AF Micro D	7
4503	Hard Case f/24-50/3.3-4.5 AF	8
4503	Hard Case f/28-70/3.5-4.5 D AF	8
4503	Hard Case f/28-80/3.5-5.6 D AF	8
4504	Hard Case f/28-85/3.5-4.5 AF	8
4504	Hard Case f/35-105/3.5-4.5 AF	8
4507	Nylon Wide Neck Strap (Yellow)	13
4508	Nylon Wide Neck Strap (Wine)	13
4510	Plastic Case f/24/2.8 AF D	7
4510	Plastic Case f/28/2.8 AF D	7
4510	Plastic Case f/50/1.4 AF	7
4510	Plastic Case f/50/1.8 AF	7
4511	Plastic Case f/105/2.5	6
4511	Plastic Case f/135/2.8	6
4511	Plastic Case f/60/2.8 AF Micro D	7
4511	Plastic Case f/105/2.8 AF Micro D	8
4511	Plastic Case f/24-50/3.3-4.5 AF	8
4511	Plastic Case f28-85/3.5-4.5 AF	8
4511	Plastic Case f/35-80 f4-5.6 AF	8
4511	Plastic Case f/70-210/4-5.6 AF D	8
4520	C-Cell Battery Pack	12
4520	C-Cell Battery Pack	12
4520	C-Cell Battery Pack	12
4520	C-Cell Battery Pack	12
4523	Power Cord f/SD-7 (repl)	12
4524	Coiled Sync Cord (PC to PC)	12
4526	Data Back (36-ex.) f/FM2, FE2, FA	11
4536	Close-up Lens No. 5T IC (1.5 Diopter)	17
4537	Close-up Lens No. 6T IC (3.0 Diopter)	30
4543	SB-16B TTL Speedlight f/ISO Shoe	12
4545	SB-16B Coupler to ISO (repl)	12
4550	Wide Angle Flash Adapter (repl)	12
4551	Soft Case (repl)	12

PROD	DESCRIPTION	PG #
4552	AA Battery Holder (repl)	12
4552	AA Battery Holder f/SB-103 (repl)	20
4557	TTL Sync Extension Cord f/ISO Shoe	12
4558	TTL Multi-Flash Cord (5')	12
4559	TTL Multi-Flash Cord (10')	12
4560	TTL Multi-Flash Adapter	12
4562	TTL Cord for SB-11/14 w/F4S, N90, N8008(s),	12
4563	Motor Terminal Release	10
4564	Nylon Strap f/Eveready Case (repl)	29
4571	AAA Battery Holder f/N2000, N2020 (repl)	29
4573	Pouch Case f/Action-Touch	29
4575	Camera Case f/Zoom-Touch 800,	4
4576	Eveready Case f/N2000, N2020	29
4577	Eveready Case f/N2000, N2020	29
4578	Case Base f/N2000, N2020 w/MF-19	29
4579	Case Front Flap f/CF-35, 36	29
4580	Tripod Mounting Adapter	17
4582	Coiled Cord f/Pistol Grip II	29
4583	Motor Remote Cord (3') f/MD-4	10
4586	Motor Remote Trigger Cord (10')	10
4602	Bayonet Hood f/28-85/3.5-4.5 AF	8
4602	Bayonet Hood f/35-135/3.5-4.5N AF	8
4603	52mm Bayonet Lens Hood for 35-105 (Zoom)	29
4604	Bayonet Hood f/24-50/3.3-4.5 AF	8
4606	Soft Case (repl)	12
4607	Soft Case (repl)	12
4611	Bayonet Hood f/35-105/3.5-4.5 AF	8
4612	Bayonet Hood f/28-70/3.3-4.5 D AF	8
4641	Modulite Remote Control Set	10
4641	Modulite Remote Control Set	29
4642	Modulite Transmitter (repl.)	10
4643	Modulite Receiver (repl.)	10
4672	Hood f/28-80 D AF	8
4703	SB-22 AF TTL Speedlight f/ISO Shoe	12
4704	SB-23 AF TTL Speedlight f/ISO Shoe	12
4720	High Performance Battery Pack	12
4720	High Performance Battery Pack	12
4720	High Performance Battery Pack	12
4720	High Performance Battery Pack	12
4720	High Performance Battery Pack	12
4721	Tripod Socket Fastening Kit for SD-8 to SLR	12
5203	Soft Neck Strap (Blue)	13
5204	Soft Neck Strap (Black)	13
5205	Wide Soft Neck Strap (Black)	13
5207	Vestrap-Green-XL	5
5208	Vestrap-Green-L	5
5209	Vestrap-Green-M	5
5210	Vestrap-Tan-XL	5
5211	Vestrap-Tan-L	5
5212	Vestrap-Tan-M	5
5253	N50 Videotape	5
5254	N70 Videotape	5
5255	SB-25/SB-26 Videotape	5
5256	N90/N90s Videotape	5
5257	F4 Videotape	5
5259	N8008s Videotape	5
5260	N6006 Videotape	5
5262	SB-24 Videotape	5
5264	Essence of Light Videotape	5
5266	Extended Service Coverage (2 Year) f/N50,	1
5266	Extended Service Coverage (2 Year) f/35Ti	3
5266	Extended Service Coverage (2Year)	5
5267	Extended Service Coverage (2 Year) f/Nuvis	2
5267	Extended Service Coverage (2Year) for	5
6901	16-47X60 Spotter XL Outfit (Includes: Slik Tripod	24
6907	7X20 National Geographic Travelite Outfit	23
6908	8X23 National Geographic Travelite Outfit	23

Numerical Product Listing

PROD	DESCRIPTION	PG #
6909	9X25 National Geographic Tavelite Outfit	23
6910	10X25 National Geographic Travelite Outfit	23
7305	7x35 Lemur	23
7306	7x50 Wolverine	23
7307	8x40 Talon	23
7308	10x50 Kestrel	23
7309	8x42 Attache	23
7310	10x42 Attache	23
7311	10X42 Superior E	23
7315	7X35 Naturalist IV	23
7316	8X40 Egret II	23
7317	10X50 Lookout IV	23
7318	12X50 Fieldmaster	23
7320	7X20 Travelite IV	23
7321	8X23 Travelite IV	23
7322	9X25 Travelite IV	23
7323	10X25 Travelite IV	23
7324	12X25 Travelite IV	23
7330	7X21 Sprint II	23
7331	8X21 Sprint II	23
7332	9X21 Sprint II	23
7333	10X21 Sprint II	23
7500	20X60 Angled Spotting Scope	24
7501	15-45X60 Angled Spotting Scope	24
7609	f/8x23, 10x25 Mountaineer	25
7610	Strap f/7x50 IF Sports & Marine	28
7611	f/7x50 IF Sports & Marine	26
7612	f/7x50 IF Sports & Marine	26
7613	f/7x50 IF Sports & Marine	25
7614	Case f/Spotter XL	28
7615	Shoulder Strap f/Spotter XL	28
7616	Eyepiece Cap f/Spotter XL	28
7617	f/Sprint, Sprint II	25
7618	R(8x) f/Sprint, Sprint II	26
7619	L(8x) f/Sprint, Sprint II	26
7620	R(10x) f/Sprint, Sprint II	26
7621	L(10x) f/Sprint, Sprint II	26
7622	f/8x, 10x Sprint I	25
7623	f/8x42, 10x42 Attache'	25
7624	f/8x42 Attache	26
7625	f/10x42 Attache	26
7626	(R) f/7x35, 8x40, 10x50 Sky & Earth	26
7627	(L) f/7x35, 8x40, 10x50 Sky & Earth	26
7628	(R) f/7x50 Sky & Earth	26
7629	(L) f/7x50 Sky & Earth	26
7630	f/7x35, 8x40, 10x50 Sky & Earth	25
7631	f/7x50 Sky & Earth	26
7632	f/10X42 SE	25
7633	Strap f/10X42 SE	28
7634	f/10X42SE	25
7635	f/10X42 SE	26
7636	f/10X42 SE	26
7640	24X Wide Angle Fieldscope Eyepiece	24
7641	(R) f/7X21 Sprint II	26
7642	(L) f/7X21 Sprint II	26
7643	(R) f/9X21 Sprint II	26
7644	(L) f/9X21 Sprint II	26
7645	f/8X23 Trv IV/7x,8x,9x,10x,Sprint II	25
7646	f/7X20 Trv IV	25
7647	f/9X25, 10X25, 12X25Trv IV	25
7650	Binocular Tripod Adapter	24
7651	f/7X35, 8X40, 10X50, 12X50 Act V	25
7652	(R) f/7X35, 8X40, 10X50 Act V	26
7653	(L) f/7X35, 8X40, 10X50 Act V	26
7654	(R) f/12X50 Act V	26
7655	(L) f/12X50 Act V	26

PROD	DESCRIPTION	PG #
7656	f/7X35 Act V	25
7657	8X40 Act V	25
7658	10X50, 12X50, Act V	25
7716	f/Venturer II, Travelite II	25
7717	(R) f/10x25 Mountaineer	26
7718	(L) f/10x25 Mountaineer	26
7723	Strap f/8x40 Classic Eagle	28
7724	Strap f/Travelite II, III, IV	28
7725	Strap f/8-16x40 CF	28
7728	(R) f/Travelite II	26
7729	(L) f/Travelite II	26
7733	f/7x35E, 8x30E, 10x35E	27
7733	Fieldscope Rubber Eyecup 15x	28
7735	f/8-16x40 Zoom XL	27
7743	Horn f/7x50 Prostar, 7x50, 10x70 Astroluxe II	27
7745	f/8x40 Classic Eagle, 7x50 Prostar, 10x70	27
7746	(R) f/7x35, 8x40, 10x50 ActIV, Stayfocus Plus II	27
7747	Ring f/8x40 Classic Eagle, 7x50 Prostar &	27
7748	f/6-12x24 Le Tour Zoom	27
7751	f/10x70 Astroluxe II	26
7753	f/7x35 Stayfocus II, Act IV, V, Sky & Earth, 7-15	26
7754	f/8x40 Classic Eagle	26
7759	f/7x50 Prostar, 10x70 Astoluxe II	25
7760	f/8x23, 10x25 Mountaineer	25
7761	30x, 20-45x Eyepiece Cap	28
7766	f/Stayfocus II Plus, Action IV, Attache	25
7767	f/8x40 Classic Eagle	25
7770	Photo Attachment f/Fieldsopes	24
7771	20-45x Eyepiece f/Fieldsopes (25X-56X f/78mm	24
7772	15x Eyepiece f/Fieldsopes	24
7773	30x Eyepiece f/Fieldsopes (38X f/78mm Scope)	24
7774	40x Eyepiece f/Fieldsopes (50X f/78mm Scope)	24
7775	20x Eyepiece f/Fieldsopes (25X f/78mm Scope)	24
7777	Shoulder Strap f/Fieldscope (repl)	28
7778	Case f/Photo Attachment	28
7779	Front Cap f/Photo Attachment	28
7780	Rear Cap f/Photo Attachment	28
7789	7x50 IF Prostar WP	23
7796	f/7x20 Travelite II & III	25
7797	f/8x23, 9x25 & 10x25 Travelite II & III	25
7799	f/7x50 Prostar	25
7800	f/10x70 Astroluxe	25
7803	Strap f/10x70 Astroluxe II, 8-16x40 CF	28
7804	Strap f/Action IV, V, Stayfocus Plus II	28
7806	Tripod Adapter E Series, Astroluxe, 8-16X40	24
7810	Polarizing Filter f/7x50 IF HP/SP, 10x70 IF HP	26
7811	60x Eyepiece f/Fieldsopes (75X f/78mm Scope)	24
7812	Eyepiece Case f/Spotting Scope	28
7813	Fieldscope Rubber Eyecup 20x	28
7814	Fieldscope Rubber Eyecup 40x	28
7815	Fieldscope Rubber Eyecup 60x	28
7816	Filter Ring f/Spotting Scope	28
7819	Eyepiece Lid f/8x30 Trailblazer	25
7826	8x40 Classic Eagle WP	23
7834	20x60 RC Spotting Scope (Gray)	24
7835	15-45x60 RC Spotting Scope Zoom (Gray)	24
7838	Angled Fieldscope 60mm Body	24
7839	Angled Fieldscope 60mm ED Body	24
7845	10x25 Mountaineer	23
7846	8x23 Mountaineer	23
7860	8-16x40 Zoom XL	24
7861	6-12X24 Le Tour Zoom (Blue)	24
7864	7-15x35 Scoutmaster Zoom II	24
7868	7x50 Seafarer II WP	23
7869	7X50 IF Sports & Marine w/Compass WP	23
7884	6x15 Monocular (9X Magnifier)	24

Numerical Product Listing

PROD	DESCRIPTION	PG #
7885	8x20 D Sportstar	23
7886	10x25 D Sportstar	23
7887	8x32 D Execulite II	23
7888	10x40 D Execulite II	23
7892	8x30 D IF RC Trailblazer WP	23
7893	10x70 Astroluxe WP	23
7894	Fieldscope 60mm Body	24
7895	Fieldscope 60mm ED Body	24
7896	8X23 Diplomat	23
7897	10X25 Diplomat	23
7898	Fieldscope 78mm ED Body	24
7899	Fieldscope 78mm ED Angled Body	24
7900	16-47X60 Spotter XL	24
7901	20x Eyepiece f/Spotting Scopes	24
7902	15-45x Eyepiece f/Spotting Scopes	24
7904	Strap f/ Spotting Scope	28
7905	Protection Cap f/60mm Spotting Scope	28
7906	Front Cap f/Spotting Scope, 20x, 15-45x,	28
7907	Rear Cap 20x Eyepiece f/Spotting Scope	28
7908	Rear Cap 15-45x Eyepiece f/Spotting Scope	28
7909	Rubber Eyecup f/Spotting Scope, 15-45x, 20x	28
7910	f/Travelite III, IV, 10x25 Diplomat	25
7911	(R) f/Travelite III, IV	27
7912	(L) f/Travelite III, IV	27
7915	f/8x40 Stayfocus, Action IV, Sky & Earth, 7-15x35	25
7916	f/7x50, 10X50, Stayfocus, Action IV, Sky &	25
7917	f/8x32 Execulite II	25
7918	f/10x40 Execulite II	25
7919	Strap (Shoulder) f/Action IV, V, Stayfocus Plus II,	28
7920	Strap f/8x32, 10x40 Execulite II	28
7921	f/8x40, SF2, Act IV, V, Sky & Earth, Attache	26
7922	f/7x50, 10x50 Stayfocus Plus II, 10x50 Act IV	26
7923	f/8x32 Execulite II	26
7924	f/10x40 Execulite II	26
7925	f/8x30 Trailblazer	26
7926	Eye Lid f/8x30 Trailblazer	25
7926	Rubber Eyepiece Lid f/Trailblazer 8x30	27
7927	f/8x32, 10x40 Execulite	25
7927	f/8x32, 10x40 Execulite II	27
7928	(L) f/7x35, 8x40, 10x50 Act IV & Stayfocus Plus II	27
7929	(R) f/7x50 Stayfocus Plus II	27
7930	(L) f/7x50 Stayfocus Plus II	27
7931	(R) f/8x32, 10x40 Execulite II	27
7932	(L) f/8x32, 10x40 Execulite II	27
7933	f/8x30 Trailblazer	27
7934	Case f/60mm Straight Fieldscope	28
7935	Strap Shoulder f/Fieldscope II	28
7936	Objective Cap 60mm Fieldscope	28
7937	Protector Cap f/Fieldscope II 60mm, 78mm	28
7938	Fieldscope Rear Eyepiece 30x wide, 20-45x	28
7939	Fieldscope Rubber Eyecup 30x, 20-45x	28
7940	f/8x40 Classic Eagle	25
7941	f/6x15 Monocular	25
7942	Case f/60mm Angled Fieldscope	28
7943	30X Wide Angle Eyepiece (38X Wide f/78mm	24
7953	f/6-12x24 Le Tour	26
7957	Strap f/8x23, 10x25 Mountaineer	28
7958	f/10x25 Sportstar	25
7959	Strap f/8x20, 10x25 Sportstar, Sprint, Sprint II	28
7960	f/10x25 Sportstar	25
7961	(L) f/10x25 Sportstar	27
7962	(R) f/10x25 Sportstar	27
7963	f/8x20 Sportstar	25
7964	f/8x20 Sportstar	25
7965	(L) f/8x20 Sportstar	27
7966	(R) f/8x20 Sportstar	27

PROD	DESCRIPTION	PG #
7968	f/7x50 Seafarer	26
7970	f/8-16x40 CF Zoom	25
7971	Fieldscope Rear Eyepiece Cap f/15x, 20x, 30x,	28
7972	Eyepiece Cap f/40x & 60x Eyepiece	28
7973	Fieldscope Rubber Eyecup f/30x Wide Eyepiece	28
7974	Eyepiece Cap f/30x Wide Eyepiece	28
7975	Strap f/6x15 Monocular	28
7985	f/8x23 Diplomat	25
7986	f/10x25 Diplomat	25
7987	Strap f/8x, 10x Diplomat	28
7988	f/8x23 Diplomat	27
7989	f/10x25 Diplomat	27
7990	f/8x23 Diplomat	25
7991	Case f/78mm ED Straight Fieldscope	28
7992	Case f/Fieldscope Eyepiece	28
7993	Objective Cap 78mm Fieldscope	28
7994	Case f/60mm Angled Spotting Scope	28
7995	Case f/78mm ED Angled Fieldscope	28
7996	7X50 IF Sports & Marine WP	23
7997	f/7x50 IF Non-Compass Sports & Marine	25
7998	f/7x50 IF Compass Sports & Marine	25
7999	Strap (Shoulder), Sky & Earth, Attache, Sports &	28
8011	Car Power Conn. Cord f/VN-800, 810	22
8012	Power Extension Cord f/VN-800, 810	22
8017	NiCad Battery Unit f/VN-3000 (repl)	22
8028	Compartment Case f/VN-820, 830, 840, 850, 860	22
8034	110 Minute NiCad Battery	22
8040	50 Minute NiCad Battery	22
8045	85 Minute NiCad Battery	22
8052	AC Power Adapter/Charger for all NiCad	22
8054	Remote Control Set (All Models)	22
8058	Wide Lens Converter .7X (46mm)	22
8066	Remote Commander f/VN-850 (repl)	22
8067	AC Power Adapter/Charger f/VN-850 (repl)	22
8068	Compartment Case f/VN-910, 500, 300, 700,	22
8071	Remote Commander f/VN-960 (repl)	22
8073	Nikon Video Light/Bracket f/most video models.	22
8074	Remote Commander VN-310, VN-320	22
8075	Holder f/RMT-507N, RMT-508N	22
8076	Remote Commander VN-860	22
8078	Automobile Charger f/NiCad type Camcorders	22
8080	Compact Camcorder Eveready Case	22
8083	AC Power Adapter/Charger f/VN-720 only (repl)	22
8085	AC Power Adapter/Charger (repl) f/all NiCad	22
9630	35Ti Outfit	3
9648	SLR Value Pack	5
10070	Nikonos-V Camera Body (Orange)	18
10071	Nikonos-V Camera Body (Green)	18
10200	Flash Protector Set f/SB-102	20
10201	Double Bracket Set f/SB-102, 103, 105	20
10203	Extension Arm Set f/SB-102, 103, 105	20
10204	Twin Sync Cord f/SB-102, 103, 104, 105 UW TTL	20
10205	TTL Sync Cord f/V or RS	20
10206	C-Cell Battery Holder f/SB-102 (repl)	20
10207	Wide Flash Adapter f/SB-102 (repl)	20
10208	Single Sync Cord f/SB-104, 105 UW TTL (repl)	20
10209	Supporting Arm f/SB-102, 103, 105 (repl)	20
10210	Mounting Bracket f/SB-102, 103, 105 (repl)	20
10211	Arm Joint f/SB-102, 103, 105 (repl)	20
10212	Cord Hanger f/SB-104, 105 (repl)	20
10213	Extension Arm f/SB-102, 103, 105 (repl)	20
10214	Double Bracket f/SB-102, 103, 105 (repl)	20
10215	Bracket Set f/SB-102, 103, 105 (repl)	20
10216	Wide Flash Adapter f/SB-103, 105 (repl)	20
10310	28mm f3.5 UW-Nikkor IC	18
10311	35mm f2.5 W-Nikkor IC	18

Numerical Product Listing

PROD	DESCRIPTION	PG #
10312	80mm f4 W-Nikkor IC	18
10314	20mm f2.8 UW-Nikkor IC	18
10315	15mm f2.8N UW-Nikkor IC	18
10418	Hard Lens Case f/28/3.5, 35/2.5	19
10420	Custom Shoulder Case f/IV-A, V	19
10422	Neck Strap f/IV-A, V (repl)	19
10620	Plastic Lens Protector f/35, 80mm	19
10625	Lens Hood/Filter Ring f/35mm	19
10626	Rubber Lens Hood f/35/2.5 W	19
10705	UW Close-up Outfit f/Nikonos-IV-A, V	19
10706	Fitted Case f/UW Close-up Set (repl)	19
10711	O-Ring Set f/SB-103, 105 (repl)	20
10712	O-Ring Set f/SB-102 (repl)	20
10713	O-Ring Set f/Nikonos-V (repl)	19
10724	PC Adapter for Nikonos III	29
10729	Flash Unit Adapter for Nikonos IV	29
10730	Rear Lens Cap f/Nikonos Lens	19
10746	Sensor Unit f/SB-101, 102	20
10748	Wide Flash Adapter f/SB-101 (repl)	29
10751	UW Frame Finder f/28/3.5 UW	19
10753	UW Frame Finder f/35/2.5 W, 80/4	19
10756	Non-UW Viewfinder f/80/4	19
10757	UW Viewfinder f/15/2.8 UW	29
10758	UW Viewfinder f/15/2.8N UW	19
10759	UW Viewfinder f/20/2.8, 28/3.5 UW	19
10760	Supporting Arm for UW-Close-up Outfit (repl)	19
10803	Front Lens Cap f/15/2.8N UW (repl)	19
10804	Slip-on Lens Cap f/35, 28, 80mm	19
11000	Nikonos RS AF SLR Camera Body	18
11010	28mm f2.8 R-UW AF Nikkor	18
11011	50mm f2.8 R-UW AF Micro-Nikkor	18
11012	20-35mm f2.8 R-UW AF Zoom-Nikkor	18
11013	13mm/2.8 R-UW AF Fisheye-Nikkor	18
11100	Remote Cord f/Nikonos RS	18
11101	Body Cap for Nikonos RS (repl)	18
11103	O-Ring Set f/Nikonos RS (repl)	18
11105	Eyepiece Cover for Nikonos RS	18
11150	LF-2 Rear Lens Cap f/R-UW AF Nikkor Lens	18
11151	Front Lens Cap for R-UW AF28/2.8 (repl)	18
11152	Front Lens Cap for R-UW AF 50/2.8 Micro (repl)	18
11153	Front Lens Cap for R-UW AF 20-35 (repl)	18
11154	Front Cap f/R-UW AF 13/2.8	18
11200	SB-104 UW TTL Speedlight Set	19
11202	SB-105 UW TTL Speedlight Set	19
11210	SB-104 Flash Head only (repl)	19
11211	NiCad Battery Pack f/SB-104	19
11212	NiCad Battery Charger f/SN-104 NiCad Pack	19
11213	O-Ring Set f/SB-104 (repl)	20
11214	Mounting Bracket Set	18
11215	Double Bracket	18
11216	Extension Arm	18
11217	Connector Arm f/SB-102, 103, 105	18
11218	Supporting Arm	18
11219	Mounting Bracket	18
11220	Exposure Chart f/SB-104 (sticker)	20
11221	Twin Sync Cord (UW TTL) f/V or RS	20
11222	Single Openwater Sync (SC-101+ SC-103) f/V or	20
11223	Twin Openwater Sync(SC-102+ SC-103) f/ V or	20
11224	Single Sync Cord Openwater f/V or RS	20
11225	Twin Sync Cord Openwater f/V or RS	20
11226	Connects Openwater Sync Cord to Camera f/V or	20
11227	Battery Holder f/SB-105	20
11228	Exposure Calculation Chart f/SB-105 (cards)	20
11229	SB-105 Flash Head Only (repl)	19
12100	Nikon Nuvis 125 Camera	2
12101	Nikon Nuvis 125 i Camera	2

PROD	DESCRIPTION	PG #
12102	Nikon Nuvis 75 Camera	2
12103	Nikon Nuvis 75 i Camera	2
12104	Nikon Nuvis Mini Camera	2
12105	Nikon Nuvis Mini i Camera	2
12201	ML-L1 Remote Control f/Nuvis 75 i & 125 i	2
96925	39mm Lens Mounting Flange	21

NIKON INC., PHOTO GROUP
NIKON CONSUMER PRODUCTS (NCP) DEALER GENERAL SALES TERMS AND CONDITIONS

CONDITIONS OF SALE

(A) An Authorized Nikon Consumer Products Dealer ("Dealer") is a retailer who (i) is authorized by NIKON INC. ("Nikon") to purchase for resale the products listed in the Nikon Consumer Products Dealer Price List ("Products"); and (ii) complies with the terms and conditions contained below. THE POSSESSION OF A NIKON CONSUMER PRODUCTS DEALER PRICE LIST AND/OR CATALOG DOES NOT CREATE AN AUTHORIZED NIKON CONSUMER PRODUCTS DEALER RELATIONSHIP.

(B) All purchase orders placed by Dealer shall be subject to Nikon's approval and acceptance and Nikon reserves the right to reject any purchase order, in whole or in part, placed by Dealer. No purchase order shall be deemed accepted by Nikon unless acknowledged by Nikon in writing or by delivery of Products in either whole or partial fulfillment thereof. Nikon reserves the right to cancel any back order without prior notice.

(C) Nikon reserves the right without prior notice to change all prices, product, product specifications, and any of the terms and conditions of sale contained herein.

(D) All sales of Product to Dealers are subject to the terms and conditions contained herein. Any terms and conditions contained in any purchase order or other business form which are inconsistent or in conflict with those contained herein are rejected by Nikon and are of no force and effect.

YEARLY PURCHASE REQUIREMENT

An authorized Nikon consumer Products Dealer is required to purchase a minimum of \$5,000.00 of Products per year commencing on February 1st and ending the next following January 31st ("Purchase Requirements Year"). Back orders in existence at the end of Purchase Requirement Year will not be counted towards Dealer's yearly purchase requirement. Dealers appointed after February 1st will have their yearly minimum purchase requirement pro-rated from their date of appointment through the end of the Purchase Requirement Year.

DEALER RESPONSIBILITIES

(A) Dealer shall actively promote, demonstrate and sell Products to their best advantage through qualified sales personnel.

(B) Dealer shall properly display and explain Nikon's applicable warranty to all of Dealer's Customers prior to their purchase of Product, and on the sale of any unauthorized Nikon product or any Nikon brand product not purchased from NIKON or any used Product prominently state on the Retail Customer's bill of sale the following: "This Nikon product is not covered by a Nikon Inc. (USA) Warranty."

(C) Dealer shall act with due regard for the reputation of Nikon and the Products and favorably present the Products to Dealer's Customers.

(D) Dealer shall advertise and sell products with all the supplied components that Products are packaged with by Nikon and not "strip" any of the products and sell their components separately.

(E) Dealer shall not advertise or sell used Products as new, or engage in "bait and switch" sales practices or any other unethical or illegal tactics or practices.

(F) Dealer shall not advertise or sell equipment which would confuse or mislead the Dealer's Customers as to the source or quality of the goods in question or which would tend to impair the reputation or goodwill of Nikon or Products.

(G) Dealer shall not incorporate or use the word "NIKON" in or as part of the trade name, corporate name or title under which Dealer conducts business, or represent that Dealer is an "Authorized Nikon Photo Dealer" for products Dealer has not been authorized to purchase from Nikon.

(H) In all activities as an Authorized Nikon Dealer for Products, Dealer shall act as a principal in Dealer's own behalf and shall not be considered in any manner as an agent, representative or employee of Nikon. Dealer is not authorized in any way to obligate or bind Nikon.

(I) Dealer's status as an Authorized Nikon Dealer for Products is personal to Dealer and is not assignable or transferable in whole or part nor can Dealer appoint any person, firm, company, or other entity to act for or instead of it without Nikon's prior written consent. Any change in Dealer's ownership (including but not limited to the transfer of shares of Dealer's stock), control or management shall be deemed an assignment or transfer for the purpose of this clause.

CREDIT BILLING AND INVOICING TERMS

(A) Dealer's credit shall be established in each instance with Nikon's Credit Department and Nikon reserves the right to refuse to ship any accepted purchase orders if at any time, in Nikon's opinion, the Dealer's credit standing becomes impaired or unsatisfactory to Nikon. NO ORDERS WILL BE ACCEPTED ON A CASH ON DELIVERY (C.O.D.) BASIS.

(B) Credit terms shall be those that are published and in effect on the date an order is shipped. Failure to comply with Nikon's credit terms may result in the termination of our business relationship and Dealer's right to purchase the Products.

(C) Nikon will bill for Products according to the prices in effect on the date of shipment by Nikon.

(D) Invoice date determines applicable invoicing terms. The end of month for invoicing purposes is the 25th. Beginning with the 26th of the month, invoices are considered as business transactions for the following month.

(E) With respect to dating programs, in the event of non-payment of an installment within its terms, Nikon may, at its option, require immediate payment of any part or all of the remaining installments without discount allowance.

SHIPMENT TERMS

All shipments are F.O.B. Nikon's U.S.A. facility from which the Product is shipped. TITLE AND RISK OF LOSS TO PRODUCT TRANSFERS TO DEALER UPON DELIVERY TO THE CARRIER. Nikon will pay transportation costs of shipments \$200.00 net or more. The method of transportation is at Nikon's discretion. Back orders will be shipped prepaid if part of original order amounts to \$200.00 net or more. ANY ADDITIONAL FREIGHT OR SPECIAL HANDLING CHARGES INCURRED DUE TO SPECIAL SHIPPING REQUIREMENTS OF DEALER WILL BE FOR THE ACCOUNT OF DEALER AND WILL BE ADDED TO THE INVOICE.

CLAIMS

All claims for damage, carton shortage, pilferage or non-delivery must be made by the Dealer to the delivering carrier as Nikon is not responsible for such claims. Upon request of the Dealer, Nikon will cooperate in presenting the claim to the carrier provided Nikon is notified (a) in the case of damage, carton shortage or pilferage, within three (3) working days after receipt of shipment and the proper claim exception has been noted on the delivery receipt; (b) in the case of damage or pilferage not readily apparent at time of delivery, within ten (10) days after receipt of shipment and shipment is left intact until examination is made by carrier; and (c) in the case of non-delivery, in writing within ten (10) days from date of invoice.

RETURNS

(A) RETURNS FOR SERVICE must be shipped pre-paid and addressed to the attention of the Nikon Photo Service Department at the Nikon facility servicing your account.

(B) RETURNS FOR CREDIT. All Products are sold without return privileges. Nikon may at its discretion accept returns for credit. Requests for Product Return Authorization must be made in writing to the Nikon District Sales Manager servicing your account. All such returns must be accompanied by a Nikon Product Return Authorization Form. SUCH RETURNED PRODUCT MUST BE CURRENTLY SOLD BY NIKON, NEW AND UNOPENED AND IS SUBJECT TO A RESTOCKING CHARGE OF 15% OR \$5.00, WHICHEVER IS GREATER. DEALER WILL RECEIVE A CREDIT FOR SUCH RETURNED PRODUCT AT THE NET PRICE ORIGINALLY BILLED TO DEALER LESS ANY DISCOUNTS OR PROTECTION RECEIVED BY DEALER FOR SUCH PRODUCT EXCEPT THAT PRODUCT THAT IS MARKED AS DISCONTINUED ON THE CURRENT NIKON GENERAL CONSUMER PHOTO DEALER PRICE LIST WILL BE CREDITED AT AN AMOUNT DETERMINED BY NIKON. ALL SUCH RETURNS MUST ALSO BE PROPERLY PACKED, DELIVERED TO A CERTIFIED CARRIER WITHIN FIFTEEN (15) DAYS OF ISSUANCE OF THE PRODUCT RETURN AUTHORIZATION AND SHIPPED PREPAID BY DEALER TO THE LOCATION SPECIFIED BY NIKON. PRODUCTS RETURNED WITHOUT PRIOR AUTHORIZATION FROM NIKON WILL BE RETURNED TO DEALER AT DEALER'S EXPENSE.

(C) RETURNS OF DEFECTIVE PRODUCTS must be sent to the Nikon Photo Service Department at the Nikon facility which services your account. PRODUCTS MUST BE CURRENTLY SOLD BY NIKON. NEW, UNMARKED AND IN ORIGINAL PACKAGING WITH ALL WARRANTY INFORMATION AS ORIGINALLY SUPPLIED. All such Products are subject to inspection and verification by Nikon. Product will be, at Nikon's option, either repaired or exchanged on a unit-by-unit basis. All such returns must be accompanied by a letter which clearly explains the problem. All such returns must also be properly packed, delivered to a certified carrier and shipped prepaid by Dealer to the location specified by Nikon. ANY RETURNED PRODUCT THAT IS FOUND BY NIKON NOT TO BE DEFECTIVE WILL BE RETURNED TO DEALER AT DEALER'S EXPENSE.

WARRANTIES

DEALER SHALL NOT MAKE ANY REPRESENTATIONS OR WARRANTIES WITH RESPECT TO THE QUALITY, FEATURES OR PERFORMANCE OF PRODUCTS WHICH ARE CONTRARY TO, IN ADDITION TO, OR INCONSISTENT WITH THOSE DESCRIBED IN LITERATURE PUBLISHED BY NIKON. OTHER THAN THE WARRANTIES SET FORTH IN NIKON'S WARRANTY CARD, THERE ARE NOT WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OBLIGATION OR LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES ON THE PART OF NIKON.

LIABILITY

NIKON'S LIABILITY ON ANY CLAIM OF ANY KIND FROM THE MANUFACTURE, SALE, DELIVERY, RESALE, REPAIR OR USE OF ANY PRODUCTS COVERED BY OR FURNISHED UNDER THIS AGREEMENT SHALL IN NO CASE EXCEED THE PRICE APPLICABLE TO THE PRODUCT OR PART THEREOF WHICH GIVES RISE TO THE CLAIM. IN NO EVENT SHALL NIKON BE LIABLE FOR ANY SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES.

TERMINATION

EXCEPT AS OTHERWISE STATED IN THESE SALES TERMS AND CONDITIONS, DEALER'S BUSINESS RELATIONSHIP WITH NIKON AS AN AUTHORIZED NIKON DEALER FOR PRODUCTS AND DEALER'S RIGHT TO PURCHASE PRODUCTS SHALL TERMINATE ON THE NEXT FOLLOWING JANUARY 31st UNLESS SPECIFICALLY RENEWED IN A WRITING SIGNED BY NIKON.

EITHER THE DEALER OR NIKON MAY TERMINATE THIS AUTHORIZED DEALER RELATIONSHIP, WITH OR WITHOUT CAUSE, UPON THIRTY (30) DAYS PRIOR WRITTEN NOTICE.

NEITHER NIKON NOR DEALER SHALL BE REASON OF TERMINATION OF THIS AUTHORIZED DEALER RELATIONSHIP BE LIABLE TO THE OTHER FOR COMPENSATION, REIMBURSEMENT OR DAMAGES EITHER ON ACCOUNT OF PRESENT OR PROSPECTIVE PROFITS OR SALES OR ANTICIPATED SALES OR ON ACCOUNT OF EXPENDITURES, INVESTMENTS OR COMMITMENTS MADE IN CONNECTION THEREWITH OR IN CONNECTION WITH THE ESTABLISHMENT, DEVELOPMENT OR MAINTENANCE OF THE BUSINESS OR GOODWILL OF NIKON OR RETAIL DEALER, PROVIDED HOWEVER, THAT SUCH TERMINATION SHALL NOT AFFECT THE RIGHTS OR LIABILITIES OF THE PARTIES WITH RESPECT TO PRODUCTS PREVIOUSLY SOLD OR WITH RESPECT TO ANY INDEBTEDNESS THEN OWING BY EITHER PARTY TO THE OTHER.

UPON TERMINATION OF THIS AUTHORIZED DEALER RELATIONSHIP, DEALER SHALL CEASE PRESENTING ITSELF AS AN AUTHORIZED NIKON DEALER FOR PRODUCTS, SHALL REMOVE FROM DEALER'S PREMISES ANY SIGNS, DISPLAY CARDS OR OTHER MATERIAL BEARING THE "NIKON" MARK, AND TERMINATE ALL USE OF SUCH MARK AND NIKON'S COPYRIGHTED MATERIALS.

NOTICES

Notices to either Dealer or Nikon shall be in writing and shall be deemed given when same are mailed by registered or certified mail, return receipt requested.

MISCELLANEOUS

The General Sales Terms and Conditions set forth above shall supersede all prior oral or written statements or documents, if any, in connection with the appointment of Dealer for the sale of Products. None of these Sales Terms and Conditions may be modified, waived, amended or discharged except by an instrument in writing signed by an officer of Nikon.

*QUANTITY PRICING GUIDELINES

Several categories have been established for quantity pricing of the Nikon Consumer Products Dealer (NCP). These categories are (1) Nikon 35mm cameras, (2) Nikon and Nikkor 35mm SLR camera lenses, (3) EL-Nikkor Lenses for enlarging, (4) Nikon Speedlights, (5) Nikon filters, (6) Nikon lens hood for 35mm SLR lenses, (7) Nikon Binoculars/Field Scopes, (8) Nikonos cameras, (9) Nikon video camcorders and (10) Nikon compartment cases. These items are identified via (*) in the Price List Index on page 1.

To qualify for the various discounts, the following guidelines will apply:

1. Buy the individual items in the quantities listed and pay the corresponding prices. Products may be assorted with items of the same category to achieve maximum discounts. For Example: Buy two (2) Nikon FM2 and four (4) Nikon N4004s cameras and you pay the Dealer Cost appearing in the "Six (6) or More" column for each unit.
2. Products purchased in one category may not be included toward achieving quantity discounts in any category. However, product assortment selection incorporating categories (1) and (2) above (e.g., Nikon 35mm SLR camera bodies and lenses) is permitted to achieve maximum quantity discount.
3. Quantities must be reached on each order to qualify for quantity discount, are not cumulative and must be shipped at one time (e.g. no split shipment).
4. Back-orders will be shipped at the price in effect at the date of the shipment of the back-order, and at the quantity level for which the original order qualified.

Nikon[®]

1300 Walt Whitman Rd.
Melville, NY 11747-3064

NIKON 35MM SLR CAMERA BODIES

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
NAS NIKON 35MM SLR CAMERA BODIES					
NEW * 1791	Nikon F4S AF Black 35mm SLR Camera Body (Supplied w/DP-20 Finder, MB-21 Battery Pack, MS-21 Battery Holder, Type B BriteView Screen and Finder Eyepiece; requires six 1.5v AA-type batteries, not included)	2,427.50	1,577.88	1,530.54	<u>1,498.99</u>
* 1691	Nikon F3HP Black 35mm SLR Camera Body (Supplied w/DE-3 Finder, Type K Screen, Finder Eyepiece and two 1.5v Silver-Oxide batteries)	1,295.00	841.75	816.50	799.66
* 1694	Nikon F3/T Black 35mm SLR Camera Body (F3/T is a ruggedized version of the Nikon F3HP with outer covers of Titanium. Supplied w/HP Finder, Type B Screen, Finder Eyepiece and two 1.5v Silver-Oxide batteries)	1,595.00	1,036.75	---	---
* 1760	Nikon N8008 AF Black 35mm SLR Camera Body (Supplied w/MS-7 Battery Holder and Finder Eyepiece; requires four 1.5v AA-type batteries, not included)	858.00	557.70	540.97	529.82
NCP NIKON 35MM SLR CAMERA BODIES					
NEW * 1755	Nikon N4004s AF Black 35mm SLR Camera Body (Requires four 1.5v AA-type batteries, not included)	485.00	315.25	305.79	299.49
* 1683	Nikon FM2N Chrome 35mm SLR Camera Body	525.00	341.25	331.01	324.19
* 1684	Nikon FM2N Black 35mm SLR Camera Body (Supplied w/Type B2 Screen, Finder Eyepiece and one 3v Lithium battery)	545.00	354.25	343.62	<u>336.54</u> +10
* 1740	Nikon N2020 AF Black 35mm SLR Camera Body Note: Nikon N2020 listed for pricing reference only--no longer available.	602.50	391.63	379.88	372.05
* 1720	Nikon N2000 Black 35mm SLR Camera Body (Supplied w/MB-4 Battery Pack; requires six 1.5v AAA-type batteries, not included)	440.00	286.00	277.42	271.70
NEW *	New Product. Earns Co-op.				

NIKKORLENSES FOR 35MM SLR CAMERAS

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
NAS NIKKOR NORMAL LENSES FOR NIKON 35MM SLR CAMERAS					
* 1435	50mm f1.2 Nikkor AIS	542.50	352.63	342.05	335.00
* 1439	58mm f1.2 Noct-Nikkor AIS	1,755.00	1,140.75	1,106.53	1,083.71
NCP NIKKOR NORMAL LENSES FOR NIKON 35MM SLR CAMERAS					
* 1433	50mm f1.4 Nikkor AIS	372.50	242.13	234.87	230.02
* 1436	50mm f1.8N Nikkor AIS	117.50	76.38	74.09	72.56
NAS NIKKOR FISHEYE AND WIDEANGLE LENSES FOR NIKON 35MM SLRS					
● * 1405	6mm f2.8 Fisheye-Nikkor AIS (Supplied w/Fitted Trunk Case)	13,575.00	8,823.75	---	---
● * 1402	8mm f2.8 Fisheye-Nikkor AIS (Supplied w/CL-11 Lens Case)	1,865.00	1,212.25	---	---
● * 1408	16mm f2.8 Fisheye-Nikkor AIS	865.00	562.25	---	---
● * 1410	13mm f5.6 Nikkor AIS (Supplied w/CL-14 Lens Case)	11,680.00	7,592.00	---	---
* 1412	15mm f3.5 Nikkor AIS (Supplied w/CL-17 Lens Case)	2,205.00	1,433.25	1,390.25	1,361.59
* 1413	18mm f3.5 Nikkor AIS (Supplied w/CL-37 Case, HK-9 Hood)	1,290.00	838.50	813.35	796.58
* 1415	20mm f2.8 Nikkor AIS	635.00	412.75	400.37	392.11
* 1417	24mm f2 Nikkor AIS	797.50	518.38	502.83	492.46
* 1419	28mm f2 Nikkor AIS	697.50	453.38	439.78	430.71
* 1429	35mm f1.4 Nikkor AIS	877.50	570.38	553.27	541.86
* 1024	28mm f3.5 PC-Nikkor (Supplied w/CL-34A Lens Case)	1,245.00	809.25	784.97	768.79
* 1025	35mm f2.8N PC-Nikkor (Supplied w/CL-34A Lens Case)	815.00	529.75	513.86	503.26
NCP NIKKOR WIDEANGLE LENSES FOR NIKON 35MM SLR CAMERAS					
* 1416	24mm f2.8 Nikkor AIS	442.50	287.63	279.00	273.25
* 1420	28mm f2.8 Nikkor AIS	442.50	287.63	279.00	273.25
* 1428	35mm f2 Nikkor AIS	410.00	266.50	258.51	253.18
* *	Earns Co-op.				
●	May not be included in assortment for multiple pricing.				

NIKKOR LENSES FOR 35MM SLR CAMERAS

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
NAS NIKKOR TELEPHOTO LENSES FOR NIKON 35MM SLR CAMERAS					
* 1450	85mm f1.4 Nikkor AIS (Supplied w/HN-20 Lens Hood)	967.50	628.88	610.01	597.44
* 1457	105mm f1.8 Nikkor AIS (Supplied w/Built-in Lens Hood)	797.50	518.38	502.83	492.46
* 1459	135mm f2 Nikkor AIS (Supplied w/Built-in Lens Hood)	1,045.00	679.25	658.87	645.29
● * 952	1000mm f11N Reflex-Nikkor (Supplied w/CL-29 Case, Built-in Hood)	1,885.00	1,225.25	---	---
● * 978	2000mm f11 Reflex-Nikkor IC		(Available as Special Order Item Only-- Call For Current Price Quote.)		
NCP NIKKOR TELEPHOTO LENSES FOR NIKON 35MM SLR CAMERAS					
* 1451	85mm f2 Nikkor AIS (Supplied w/HS-10 Lens Hood)	415.00	269.75	261.66	256.26
* 1456	105mm f2.5 Nikkor AIS (Supplied w/Built-in Lens Hood)	410.00	266.50	258.51	253.18
* 1462	135mm f2.8 Nikkor AIS (Supplied w/Built-in Lens Hood)	410.00	266.50	258.51	253.18
* 1467	200mm f4 Nikkor AIS (Supplied w/Built-in Lens Hood)	462.50	300.63	291.61	285.60
* 1470	300mm f4.5 Nikkor AIS (Supplied w/Built-in Lens Hood)	730.00	474.50	460.27	450.78
* 953	500mm f8N Reflex-Nikkor (Supplied w/CL-39 Case, HN-27 Hood)	867.50	563.88	546.96	535.69
NAS ED NIKKOR TELEPHOTO LENSES FOR NIKON 35MM SLR CAMERAS					
● * 1465	200mm f2N ED (IF) Nikkor AIS (Supplied w/CT-200 Case, HE-4 Hood)	4,672.50	3,037.13	---	---
● * 1472	300mm f2 ED (IF) Nikkor AIS (Supplied w/CT-300 Case, TC-14C Teleconverter, Built-in Hood)		(Available as Special Order Item Only-- Call for Current Price Quote.)		
● * 1469	300mm f2.8N ED (IF) Nikkor AIS (Supplied w/CT-302 Case, HE-4 Hood)	4,195.00	2,726.75	---	---
<ul style="list-style-type: none"> * Earns Co-op. ● May not be included in assortment for multiple pricing. 					

NIKKOR LENSES FOR 35MM SLR CAMERAS

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
• * 1488	300mm f4.5 ED (IF) Nikkor AIS (Supplied w/Built-in Lens Hood)	1,337.50	869.38	843.30	825.91
• * 1499	400mm f2.8 ED (IF) Nikkor AIS (Supplied w/CT-400 Case, HE-3 Hood)	7,595.00	4,936.75	---	---
• * 1473	400mm f3.5 ED (IF) Nikkor AIS (Supplied w/CL-61A Case, Built-in Hood)	4,805.00	3,123.25	---	---
• * 1489	400mm f5.6 ED (IF) Nikkor AIS (Supplied w/CL-27A Case, Built-in Hood)	2,305.00	1,498.25	---	---
• * 1447	500mm f4 ED (IF) Nikkor AIP (Supplied w/CT-500 Case, HK-17 Hood)	5,200.00	3,380.00	---	---
• * 1492	600mm f4N ED (IF) Nikkor AIS (Supplied w/CT-602 Case, HE-5 Hood)	7,745.00	5,034.25	---	---
• * 1494	600mm f5.6N ED (IF) Nikkor AIS (Supplied w/CT-603 Case, HE-4 Hood)	5,095.00	3,311.75	---	---
• * 1446	800mm f5.6 ED (IF) Nikkor AIS (Supplied w/CT-800 Case, HE-3 Hood)	6,457.50	4,197.38	---	---

NAS NIKKOR CLOSE-UP LENSES FOR NIKON 35MM SLR CAMERAS

* 1453	105mm f4.5 UV-Nikkor AIS (Supplied w/AF-1 Gel Holder, UR-2 Adapter Ring, UV Filter, Built-in Hood)	3,030.00	1,969.50	---	---
* 983	120mm f4 (IF) Medical-Nikkor Set (Supplied w/2x Lens, SC-20/21/22 Cords, Focus Bulbs. Requires optional accessory power source for operation--refer to listing of Medical-Nikkor accessories on Page 31)	1,655.00	1,075.75	---	---
* 1468	200mm f4 (IF) Micro-Nikkor AIS (Supplied w/Built-in Lens Hood)	945.00	614.25	595.82	583.54

NCP NIKKOR CLOSE-UP LENSES FOR NIKON 35MM SLR CAMERAS

* 1442	55mm f2.8 Micro-Nikkor AIS	387.50	251.88	244.32	239.29
* 1455	105mm f2.8 Micro-Nikkor AIS (Supplied w/HS-14 Lens Hood)	740.00	481.00	466.57	456.95

Note: Refer to Page 30 for extension tubes used with 55mm and 105mm Micro-Nikkor lenses for 1:1 reproduction.

- * Earns Co-op.
- May not be included in assortment for multiple pricing.

NIKKOR LENSES FOR 35MM SLR CAMERAS

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
NAS NIKKOR ZOOM LENSES FOR NIKON 35MM SLR CAMERAS					
* 1445	35-200mm f3.5-4.5 Zoom-Nikkor AIS	1,015.00	659.75	639.96	626.76
* 1484	80-200mm f4 Zoom-Nikkor AIS	972.50	632.13	613.17	600.52
• * 1483	50-300mm f4.5 ED Zoom-Nikkor AIS	3,145.00	2,044.25	---	---
• * 1490	180-600mm f8 ED Zoom-Nikkor AIS (Supplied w/HN-16 Lens Hood)	9,845.00	6,399.25	---	---
NCP NIKKOR ZOOM LENSES FOR NIKON 35MM SLR CAMERAS					
* 1443	28-85mm f3.5-4.5 Zoom-Nikkor AIS	637.50	414.38	401.95	393.66
* 1477	35-105mm f3.5-4.5 Zoom-Nikkor AIS	520.00	338.00	327.86	321.10
* 1476	35-135mm f3.5-4.5 Zoom-Nikkor AIS	645.00	419.25	406.67	398.29
* 1481	100-300mm f5.6 Zoom-Nikkor AIS	645.00	419.25	406.67	398.29
NAS AF NIKKOR/AF ZOOM NIKKOR LENSES FOR NIKON 35MM SLRS					
NEW * 1912	20mm f2.8 AF Nikkor AIS	647.50	420.88	408.25	399.84
NEW * 1939	180mm f2.8N ED (IF) AF Nikkor AIS (Supplied w/CL-38 Case, Built-in Hood)	925.00	601.25	583.21	571.19
• * 1945	300mm f2.8N ED (IF) AF Nikkor AIS (Supplied w/CT-303 Case, HE-6 Hood)	4,520.00	2,938.00	---	---
* 1946	300mm f4 ED (IF) AF Nikkor AIS (Supplied w/CL-42 Case, Built-in Hood)	1,155.00	750.75	728.23	713.21
* 1962	35-70mm f2.8 AF Nikkor AIS HB-1 (Hood)	797.50	518.38	502.83	492.46
* 1984	80-200mm f2.8 ED AF Nikkor AIS (Supplied w/CL-43 Lens Case)	1,150.00	747.50	725.08	710.13
NCP AF NIKKOR/AF ZOOM NIKKOR LENSES FOR NIKON 35MM SLRS					
* 1903	50mm f1.4 AF Nikkor AIS	307.50	199.88	193.88	189.89
* 1905	50mm f1.8 AF Nikkor AIS	102.50	66.63	64.63	63.30
NEW	New Product.				
*	Earns Co-op.				
•	May not be included in assortment for multiple pricing.				

NIKKORLENSES FOR 35MM SLR CAMERAS

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
* 1914	24mm f2.8 AF Nikkor AIS	410.00	266.50	258.51	253.18
* 1916	28mm f2.8 AF Nikkor AIS	247.50	160.88	156.05	152.84
NEW * 1920	35mm f2 AF Nikkor AIS	417.50	271.38	263.24	257.81
* 1930	85mm f1.8 AF Nikkor AIS (Supplied w/HN-23 Lens Hood)	425.00	276.25	267.96	262.44
* 1954	24-50mm f3.3-4.5 AF Nikkor AIS	485.00	315.25	305.79	299.49
* 1958	28-85mm f3.5-4.5 AF Nikkor AIS	500.00	325.00	315.25	308.75
* 1964	35-70mm f3.3-4.5 AF Nikkor AIS	222.50	144.63	140.29	137.40
* 1966	35-105mm f3.5-4.5 AF Nikkor AIS	510.00	331.50	321.56	314.93
NEW * 1969	35-135mm f3.5-4.5N AF Nikkor AIS	542.50	352.63	342.05	335.00
* 1981	70-210mm f4-5.6 AF Nikkor AIS	335.00	217.75	211.22	206.86
* 1990	55mm f2.8 AF Micro-Nikkor AIS	447.50	290.88	282.15	276.34

NAS NIKON TELECONVERTERS FOR NIKKOR 35MM SLR LENSES

* 1401	TC-14B (1.4x) Teleconverter AIS	672.50	437.13	424.02	415.27
* 1404	TC-301 (2x) Teleconverter AIS	672.50	437.13	424.02	415.27

NCP NIKON TELECONVERTERS FOR NIKKOR 35MM SLR LENSES

* 1400	TC-14A (1.4x) Teleconverter AIS	322.50	209.63	203.34	199.15
* 1403	TC-201 (2x) Teleconverter AIS	322.50	209.63	203.34	199.15
* 1999	TC-16A (1.6x) Autofocus Converter AIS	227.50	147.88	143.44	140.49

NEW * New Product.
Earns Co-op.

NIKON MOTOR DRIVES AND ACCESSORIES

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)			
			1-2 Pcs.	3-5 Pcs.	6 or More	
NAS NIKON MOTOR DRIVE AND ACCESSORIES						
120	MD-4 Motor Drive f/F3 (Supplied w/MS-3 Battery Holder)	485.00	315.25	---	---	
42	MA-4 AC/DC Converter f/Motor Drive	705.00	458.25	---	---	
NEW 4631	MB-20 AA-type Battery Pack f/F4S	45.00	29.25	---	---	
NEW 4632	MB-21 High-Speed Battery Pack f/F4S (repl) (Supplied w/MS-21 Battery Holder)	170.00	110.50	---	---	
NEW 4633	MB-22 External Power Regulator f/F4S	370.00	240.50	---	---	
132	MC-11 Power Connecting Cord f/MD-4 (10 ft)	46.00	29.90	---	---	
135	MC-14 Signal Cord f/MF-4 (repl)	16.50	10.73	---	---	
137	MC-17 Multi-Motor Cord (10 ft)	84.00	54.60	---	---	
138	MC-17S Multi-Motor Cord (15 in)	70.00	45.50	---	---	
134	MF-4 250-ex Magazine Back f/F3	1,135.00	737.75	---	---	
136	MF-6B Auto-Film-Stop Back f/F3	119.50	77.68	---	---	
126	MH-2 NiCd Battery Charger f/MN-2	200.00	130.00	---	---	
121	MK-1 Firing Rate Converter f/MD-4	177.50	115.38	---	---	
125	MN-2 NiCd Battery Unit f/MD-4	167.50	108.88	---	---	
127	MS-3 AA Battery Holder f/MD-4 (repl)	19.00	12.35	---	---	
4630	MS-7 AA Battery Holder f/N8008 (repl)	13.50	8.78	---	---	
NEW 4637	MS-21 AA Battery Holder f/MB-21,22 (repl)	13.50	8.78	---	---	
2077	MZ-1 250-ex Film Cassette w/Case	57.50	37.38	---	---	
2079	Film Cassette Spool f/MZ-1 (repl)	16.50	10.73	---	---	
2080	250-ex Bulk Film Loader f/MZ-1	265.00	172.25	---	---	
NCP NIKON MOTOR DRIVE AND ACCESSORIES						
102	MD-12 Motor Drive f/FM,FM2,FE,FE2,FA (Supplied w/Battery Holder)	397.50	258.38	---	---	
4580	AH-3 Tripod Mounting Adapter f/Motor Drive	30.00	19.50	---	---	
4570	MB-3 AA Battery Holder f/N2000,N2020	21.50	13.98	---	---	
4571	MB-4 AAA Btry Holder f/N2000,N2020 (repl)	16.50	10.73	---	---	
4582	MC-3A Coiled Cord f/Pistol Grip II	48.50	31.53	---	---	
4583	MC-4A Motor Remote Cord (3 ft)	35.00	22.75	---	---	
4585	MC-8A Motor Connecting Cord f/ML-1	40.50	26.33	---	---	
131	MC-10 Motor Remote Trigger Cord	46.00	29.90	---	---	
4586	MC-12A Motor Remote Trigger Cord	56.50	36.73	---	---	
4587	MC-16A Motor Connecting Cord f/MT-2 (repl)	48.50	31.53	---	---	
NEW 139	MC-18 Motor Connecting Cord f/MW-2 (repl)	48.50	31.53	---	---	

NEW New Product.

NIKON DATA/MULTI-CONTROL BACKS AND ACCESSORIES

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
72	ML-1 Modulite Remote Control Set (Supplied w/Receiver, Transmitter, MC-8A Cord)	375.00	243.75	---	---
74	Receiver Unit f/ML-1 (repl)	242.50	157.63	---	---
73	Transmitter Unit f/ML-1 (repl)	152.50	99.13	---	---
4563	MR-3 Motor Terminal Release	38.00	24.70	---	---
104	AA Battery Holder f/MD-11,12 (repl)	16.50	10.73	---	---
128	MT-2 Intervalometer f/Motor (Supplied w/MC-16A Cord, Remote Cord)	1,050.00	682.50	---	---
141	MW-2 Wireless Remote Control Set (Supplied w/Receiver, Transmitter, MC-18 Cord)	1,795.00	1,166.75	---	---

NAS NIKON DATA/MULTI-CONTROL BACKS AND ACCESSORIES

	4411	MF-14	Data Back (36-ex) f/F3 (Supplied w/1.5v Silver-Oxide battery)	215.00	139.75	---	---
	140	MF-17	Data Back Set (250-ex) f/F3 (Supplied w/MC-15 Cord, MF-4 Magazine Back, Sync Cord; operates via four 1.5v AA-type batteries, not included)	4,550.00	2,957.50	---	---
	4568	MF-18	Data Back (36-ex) f/F3 (Imprints data between picture frames; supplied w/1.5v Silver-Oxide battery)	351.00	228.15	---	---
	4620	MF-20	Data Back (36-ex) f/N8008 (Supplied w/1.5v Silver-Oxide battery)	94.00	61.10	---	---
	4621	MF-21	Multi-Control Back (36-ex) f/N8008 (Supplied w/1.5v Silver-Oxide battery)	225.00	146.25	---	---
NEW	4622	MF-22	Data Back (36-ex) f/F4S (Supplied w/1.5v Silver-Oxide battery)	170.00	110.50	---	---
NEW	4623	MF-23	Multi-Control Back (36-ex) f/F4S (Supplied w/1.5v Silver-Oxide battery)	600.00	390.00	---	---
	2073		Memo Plate Set f/MF-10,11,17 (repl)	5.50	3.58	---	---
	2069		Sync Conn Cord f/MF-10,11,17 (repl)	16.50	10.73	---	---

NCP NIKON DATA/MULTI-CONTROL BACKS

	4526	MF-16	Data Back (36-ex) f/FM2,FE2,FA (Supplied w/1.5v Silver-Oxide battery)	212.50	138.13	---	---
	4569	MF-19	Multi-Control Back f/N2000,N2020 (Supplied w/1.5V Silver-Oxide battery)	225.00	146.25	---	---

NEW New Product.

NIKON SPEEDLIGHTS AND FLASH ACCESSORIES

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)			
			1-2 Pcs.	3-5 Pcs.	6 or More	
NAS NIKON SPEEDLIGHTS AND FLASH ACCESSORIES						
290	SB-6	Repeating Flash Unit	2,350.00	1,527.50	---	---
4525	SB-14	Speedlight Set w/SD-7 (Supplied w/SC-11, SD-7, SK-5, SU-2, SW-5; requires six C-cell batteries, not included)	550.00	357.50	346.78	339.63
4514	SB-14	Speedlight Head Set (repl)	400.00	260.00	252.20	247.00
4542	SB-16A	TTL Speedlight f/F3 Shoe (Supplied w/AS-8, MS-5, SS-16, SW-7; requires four 1.5v AA-type batteries, not included)	355.00	230.75	223.83	219.21
4547	SB-17	TTL Speedlight f/F3 Shoe (Supplied w/MS-6, SS-17, SW-6; requires four 1.5v AA-type batteries, not included)	220.00	143.00	138.71	135.85
4701	SB-21A	Macro TTL Speedlight f/F3 Shoe (Supplied w/AS-12, SS-17/21, SW-8, mounting ring; requires four 1.5v AA-type batteries, not included)	525.00	341.25	331.01	324.19
4702	SB-21B	Macro TTL Speedlight f/ISO Shoe (Supplied w/AS-14, SS-17/21, SW-8, mounting ring; requires four 1.5v AA-type batteries, not included)	500.00	325.00	315.25	308.75
4705	SB-24	AF TTL Speedlight f/ISO Shoe (Supplied w/SS-24 Soft Case; requires four 1.5v AA-type batteries, not included)	370.00	240.50	233.29	228.48
4512	SB-140	UV-IR Speedlight Set (Supplied w/SC-11, SK-5, SU-3, SW-5V/5UV/5IR; requires accessory SD-7 Battery Pack for operation)	637.50	414.38	---	---
362	AS-1	Flash Coupler f/F2 Shoe to ISO Foot	30.00	19.50	---	---
363	AS-2	Flash Coupler f/ISO Shoe to F2 Foot	35.50	23.08	---	---
353	AS-3	Flash Coupler f/F3 Shoe to F2 Foot	40.50	26.33	---	---
354	AS-4	Flash Coupler f/F3 Shoe to ISO Foot	30.00	19.50	---	---
3059	AS-5	Flash Coupler f/F2 Shoe to F3 Foot	43.50	28.28	---	---
3060	AS-6	Flash Coupler f/ISO Shoe to F3 Foot	51.50	33.48	---	---
3065	AS-7	Extension Flash Coupler f/F3 Shoe	86.50	56.23	---	---
4544	AS-8	Coupler f/SB-16 to F3 Shoe	180.00	117.00	---	---
4561	AS-11	Tripod Adapter f/SB-12,16A,17	40.50	26.33	---	---
4565	AS-12	Controller f/SB-21 to F3 Shoe	297.50	193.38	---	---
4566	AS-14	Controller f/SB-21 to ISO Shoe	270.00	175.50	---	---
291	SA-3	AC Power Unit f/SB-6	2,250.00	1,462.50	---	---
307	SC-9	Sensor Remote Cord f/SU-1	78.50	51.03	---	---
3061	SC-14	TTL Sync Extension Cord f/F3 Shoe	67.50	43.88	---	---
294	SH-3	NiCd Battery Charger f/SN-3	567.50	368.88	---	---
4539	SK-5	Mounting Bracket f/SB-14,140 (repl)	62.50	40.63	---	---
289	SN-3	NiCd Battery Unit f/SD-5	351.00	228.15	---	---
4554	SS-17	Soft Case f/SB-17 (repl)	9.50	6.18	---	---
4609	SS-24	Soft Case f/SB-24 (repl)	11.00	7.15	---	---
4522	SW-5	Wide Flash Adapter f/SB-14 (repl)	16.50	10.73	---	---

NIKON SPEEDLIGHTS AND FLASH ACCESSORIES

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
NCP NIKON SPEEDLIGHTS AND FLASH ACCESSORIES					
311	SB-11 Speedlight Set (Supplied w/SC-11, SK-4, SU-2, SW-3, Battery Holder; requires eight 1.5v AA-type batteries, not included)	435.00	282.75	274.27	268.61
4543	SB-16B TTL Speedlight f/ISO Shoe (Supplied w/AS-9, MS-5, SS-16, SW-7; requires four 1.5v AA-type batteries, not included)	335.00	217.75	211.22	206.86
4700	SB-20 AF TTL Speedlight f/ISO Shoe (Supplied w/SS-20 Soft Case; requires four 1.5v AA-type batteries, not included)	255.00	165.75	160.78	157.46
4703	<u>SB-22</u> AF TTL Speedlight f/ISO Shoe (Supplied w/SS-22 Soft Case; requires four 1.5v AA-type batteries, not included)	167.50	108.88	105.61	103.44
4704	SB-23 AF TTL Speedlight f/ISO Shoe (Supplied w/SS-23 Soft Case; requires four 1.5v AA-type batteries, not included)	129.00	83.85	81.33	79.66
4545	AS-9 Coupler f/SB-16 to ISO Shoe	157.50	102.38	---	---
4560	AS-10 TTL Multi-Flash Adapter	40.50	26.33	---	---
NEW 3066	AS-15 Sync Terminal Adapter f/ISO Shoe	14.50	9.43	---	---
4552	MS-5 AA Battery Holder f/SB-16,103 (repl)	15.00	9.75	---	---
4553	MS-6 AA Battery Holder f/SB-15,17 (repl)	15.00	9.75	---	---
3064	AA Btry Holder f/SB-11,101,LD-2 (repl)	16.50	10.73	---	---
341	SC-6 Coiled Sync Cord (3-prong to PC)	20.00	13.00	---	---
3056	SC-11 Flash Sync Cord f/SB-11,14,140 (repl)	13.50	8.78	---	---
356	SC-12 TTL Conn Cord f/SB-11,14,140	162.50	105.63	---	---
313	SC-13 Sensor Remote Cord f/SU-2	105.50	68.58	---	---
4524	SC-15 Coiled Sync Cord (PC to PC)	21.50	13.98	---	---
4523	SC-16 Power Connecting Cord f/SD-7 (repl)	38.00	24.70	---	---
4557	SC-17 TTL Sync Extension Cord f/ISO Shoe	59.50	38.68	---	---
4558	SC-18 TTL Multi-Flash Cord (5 ft)	32.50	21.13	---	---
4559	SC-19 TTL Multi-Flash Cord (10 ft)	40.50	26.33	---	---
4562	SC-23 TTL Connecting Cord f/SB-11,14,140	135.00	87.75	---	---
4520	SD-7 C-Cell Btry Pack f/SB-11,14,20,22,140	155.00	100.75	---	---
369	SK-4 Mounting Bracket f/SB-11 (repl)	59.50	38.68	---	---
4540	SS-15 Soft Case f/SB-15 (repl)	9.50	6.18	---	---
4551	SS-16 Soft Case f/SB-16A,16B (repl)	16.00	10.40	---	---
4607	SS-23 Soft Case f/SB-23 (repl)	9.50	6.18	---	---
3055	SU-2 Sensor Unit f/SB-11,14 (repl)	72.50	47.13	---	---
3057	SW-3 Wide Flash Adapter f/SB-11 (repl)	9.50	6.18	---	---
4521	SW-6 Wide Flash Adapter f/SB-15,17 (repl)	5.00	3.25	---	---
4550	SW-7 Wide Flash Adapter f/SB-16 (repl)	9.50	6.18	---	---

NEW New Product.

NIKON CASES FOR NIKON 35MM SLR CAMERAS

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)			
			1-2 Pcs.	3-5 Pcs.	6 or More	
NAS NIKON MISCELLANEOUS CASES FOR 35MM SLR CAMERAS						
4409	CF-21	Leather Eveready Case w/Strap f/F3	81.00	52.65	---	---
4410	CF-21A	Leather Case Flap f/CF-20,21	57.50	37.38	---	---
4422	CF-22	Leather Eveready Case w/Strap f/F3	84.00	54.60	---	---
4538	CF-23D	Leather Case Base f/F3 w/MF-14	38.00	24.70	---	---
4424	CF-24	Leather Eveready Case w/Strap f/F3	89.50	58.18	---	---
4590	CF-39	Eveready Camera Case f/N8008	49.50	32.18	---	---
4592	CF-39D	Case Base w/MF-20 f/8008	23.00	14.95	---	---
4591	CF-40	Eveready Camera Case f/N8008	54.00	35.10	---	---
4414	CS-15	Leather Camera/Lens Pouch f/F3	75.50	49.08	---	---
NCP NIKON MISCELLANEOUS CASES FOR 35MM SLR CAMERAS						
4491	CF-15D	Case Base f/FM2,FE2 w/MF-12	24.50	15.93	---	---
4427	CF-27	Eveready Case w/Strap f/FM2,FE2	59.50	38.68	---	---
4430	CF-27D	Case Base f/FM2,FE2 w/MF-16	27.00	17.55	---	---
4428	CF-28	Eveready Case w/Strap f/FM2,FE2	70.00	45.50	---	---
4431	CF-28A	Case Flap f/CF-27,28,30,31	40.50	26.33	---	---
4429	CF-29	Case w/Strap f/FM2,FE2 w/MD-11,12	92.50	60.13	---	---
4434	CF-34	Camera/Lens Utility Case	111.50	72.48	---	---
4576	CF-35	Eveready Case f/N2000,N2020	51.50	33.48	---	---
4578	CF-35D	Case Base f/N2000,N2020 w/MF-19	27.00	17.55	---	---
4577	CF-36	Eveready Case f/N2000,N2020	57.50	37.38	---	---
4579	CF-36A	Case Front Flap f/CF-35,36	40.50	26.33	---	---
4588	CF-37	Eveready Camera Case f/N4004/s	33.00	21.45	---	---
4589	CF-38A	Case Front Flap f/CF-37	29.50	19.18	---	---
4574	CS-L35A	Pouch Case f/One-Touch	24.50	12.25	---	---
4573	CS-L35AW	Case f/Action-Touch	32.50	16.25	---	---
4572	CS-L35TW	Case f/Tele-Touch	32.50	16.25	---	---
690		Pouch Case f/Nikon Touch cameras	21.50	7.49	---	---
691		Pouch Case w/Strap f/Action-Touch	23.50	8.30	---	---
422	CS-7	Camera/Lens Pouch (Short)	29.50	19.18	---	---
425	CS-8	Camera/Lens Pouch (Short)	32.50	21.13	---	---
426	CS-9	Camera/Lens Pouch (Medium)	35.50	23.08	---	---
427	CS-10	Camera/Lens Pouch (Long)	40.50	26.33	---	---
4484	CS-13	Camera Blimp Case	81.00	52.65	---	---
4415	CS-16	Leather Camera/Lens Pouch f/FM2,FE2	75.50	49.08	---	---

NIKON CASES FOR NIKKOR 35MM SLR LENSES

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
NAS NIKON MISCELLANEOUS CASES FOR 35MM SLR LENSES					
436	CL-11 Hard Lens Case f/8/2.8 (repl)	58.50	38.03	---	---
486	CL-13A Hard Lens Case f/35-200mm Zoom	29.50	19.18	---	---
4453	CL-15S Hard Lens Case f/80AF,105/1.8,105UV	35.50	23.08	---	---
485	CL-17 Hard Lens Case f/15/3.5 (repl)	52.50	34.13	---	---
4458	CL-27A Hard Lens Case f/400/5.6 ED-IF (repl)	67.50	43.88	---	---
475	CL-29 Hard Lens Case f/1000/11N (repl)	105.00	68.25	---	---
4480	CL-36 Hard Lens case f/200/4 Micro	57.50	37.38	---	---
4470	CL-37 Hard Lens case f/18/3.5 (repl)	38.00	24.70	---	---
4471	CL-38 Hard Lens Case f/180/2.8 AF ED (repl)	43.50	28.28	---	---
4459	CL-42 Hard Lens Case f/300/4 AF ED (repl)	62.50	40.63	---	---
NEW 4461	CL-43 Hard Lens Case f/80-200/2.8 AF (repl)	72.00	46.80	---	---
4472	CL-61A Hard Lens Case f/400/3.5S IF (repl)	310.00	201.50	---	---
4473	CL-62A Hard Lens Case f/600/5.6S IF (repl)	351.00	228.15	---	---
4475	CL-63 Hard Lens Case f/300/2.8 ED-IF (repl)	141.00	91.65	---	---
4527	CL-64 Hard Lens Case f/50-300/4.5 ED (repl)	129.50	84.18	---	---
4420	CT-300 Trunk Case f/300/2 (repl)	351.00	228.15	---	---
4306	CT-302 Trunk Case f/300/2.8N (repl)	351.00	228.15	---	---
4440	CT-400 Trunk Case f/400/2.8 (repl)	362.50	235.63	---	---
4416	CT-601 Trunk Case f/600/4 (repl)	275.00	178.75	---	---
454	Fitted Trunk Case f/2000mm	1,425.00	926.25	---	---
441	CZ-1860 Lens Case f/180-600 Zoom	330.00	214.50	---	---
NCP NIKON MISCELLANEOUS CASES FOR 35MM SLR LENSES					
4301	No.61 Leather Lens Pouch (Short)	27.50	17.88	---	---
4302	No.62 Leather Lens Pouch (Medium)	29.50	19.18	---	---
4303	No.63 Leather Lens Pouch (Long)	35.50	23.08	---	---
448	CL-13 Hard Lens Case f/75-150 E,200/4S	32.50	21.13	---	---
449	CL-20 Hard Lens Case f/300/4.5 (repl)	46.00	29.90	---	---
431	CL-20A Hard Lens Case f/300/4.5S,ED	57.50	37.38	---	---
4501	CL-30S Hard Case f/Misc 16mm-50mm Lenses	27.00	17.55	---	---
4502	CL-31S Hard Case f/Misc 24mm-105mm Lenses	27.00	17.55	---	---
4503	CL-32S Hard Case f/Misc 80AF-135mm Lenses	38.00	24.70	---	---
4504	CL-33S Hard Case f/Misc 55mm-135mm Lenses	38.00	24.70	---	---
4474	CL-34A Hard Case f/Misc 28PC-85mm Lenses	32.50	21.13	---	---
4479	CL-35A Hard Lens Case f/70-210/4,80-200/4	51.50	33.48	---	---
4476	CL-39 Hard Lens Case f/500/8N (repl)	59.50	38.68	---	---
4478	CL-40 Hard Lens Case f/100-300 Zoom	48.50	31.53	---	---
4460	CL-41 Hard Lens Case f/35-135mm AF Zoom	27.00	17.55	---	---
4510	CP-8 Plastic Lens Case (Short)	19.00	12.35	---	---
4511	CP-9 Plastic Lens Case (Long)	21.50	13.98	---	---

NEW New Product.

NIKON COMPARTMENT CASES MISCELLANEOUS PUBLICATIONS

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
NCP NIKON COMPARTMENT CASES FOR 35MM CAMERAS AND LENSES					
496	FB-8 Compartment Case (Black)	265.00	172.25	---	163.64
500	FB-11A Leather Compartment Case (Brown)	415.00	269.75	---	256.26
503	FB-14 Leather Compartment Case (Black)	265.00	172.25	---	163.64
477	FB-15 Leather Compartment Case (Brown)	377.50	245.38	---	233.11
492	FB-16 Compartment Case (Brown)	148.50	96.53	---	91.70
4498	FB-17 Compartment Case (Brown)	81.00	52.65	---	50.02
NAS MISCELLANEOUS PUBLICATIONS					
2054	“The Nikon F3 Book” (Focal Press)	9.95	5.97	---	---
NCP MISCELLANEOUS PUBLICATIONS					
19928	Nikonos Magazine <small>(Must be ordered in multiples of 12 each; minimum order is one dozen copies. \$1.50 is single issue dealer cost)</small>	3.50	1.50	---	---

NIKON CAPS/COVERS FOR 35MM CAMERAS AND LENSES

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
NAS NIKON MISC. CAPS/COVERS FOR 35MM CAMERAS AND LENSES					
598	BF-2 Front Mount Cap f/TC-2,300,301	21.50	13.98	---	---
611	BF-3 Front Mount Cap f/TC-14,14B	21.50	13.98	---	---
597	61mm Slip-on Cap f/16/2.8N (repl)	21.50	13.98	---	---
578	77mm Snap-on Lens Cap (repl)	13.50	8.78	---	---
584	90mm Slip-on Cap f/15/3.5 (repl)	25.50	16.58	---	---
626	95mm Screw-on Lens Cap (repl)	28.00	18.20	---	---
615	108mm Screw-on Lens Cap f/1000/11 (repl)	24.50	15.93	---	---
621	122mm Screw-on Lens Cap (repl)	54.00	35.10	---	---
NEW 629	Front Lens Cover f/200/300/600N ED (repl)	54.00	35.10	---	---
603	Front Lens Cover f/300/2 (repl)	57.50	37.38	---	---
570	Front Lens Cover f/300/2.8 (repl)	48.50	31.53	---	---
631	Front Lens Cover f/400/2.8 (repl)	59.50	38.68	---	---
NCP NIKON MISC. CAPS/COVERS FOR 35MM CAMERAS AND LENSES					
612	BF-1A Lens Mount Cap f/SLR Camera	7.00	4.55	---	---
607	LF-1 Rear Lens Cap f/F-Mount Lens (repl)	7.00	4.55	---	---
581	52mm Snap-on Lens Cap (repl)	9.00	5.85	---	---
600	62mm Snap-on Lens Cap (repl)	9.50	6.18	---	---
601	72mm Snap-on Lens Cap (repl)	11.00	7.15	---	---
1335	85mm Slip-on Lens Cap (repl)	7.50	4.88	---	---
613	Slip-on Lens Cap f/Action-Touch (repl)	3.50	2.28	---	---
NEW	New Product.				

NIKON HOODS FOR NIKKOR 35MM SLR LENSES

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
NAS NIKON HOODS FOR NIKKOR 35MM SLR LENSES					
NEW 4610	HB-4 Bayonet Hood f/20/2.8 AF Nikkor		(To Be Announced)		
	605 HE-1 Extension Hood f/300/2 (repl)	427.50	277.88	---	---
	618 HE-3 Extension Hood f/400/2.8 (repl)	340.00	221.00	---	---
	614 HE-4 Extension Hood f/200/2N,300/2.8N (repl)	297.50	193.38	---	---
	619 HE-5 Extension Hood f/600/4N (repl)	362.50	235.63	---	---
NEW 630	HE-6 Extension Hood f/300/2.8 AF (repl)		(To Be Announced)		
	551 HK-2 Slip-on Hood f/24/2	27.00	17.55	---	16.67
	554 HK-5 Slip-on Hood f/50-300mm Zoom	59.50	38.68	---	36.75
	563 HK-9 Slip-on Hood f/18/3.5 (repl)	48.50	31.53	---	29.95
	559 HK-14 Slip-on Hood f/20/2.8	32.50	21.13	---	20.07
	4600 HK-15 Slip-on Hood f/35-200mm Zoom	38.00	24.70	---	23.47
NEW 4608	HK-17 Slip-on Hood f/500/4P ED-IF (repl)		(To Be Announced)		
	532 108mm Slip-on Hood f/1000/11 (repl)	81.00	52.65	---	50.02
	523 HN-9 Screw-on Hood f/28mm PC	21.50	13.98	---	13.28
	539 HN-13 Screw-on Hood f/72mm polar	32.50	21.13	---	20.07
	562 HN-20 Screw-on Hood f/85/1.4 (repl)	24.50	15.93	---	15.13
	572 HN-28 Screw-on Hood f/80-200/2.8 AF ED	31.00	20.15	---	19.14
	538 HR-2 Rubber Hood f/55,58/1.2	13.00	8.45	---	8.03
	547 HS-12 Snap-on Hood f/50/1.2	27.00	17.55	---	16.67

NEW New Product.

NIKON HOODS FOR NIKKOR 35MM SLR LENSES

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
NCP NIKON HOODS FOR NIKKOR 35MM SLR LENSES					
4602	HB-1 Bayonet Hood f/28-85mm AF Zoom	19.00	12.35	---	11.73
4603	HB-2 Bayonet Hood f/35-105mm AF Zoom	19.00	12.35	---	11.73
4604	HB-3 Bayonet Hood f/24-50mm AF Zoom	19.00	12.35	---	11.73
553	HK-11 Slip-on Hood f/35-105mm Zoom	27.00	17.55	---	16.67
4601	HK-16 Slip-on Hood f/28-85mm Zoom	38.00	24.70	---	23.47
508	HN-1 Screw-on Hood f/24,28,35mm PC	19.00	12.35	---	11.73
509	HN-2 Screw-on Hood f/28/2.8,28/3.5	19.00	12.35	---	11.73
510	HN-3 Screw-on Hood f/35,43-86,55mm Micro	19.00	12.35	---	11.73
518	HN-12 Screw-on Hood f/52mm Polar Filter	29.50	19.18	---	18.22
566	HN-22 Screw-on Hood f/35-70,35-135mm Zoom	21.50	13.98	---	13.28
565	HN-23 Screw-on Hood f/80-200/4 Zoom,85/1.8 AF	24.50	15.93	---	15.13
567	HN-24 Screw-on Hood f/70-210mm Zoom	21.50	13.98	---	13.28
568	HN-26 Screw-on Hood f/62mm Polar Filter	35.50	23.08	---	21.93
558	HN-27 Screw-on Hood f/500/8N (repl)	19.00	12.35	---	11.73
537	HR-1 Rubber Hood f/50/2,1.8,1.4	11.50	7.48	---	7.11
543	HS-9 Snap-on Hood f/50/1.4	27.00	17.55	---	16.67
545	HS-10 Snap-on Hood f/85/2	27.00	17.55	---	16.67
546	HS-11 Snap-on Hood f/50/1.8	27.00	17.55	---	16.67
555	HS-14 Snap-on Hood f/105/2.8 Micro (repl)	27.00	17.55	---	16.67

NIKON FILTERS AND FILTER ACCESSORIES

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
NAS NIKON FILTERS AND FILTER ACCESSORIES FOR NIKKOR LENSES					
BAYONET-MOUNT GLASS FILTERS					
2367	39mm Medium Yellow Filter (Y48)	29.50	19.18	---	18.22
2363	39mm Orange Filter (O56)	29.50	19.18	---	18.22
2368	39mm Red Filter (R60)	29.50	19.18	---	18.22
2364	39mm 81A Conversion Filter (A2)	29.50	19.18	---	18.22
2365	39mm 82A Conversion Filter (B2)	29.50	19.18	---	18.22
2366	39mm Skylight Filter (L1Bc)	32.00	20.80	---	19.76
SCREW-ON GLASS FILTERS					
2415	72mm UV Haze Filter (L37c)	81.00	52.65	---	50.02
2270	72mm Medium Yellow Filter (Y48)	57.00	37.05	---	35.20
2274	72mm Orange Filter (O56)	57.00	37.05	---	35.20
2273	72mm Red Filter (R60)	57.00	37.05	---	35.20
2416	72mm 81A Conversion Filter (A2)	57.00	37.05	---	35.20
2417	72mm 82A Conversion Filter (B2)	57.00	37.05	---	35.20
2413	72mm Skylight Filter (L1Bc)	92.50	60.13	---	57.12
2410	72mm Neutral-Density Filter (ND4)	92.50	60.13	---	57.12
2300	72mm Polarizing Filter	157.50	102.38	---	97.26
2418	72mm Soft Focus Filter No.1	121.50	78.98	---	75.03
2419	72mm Soft Focus Filter No.2	121.50	78.98	---	75.03
• 2292	CP-5 Plastic Case f/72mm Filter (repl)	4.00	2.60	---	---
2438	77mm UV Haze Filter (L37c)	94.50	61.43	---	58.36
2439	82mm UV Haze Filter (L37c)	99.50	64.68	---	61.45
2294	95mm UV Haze Filter (L37c)	135.00	87.75	---	83.36
2284	95mm Medium Yellow Filter (Y48)	108.00	70.20	---	66.69
2285	95mm Orange Filter (O56)	108.00	70.20	---	66.69
2286	95mm Red Filter (R60)	108.00	70.20	---	66.69
• 2298	Fitted Case f/95mm Filter (repl)	15.00	9.75	---	---
2440	122mm UV Haze Filter (L37c)	244.00	158.60	---	150.67
2280	122mm Medium Yellow Filter (Y48)	216.00	140.40	---	133.38
2281	122mm Orange Filter (O56)	216.00	140.40	---	133.38
2282	122mm Red Filter (R60)	216.00	140.40	---	133.38
• 2299	Fitted Case f/122mm Filter (repl)	21.50	13.98	---	---
2441	160mm UV Haze Filter (L37c)	567.50	368.88	---	---
• 2442	Fitted Case f/160mm Filter (repl)	38.00	24.70	---	---
•	May not be included in assortment for multiple pricing.				

NIKON FILTERS AND FILTER ACCESSORIES

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
MISCELLANEOUS FILTERS/HOLDERS					
2278	AF-1 52mm Gelatin Filter Holder	51.50	33.48	---	31.81
2279	AF-2 72mm Gelatin Filter Holder (w/Hood)	92.50	60.13	---	57.12
2443	Slip-in Gel Holder f/ED-IF lens (repl)	78.50	51.03	---	---
2446	Slip-in Gel Holder f/300/2 ED-IF (repl)	113.50	73.78	---	---
2460	Slip-in Gel Holder f/400/2.8 ED-IF (repl)	113.50	73.78	---	---
2220	Slip-in 39mm Holder f/ED-IF lens (repl)	51.50	33.48	---	---
2445	Slip-in 52mm Holder f/300/2 ED-IF (repl)	113.50	73.78	---	---
2459	Slip-in 52mm Holder f/400/2.8 ED-IF (repl)	113.50	73.78	---	---
NEW 2398	UR-2 Filter Adapter f/105/4.5 UV-Nikkor (repl)	67.50	43.88	---	---
NEW 2397	Square Filter f/105/4.5 UV-Nikkor (repl)	265.00	172.25	---	---
NCP NIKON FILTERS AND FILTER ACCESSORIES FOR NIKKOR LENSES					
SCREW-ON GLASS FILTERS					
2237	39mm UV Haze Filter (L37c)	24.50	15.93	---	15.13
2248	39mm Medium Yellow Filter (Y48)	21.50	13.98	---	13.28
2251	39mm Dark Yellow Filter (Y52)	21.50	13.98	---	13.28
2253	39mm Orange Filter (O56)	21.50	13.98	---	13.28
2259	39mm Red Filter (R60)	21.50	13.98	---	13.28
2239	39mm 81A Conversion Filter (A2)	21.50	13.98	---	13.28
2256	39mm 85 Conversion Filter (A12)	21.50	13.98	---	13.28
2240	39mm 82A Conversion Filter (B2)	21.50	13.98	---	13.28
2241	39mm 80C Conversion Filter (B8)	21.50	13.98	---	13.28
2242	39mm 80B Conversion Filter (B12)	21.50	13.98	---	13.28
2238	39mm Skylight Filter (L1Bc)	29.50	19.18	---	18.22
NEW 2318	39mm Neutral-Density Filter (ND2)	27.00	17.55	---	16.67
2258	39mm Neutral-Density Filter (ND4)	27.00	17.55	---	16.67
2319	39mm Neutral-Density Filter (ND8)	27.00	17.55	---	16.67
● 2305	CA-2 Filter Pouch f/39mm Filter	17.50	11.38	---	---
2403	46mm UV Haze Filter f/One-Touch (L37)	17.50	11.38	---	---
2447	Filter Mounting Ring f/One-Touch	6.00	3.90	---	---
2297	52mm Light Green Filter (X0)	24.50	15.93	---	15.13
2230	52mm Dark Green Filter (X1)	24.50	15.93	---	15.13
2399	52mm UV Haze Filter (L37c)	27.00	17.55	---	16.67
2295	52mm Light Yellow Filter (Y44)	24.50	15.93	---	15.13

NEW New Product.

● May not be included in assortment for multiple pricing.

NIKON FILTERS AND FILTER ACCESSORIES

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
2229	52mm Medium Yellow Filter (Y48)	24.50	15.93	---	15.13
2296	52mm Dark Yellow Filter (Y52)	24.50	15.93	---	15.13
2231	52mm Orange Filter (O56)	24.50	15.93	---	15.13
2249	52mm Red Filter (R60)	24.50	15.93	---	15.13
2266	52mm 81A Conversion Filter (A2)	24.50	15.93	---	15.13
2264	52mm 85 Conversion Filter (A12)	24.50	15.93	---	15.13
2235	52mm 82A Conversion Filter (B2)	24.50	15.93	---	15.13
2267	52mm 80C Conversion Filter (B8)	24.50	15.93	---	15.13
2268	52mm 80B Conversion Filter (B12)	24.50	15.93	---	15.13
2261	52mm 85B Conversion Filter	24.50	15.93	---	15.13
2402	52mm Skylight Filter (L1Bc)	32.50	21.13	---	20.07
2265	52mm CC30R Correction Filter	24.50	15.93	---	15.13
2243	52mm Neutral-Density Filter (ND4)	32.50	21.13	---	20.07
2244	52mm Neutral-Density Filter (ND8)	32.50	21.13	---	20.07
2409	52mm Neutral-Density Filter (ND400)	32.50	21.13	---	20.07
2390	52mm Circular Polarizing Filter	81.00	52.65	---	50.02
2407	52mm Soft Focus Filter No.1	67.50	43.88	---	41.69
2408	52mm Soft Focus Filter No.2	67.50	43.88	---	41.69
● 2307	CA-1 Filter Pouch f/52mm Filter	25.00	16.25	---	15.44
● 2291	CP-3 Plastic Case f/52mm Filter (repl)	4.00	2.60	---	---
● 2728	CP-4 Plastic Case f/52mm Polar (repl)	4.00	2.60	---	---
2372	62mm UV Haze Filter (L37c)	40.50	26.33	---	25.01
2373	62mm Medium Yellow Filter (Y48)	34.50	22.43	---	21.31
2374	62mm Orange Filter (O56)	34.50	22.43	---	21.31
2375	62mm Red Filter (R60)	34.50	22.43	---	21.31
2430	62mm 81A Conversion Filter (A2)	33.50	21.78	---	20.69
2431	62mm 85 Conversion Filter (A12)	33.50	21.78	---	20.69
2432	62mm 82A Conversion Filter (B2)	33.50	21.78	---	20.69
2433	62mm 80B Conversion Filter (B12)	33.50	21.78	---	20.69
2371	62mm Skylight Filter (L1Bc)	48.50	31.53	---	29.95
2391	62mm Circular Polarizing Filter	113.50	73.78	---	70.09
2434	62mm Soft Focus Filter No.1	97.50	63.38	---	60.21
2435	62mm Soft Focus Filter No.2	97.50	63.38	---	60.21
● 2378	CP-6 Plastic Case f/62mm Filter (repl)	3.00	1.95	---	---
● 2377	UR-1 Filter Adapter Ring (62-72mm)	16.50	10.73	---	---

● May not be included in assortment for multiple pricing.

NIKON FINDERS AND ACCESSORIES FOR 35MM SLR CAMERAS

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)			
			1-2 Pcs.	3-5 Pcs.	6 or More	
NAS NIKON FINDERS AND ACCESSORIES FOR 35MM SLR CAMERAS						
	2385 DA-2 Action Finder f/F3 (Supplied w/Prism Cover, Rear Cover)	486.00	315.90	---	---	
NEW	2503 DA-20 AE Action Finder f/F4S (Supplied w/Prism Cover, Eyecup)	825.00	536.25	---	---	
	2032 DB-4 Anti-Cold Battery Pack f/DX-1	67.50	43.88	---	---	
	2382 DE-2 Eyelevel Finder f/F3 (repl) (Supplied w/Prism Cover)	190.00	123.50	---	---	
	2386 DE-3 HP Eyelevel Finder f/F3HP (repl) (Supplied w/Prism Cover)	310.00	201.50	---	---	
	2388 DK-1 Eyepiece Mounting Adapter f/F3HP,F3/T	5.00	3.25	---	---	
	2406 DK-2 Rubber Eyecup f/F3HP,F3/T,F4S	7.50	4.88	---	---	
	2379 DK-4 Rubber Eyecup f/F,F2,F3,F3AF	7.50	4.88	---	---	
	2393 DK-6 Rubber Eyecup f/N8008	7.50	4.88	---	---	
	2394 DK-7 Eyepiece Mounting Adapter f/N8008,F4S	9.00	5.85	---	---	
	2395 DK-8 Eyepiece Shield f/N8008	2.75	1.79	---	---	
NEW	2500 DP-20 Multi-Meter Finder f/F4S (repl)	520.00	338.00	---	---	
	2383 DW-3 Waist-Level Finder f/F3	121.50	78.98	---	---	
	2384 DW-4 6x Focusing Finder f/F3	307.50	199.88	---	---	
NEW	2501 DW-20 Waist-Level Finder f/F4S	230.00	149.50	---	---	
NEW	2502 DW-21 6x Focusing Finder f/F4S	440.00	286.00	---	---	
	2381 DX-1 Autofocus Finder f/F3 (Supplied w/Prism Cover)	945.00	614.25	---	---	
	2389 Finder Prism Cover f/F3 Finder	3.00	1.95	---	---	
	2031 Finder Prism Cover f/DX-1	3.00	1.95	---	---	
NEW	2327 Finder Prism Cover f/F4S Finder	3.00	1.95	---	---	
NCP NIKON FINDERS AND ACCESSORIES FOR 35MM SLR CAMERAS						
	2355 DG-2 Eyepiece Magnifier	59.50	38.68	---	---	
	2362 DK-3 Rubber Eyecup f/FM2,FE2,FA	7.50	4.88	---	---	
	2380 DK-5 Eyepiece Shield f/N2000,N2020,N4004/s	1.75	1.14	---	---	
	2939 Rubber Eyecup f/N2000,N2020,N4004/s	4.25	2.76	---	---	
<p>Note: Slip-on square eyepiece accessories listed above for use with Nikon N2000, N2020 and N4004/s are also usable on discontinued models Nikon EM, FG and FG-20.</p>						
	2326 DR-3 Right-Angle Finder Attachment	147.50	95.88	---	---	
NEW	New Product.					

NIKON FOCUSING SCREENS FOR 35MM SLR CAMERAS

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)			
			1-2 Pcs.	3-5 Pcs.	6 or More	
NAS NIKON FOCUSING SCREENS FOR 35MM SLR CAMERAS						
NEW 2510	Type B Focusing Screen f/F4S (repl)	44.50	28.93	---	---	
NEW 2511	Type C Focusing Screen f/F4S	44.50	28.93	---	---	
NEW 2512	Type E Focusing Screen f/F4S	44.50	28.93	---	---	
NEW 2513	Type F Focusing Screen f/F4S	44.50	28.93	---	---	
NEW 2514	Type G1 Focusing Screen f/F4S	44.50	28.93	---	---	
NEW 2515	Type G2 Focusing Screen f/F4S	44.50	28.93	---	---	
NEW 2516	Type G3 Focusing Screen f/F4S	44.50	28.93	---	---	
NEW 2517	Type G4 Focusing Screen f/F4S	44.50	28.93	---	---	
NEW 2518	Type J Focusing Screen f/F4S	44.50	28.93	---	---	
NEW 2519	Type K Focusing Screen f/F4S	44.50	28.93	---	---	
NEW 2520	Type M Focusing Screen f/F4S	44.50	28.93	---	---	
NEW 2521	Type P Focusing Screen f/F4S	44.50	28.93	---	---	
NEW 2522	Type U Focusing Screen f/F4S	44.50	28.93	---	---	
2552	Type A Focusing Screen f/F3-series	42.50	27.63	---	---	
2553	Type B Focusing Screen f/F3-series	42.50	27.63	---	---	
2554	Type C Focusing Screen f/F3-series	42.50	27.63	---	---	
2555	Type D Focusing Screen f/F3-series	42.50	27.63	---	---	
2556	Type E Focusing Screen f/F3-series	42.50	27.63	---	---	
2557	Type G1 Focusing Screen f/F3-series	42.50	27.63	---	---	
2558	Type G2 Focusing Screen f/F3-series	42.50	27.63	---	---	
2559	Type G3 Focusing Screen f/F3-series	42.50	27.63	---	---	
2560	Type G4 Focusing Screen f/F3-series	42.50	27.63	---	---	
2561	Type H1 Focusing Screen f/F3-series	42.50	27.63	---	---	
2562	Type H2 Focusing Screen f/F3-series	42.50	27.63	---	---	
2563	Type H3 Focusing Screen f/F3-series	42.50	27.63	---	---	
2564	Type H4 Focusing Screen f/F3-series	42.50	27.63	---	---	
2565	Type J Focusing Screen f/F3-series	42.50	27.63	---	---	
2551	Type K Focusing Screen f/F3-series (repl)	42.50	27.63	---	---	
2566	Type L Focusing Screen f/F3-series	42.50	27.63	---	---	
2567	Type M Focusing Screen f/F3-series	42.50	27.63	---	---	
2568	Type P Focusing Screen f/F3-series	42.50	27.63	---	---	
2569	Type R Focusing Screen f/F3-series	42.50	27.63	---	---	
2570	Type T Focusing Screen f/F3-series	42.50	27.63	---	---	
2571	Type U Focusing Screen f/F3-series	42.50	27.63	---	---	
2572	Type S Focusing Screen f/F3-series	42.50	27.63	---	---	
2426	Type B Focusing Screen f/N8008 (repl)	28.00	18.20	---	---	
2427	Type E Focusing Screen f/N8008	28.00	18.20	---	---	
2428	Type J Focusing Screen f/N8008	28.00	18.20	---	---	

NEW New Product.

NIKON FOCUSING SCREENS FOR 35MM SLR CAMERAS

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)			
			1-2 Pcs.	3-5 Pcs.	6 or More	
NCP NIKON FOCUSING SCREENS FOR 35MM SLR CAMERAS						
2421	Type B2 Focusing Screen f/FM2,FE2,FA	28.00	18.20	---	---	
2420	Type K2 Focusing Screen f/FM2,FE2,FA (repl)	28.00	18.20	---	---	
2422	Type E2 Focusing Screen f/FM2,FE2,FA	28.00	18.20	---	---	
2423	Type B Focusing Screen f/N2020 (repl)	20.00	13.00	---	---	
2424	Type E Focusing Screen f/N2020	20.00	13.00	---	---	
2425	Type J Focusing Screen f/N2020	20.00	13.00	---	---	

ACCESSORIES FOR MEDICAL-NIKKOR MISCELLANEOUS CAMERA ACCESSORIES

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
NAS NIKON ACCESSORIES FOR MEDICAL-NIKKOR LENSES					
4535	Focus Bulb f/120mm Medical (repl)	4.50	2.93	---	---
4531	Slip-on Cap f/120mm Medical (repl)	4.50	2.93	---	---
4509	Compartment Case f/120mm Medical	167.50	108.88	---	---
4506	LA-2 AC Unit f/120mm Medical-Nikkor	287.50	186.88	---	---
4505	LD-2 DC Pack f/120mm Medical-Nikkor	195.00	126.75	---	---
4532	SC-20 Sync Cord f/120mm Medical (repl)	15.00	9.75	---	---
4534	SC-21 Power Conn Cord f/120mm Med (repl)	38.00	24.70	---	---
4533	SC-22 Sync Cord f/120mm Medical (repl)	15.00	9.75	---	---
4528	Power Conn Cord f/120mm Med (10 ft)	57.50	37.38	---	---
4530	2x Aux Lens f/120mm Medical (repl)	81.00	52.65	---	---
3064	AA Btry Holder f/SB-11,101,LD-2 (repl)	16.50	10.73	---	---
NCP NIKON MISCELLANEOUS CAMERA ACCESSORIES					
1399	Lens Scope Converter f/F-Mount Lenses	72.50	36.25	35.16	34.44
45	Pistol Grip Model II	54.00	35.10	---	---
647	Nylon Strap f/Touch-Series Camera	7.50	4.88	---	---
683	Nylon Wide Logo Neck Strap f/N2000	18.50	9.25	---	---
635	AN-1 Leather Camera Neck Strap (Black)	16.50	10.73	---	---
482	Shoulder Pad f/AN-1 (repl)	4.50	2.93	---	---
639	AN-4B Nylon Neck Strap (Black)	16.50	10.73	---	---
638	AN-4Y Nylon Neck Strap (Yellow)	16.50	10.73	---	---
4508	AN-6W Nylon Wide Neck Strap (Wine)	27.00	17.55	---	---
4507	AN-6Y Nylon Wide Neck Strap (Yellow)	27.00	17.55	---	---
4564	AN-7 Nylon Strap f/Eveready Case (repl)	8.50	5.53	---	---
648	AN-8 Nylon Strap f/Action-Touch (repl)	9.50	6.18	---	---
2028	AP-2 Panorama Head w/Built-in Level	148.50	96.53	---	---
664	AR-3 Cable Release f/ISO Thread	13.50	8.78	---	---
667	AR-6 ISO-Thread Release f/Pistol Grip II	28.50	18.53	---	---
669	AR-8 Cable Release Adapter f/AR-2,4	4.50	2.93	---	---
4417	AR-9 Soft Shutter Release f/ISO Thread	5.00	3.25	---	---
3062	DB-2 Anti-Cold Battery Pack f/SLR Camera	67.50	43.88	---	---
673	NS-1 Wide Fabric Logo Neck Strap	11.00	5.47	---	---

NIKONOS 35MM SYSTEM

FOR UNDERWATER/ALL-WEATHER PHOTOGRAPHY

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
NCP NIKONOS SYSTEM CAMERAS AND LENSES					
10070	Nikonos V-Camera Body (Orange)	620.00	403.00	390.91	382.85
10071	Nikonos V-Camera Body (Moss Green) (Supplied w/Rubber Neck Strap, spare O-ring Set and one 3.0v Lithium Battery)	620.00	403.00	390.91	382.85
10311	35mm f2.5 W-Nikkor IC	187.50	121.88	118.22	115.79
10315	15mm f2.8N UW-Nikkor IC	1,732.50	1,126.13	---	---
10314	20mm f2.8 UW-Nikkor IC	760.00	494.00	---	---
10310	28mm f3.5 UW-Nikkor IC	385.00	250.25	---	---
10312	80mm f4 Nikkor IC	385.00	250.25	---	---
<p>Note: 15/2.8, 20/2.8 and 28/3.5 UW-Nikkor lenses are designed for use exclusively underwater; 35/2.5 and 80/4 lenses are usable both in and out of water.</p>					
NCP NIKONOS SYSTEM GENERAL ACCESSORIES					
10713	O-Ring Set f/Nikonos-V (repl)	9.50	6.18	---	---
10420	Custom Shoulder Case f/IV-A,V	57.50	37.38	---	---
10422	Neck Strap f/IV-A/V (repl)	9.50	6.18	---	---
10705	UW Close-up Outfit f/Nikonos-IV-A,V (Supplied w/Close-up Lens, 28/35/80mm Field Frames, Fitted Case, Support Arm)	330.00	214.50	---	---
10706	Fitted Case f/UW Close-up Set (repl)	76.50	49.73	---	---
NCP NIKONOS SYSTEM LENS ACCESSORIES					
10803	Front Lens Cap f/15/2.8N UW (repl)	42.50	27.63	---	---
10804	60mm Slip-on Lens Cap f/28,35,80mm	7.00	4.55	---	---
10730	Rear Lens Cap f/Nikonos Lens	7.00	4.55	---	---
10620	Plastic Lens Protector f/28,35,80mm	7.00	4.55	---	---
10625	Lens Hood/Filter Ring f/28,35,80mm	7.00	4.55	---	---
10626	Rubber Lens Hood f/35/2.5 W	7.00	4.55	---	---
10418	CL-50A Hard Lens Case f/28/3.5,35/2.5	27.00	17.55	---	---
10419	CL-51 Hard Lens Case f/80/4	38.00	24.70	---	---
10756	DF-10 Non-UW Viewfinder f/80/4	102.50	66.63	---	---
10758	DF-11 UW Viewfinder f/15/2.8N UW	340.00	221.00	---	---
10759	DF-12 UW Viewfinder f/20/2.8,28/3.5 UW	200.00	130.00	---	---
10751	UW Frame Finder f/28/3.5 UW	19.00	12.35	---	---
10753	UW Frame Finder f/35/2.5 W,80/4	21.50	13.98	---	---

NIKKOR LENSES AND ACCESSORIES FOR SPECIAL OPTICS APPLICATIONS

Prod. No.	Product Description	Sugg. List Price	Dealer Cost (each)		
			1-2 Pcs.	3-5 Pcs.	6 or More
NAS NIKKOR LENSES FOR SPECIAL OPTICS APPLICATIONS					
96972	240mm f9 APO-Nikkor	520.00	390.00	---	---
96971	305mm f9 APO-Nikkor	540.00	405.00	---	---
96980	360mm f9 APO-Nikkor	660.00	495.00	---	---
96987	420mm f9 APO-Nikkor	880.00	660.00	---	---
96981	480mm f9 APO-Nikkor	820.00	615.00	---	---
96985	610mm f9 APO-Nikkor	1,140.00	855.00	---	---
96986	760mm f11 APO-Nikkor	1,740.00	1,305.00	---	---
96989	890mm f11 APO-Nikkor	2,660.00	1,995.00	---	---
96990	1210mm f12.5 APO-Nikkor	6,920.00	5,190.00	---	---
96996	210mm f8 WA-APO-Nikkor	1,140.00	855.00	---	---
96997	300mm f9 WA-APO-Nikkor	1,460.00	1,095.00	---	---
96968	105mm f5.6N APO-EL-Nikkor	2,760.00	2,070.00	---	---
96969	210mm f5.6N APO-EL-Nikkor	4,860.00	3,645.00	---	---
NAS NIKON ACCESSORIES FOR SPECIAL OPTICS APPLICATIONS					
96925	39mm Lens Mounting Flange	20.00	15.00	---	---
2360	F-to-C Lens Mounting Adapter	135.00	87.75	---	---
2628	EL-to-F Lens Mounting Adapter	46.00	30.00	---	---
96950	Filter Holder f/180,240mm APO	19.00	14.25	---	---
96952	Filter Holder f/305,360mm APO	31.00	23.25	---	---
96954	Filter Holder f/420,480mm APO	40.50	30.38	---	---
96955	Filter Holder f/610,760mm APO	54.00	40.50	---	---
96915	Type S Mirror	980.00	784.00	---	---
96916	Type M Mirror	1,390.00	1,112.00	---	---
96920	Type S Roof Prism	1,680.00	1,344.00	---	---
96921	Type M Roof Prism	2,340.00	1,872.00	---	---
96922	Type L Roof Prism	3,680.00	2,944.00	---	---
96910	Type S Right-Angle Prism f/180,240mm	1,390.00	1,112.00	---	---
96911	Type M Right-Angle Prism f/305,360mm	1,890.00	1,512.00	---	---
96912	Type L Right-Angle Prism f/420,480mm	3,120.00	2,496.00	---	---

Note: Please confirm pricing and availability of Nikon Special Optics products prior to ordering.



Nikon

Nikon Inc., 1300 Walt Whitman Road, Melville, NY 11747-3064, U.S.A.

Printed in U.S.A. © Nikon Inc., 2K06094